

#### Co-Ordinate Geometry Ex 14.3 Q25

#### Answer:

Let ABCD be a parallelogram in which the co-ordinates of the vertices are A (1,-2);

B (3, 6) and C(5, 10). We have to find the co-ordinates of the forth vertex.

Let the forth vertex be D(x, y)

Since ABCD is a parallelogram, the diagonals bisect each other. Therefore the mid-point of the diagonals of the parallelogram will coincide.

Now to find the mid-point P(x,y) of two points  $A(x_1,y_1)$  and  $B(x_2,y_2)$  we use section formula as,

$$P(x,y) = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$$

The mid-point of the diagonals of the parallelogram will coincide.

Co-ordinate of mid-point of AC = Co-ordinate of mid-point of BD

$$\left(\frac{5+1}{2}, \frac{10-2}{2}\right) = \left(\frac{x+3}{2}, \frac{y+6}{2}\right)$$

$$\left(\frac{x+3}{2},\frac{y+6}{2}\right) = \left(3,4\right)$$

Now equate the individual terms to get the unknown value. So,

$$\frac{x+3}{2} = 1$$

### Similarly,

$$\frac{y+6}{2} = 4$$

$$y = 2$$

## So the forth vertex is D(3,2)

#### Co-Ordinate Geometry Ex 14.3 Q26

#### Answer:

Let ABCD be a parallelogram in which the co-ordinates of the vertices are A (a,-11); B (5, b); C (2, 15) and D (1, 1).

Since ABCD is a parallelogram, the diagonals bisect each other. Therefore the mid-point of the diagonals of the parallelogram will coincide.

In general to find the mid-point P(x,y) of two points  $A(x_1,y_1)$  and  $B(x_2,y_2)$  we use section formula

$$P(x,y) = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$$

The mid-point of the diagonals of the parallelogram will coincide

Co-ordinate of mid-point of AC = Co-ordinate of mid-point of BD

Therefore,

$$\left(\frac{a+2}{2}, \frac{15-11}{2}\right) = \left(\frac{5+1}{2}, \frac{b+1}{2}\right)$$

Now equate the individual terms to get the unknown value. So,

$$\frac{a+2}{2} = 3$$

a = 4

# Similarly,

$$\frac{b+1}{2} = 2$$

# Therefore,

$$a = 4$$
 $b = 3$ 

\*\*\*\*\*\*\* END \*\*\*\*\*\*\*\*