

Binary Operations Ex 3.2 Q4(i)

'*' is a binary operator on Z defined by a*b=a+b+ab for all $a,b\in Z$.

Commutativity of '*':

Let $a, b \in \mathbb{Z}$, then

$$a*b = a+b+ab = b+a+ba = b*a$$

 $\therefore a*b=b*a$

Associative of '*':

Let $a, b \in \mathbb{Z}$, then

$$(a*b)*c = (a+b+ab)*c = a+b+ab+c+ac+bc+abc$$

= $a+b+c+ab+bc+ac+abc$ ---(i)

Again,
$$a*(b*c) = a*(b+c+bc)$$

= $a+b+c+bc+ab+ac+abc$ ---(ii)

From (i) & (ii), we get
$$(a*b)*c = a*(b*c)$$

:: * is commutative and associative on Z

Binary Operations Ex 3.2 Q4(ii)

Commutative:

Let $a, b \in N$, then

$$a * b = 2^{ab} = 2^{ba} = b * a$$

∴ ∗ is commutative on N

Associative:

Let $a, b, c \in N$, then

$$(a*b)*c = 2^{ab}*c = 2^{2^{ab},c}$$
 $---(i)$

and,
$$a*(b*c) = a*2^{bc} = 2^{a\cdot2^{bc}}$$
 $---(ii)$

From (i) & (ii), we get
$$(a*b)*c \neq a*(b*c)$$

.: * is not associative on N

Binary Operations Ex 3.2 Q4(iii)

Commutativity:

Let
$$a,b \in Q$$
, then
 $a*b=a-b\neq b-a=b*a$

⇒ * is not commutative on Q

Associative:

Let
$$a, b, c \in Q$$
, then

$$(a*b)*c = (a-b)*c = a-b-c$$
 ---(i)

From (i) & (ii), we get
$$(a*b)*c \neq a*(b*c)$$

∴ ∗ is not associative on Q

Binary Operations Ex 3.2 Q4(iv)

Commutative:

Let
$$a,b\in Q$$
, then

$$a e b = a^2 + b^2 = b^2 + a^2 = b e a$$

: e is commutative on Q.

Associative:

Let $a, b, c \in Q$, then

(ae b) e c =
$$(a^2 + b^2)$$
 e c = $(a^2 + b^2)^2 + c^2$ --- (i)
and, ae (be c) = ae $(a^2 + b^2)$ = $a^2 + (b^2 + c^2)^2$ --- (ii)

From (i) & (ii),
$$(a \circ b) \circ c \neq a \circ (b \circ c)$$

.. e is not associative on Q.

Binary Operations Ex 3.2 Q4(v)

Binary operation 'o' defined on Q, given by $aob = \frac{ab}{2}$ for all $a, b \in Q$

Commutative:

Let $a,b\in Q$, then

$$a \circ b = \frac{ab}{2} = \frac{ba}{2} = b \circ a$$

∴ o is commutative on Q.

Associativity:

Let $a, b, c \in Q$, then

$$(a \circ b) \circ c = \left(\frac{ab}{2}\right) \circ c = \frac{abc}{4} \qquad ---(i)$$

$$a \circ (b \circ c) = a \circ \left(\frac{bc}{2}\right) = \frac{abc}{4} \qquad ---(ii)$$

From (i) & (ii) we get
$$(a \circ b) \circ c = a \circ (b \circ c)$$

.: 'o' is associative on Q.

Binary Operations Ex 3.2 Q4(vi)

Commutative:

Let
$$a, b \in Q$$
, then
 $a*b = ab^2 \neq ba^2 = b*a$

.: * is not commutative on Q

Associativity:

Let $a, b, c \in Q$, then

$$(a*b)*c = ab^2*c = ab^2c^2$$
 --- (i)

&
$$a*(b*c) = a*bc^2 = a(bc^2)^2$$
 ---(ii)

From (i) and (ii)
$$(a*b)*c \neq a*(b*c)$$

.. * is not associative on Q

Binary Operations Ex 3.2 Q4(vii)

Commutativity:

Let
$$a,b \in Q$$
, then
$$a*b=a+ab \qquad \qquad ---(i)$$

$$b*a=b+ab \qquad \qquad ---(ii)$$

⇒ * is not commutative on Q

Associativity:

From (i) and (ii)
$$(a*b)*c \neq a*(b*c)$$

⇒ * is not associative on Q

******** END *******