

## Co-Ordinate Geometry Ex 14.2 Q34

### Answer:

The distance d between two points  $(x_1, y_1)$  and  $(x_2, y_2)$  is given by the formula

$$d = \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2}$$

The three given points are Q(0,1), P(5,-3) and R(x,6).

Now let us find the distance between 'P' and 'Q'.

$$PQ = \sqrt{(5-0)^2 + (-3-1)^2}$$
$$= \sqrt{(5)^2 + (-4)^2}$$
$$= \sqrt{25+16}$$

$$PQ = \sqrt{41}$$

Now, let us find the distance between 'Q' and 'R'.

$$QR = \sqrt{(0-x)^2 + (1-6)^2}$$

$$QR = \sqrt{(-x)^2 + (-5)^2}$$

It is given that both these distances are equal. So, let us equate both the above equations,

$$PO = OR$$

$$\sqrt{41} = \sqrt{(-x)^2 + (-5)^2}$$

Squaring on both sides of the equation we get,

$$41 = (-x)^2 + (-5)^2$$

$$41 = x^2 + 25$$

$$x^2 = 16$$

$$r = +4$$

Hence the values of 'x' are 4 or -4.

Now, the required individual distances,

$$QR = \sqrt{(0 \mp 4)^2 + (1 - 6)^2}$$
$$= \sqrt{(\mp 4)^2 + (-5)^2}$$
$$= \sqrt{16 + 25}$$

$$QR = \sqrt{41}$$

Hence the length of 'QR' is  $\sqrt{41}$  units

For 'PR' there are two cases. First when the value of 'x' is 4,

$$PR = \sqrt{(5-4)^2 + (-3-6)^2}$$
$$= \sqrt{(1)^2 + (-9)^2}$$
$$= \sqrt{1+81}$$

$$PR = \sqrt{82}$$

Then when the value of 'x' is -4,

$$PR = \sqrt{(5+4)^2 + (-3-6)^2}$$
$$= \sqrt{(9)^2 + (-9)^2}$$
$$= \sqrt{81+81}$$

$$PR = 9\sqrt{2}$$

Hence the length of 'PR' can be  $\sqrt{82}$  or  $9\sqrt{2}$  units

## Co-Ordinate Geometry Ex 14.2 Q35

#### Answer .

The distance d between two points  $(x_1, y_1)$  and  $(x_2, y_2)$  is given by the formula

$$d = \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2}$$

The distance between two points P(2,-3) and Q(10,y) is given as 10 units. Substituting these values in the formula for distance between two points we have,

$$10 = \sqrt{(2-10)^2 + (-3-y)^2}$$

Now, squaring the above equation on both sides of the equals sign

$$100 = (-8)^2 + (-3 - y)^2$$

$$100 = 64 + 9 + y^2 + 6y$$

$$27 = y^2 + 6y$$

Thus we arrive at a quadratic equation. Let us solve this now,

$$y^2 + 6y - 27 = 0$$

$$y^2 + 9y - 3y - 27 = 0$$

$$y(y+9)-3(y+9)=0$$

$$(y-3)(y+9)=0$$

The roots of the above quadratic equation are thus 3 and -9.

Thus the value of 'y' could either be 3 or -9

# Co-Ordinate Geometry Ex 14.2 Q36

### Answer:

The distance d between two points  $(x_1, y_1)$  and  $(x_2, y_2)$  is given by the formula

$$d = \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2}$$

The centre of a circle is at equal distance from all the points on its circumference.

Here it is given that the circle passes through the points A(6,-6), B(3,-7) and C(3,3).

Let the centre of the circle be represented by the point O(x, y).

So we have 
$$AO = BO = CO$$

$$AO = \sqrt{(6-x)^2 + (-6-y)^2}$$

$$BO = \sqrt{(3-x)^2 + (-7-y)^2}$$

$$CO = \sqrt{(3-x)^2 + (3-y)^2}$$

Equating the first pair of these equations we have,

$$AO = BO$$

$$\sqrt{(6-x)^2+(-6-y)^2} = \sqrt{(3-x)^2+(-7-y)^2}$$

Squaring on both sides of the equation we have,

$$(6-x)^2 + (-6-y)^2 = (3-x)^2 + (-7-y)^2$$

$$36 + x^2 - 12x + 36 + y^2 + 12y = 9 + x^2 - 6x + 49 + y^2 + 14y$$

$$6x + 2y = 14$$

$$3x + y = 7$$

Equating another pair of the equations we have,

$$AO = CO$$

$$\sqrt{(6-x)^2 + (-6-y)^2} = \sqrt{(3-x)^2 + (3-y)^2}$$

Squaring on both sides of the equation we have,

$$(6-x)^2 + (-6-y)^2 = (3-x)^2 + (3-y)^2$$

$$36 + x^2 - 12x + 36 + y^2 + 12y = 9 + x^2 - 6x + 9 + y^2 - 6y$$

$$6x - 18y = 54$$

$$x - 3y = 9$$

Now we have two equations for 'x' and 'y', which are

$$3x + y = 7$$

$$x - 3y = 9$$

From the second equation we have y = -3x + 7. Substituting this value of 'y' in the first equation we have

$$x - 3(-3x + 7) = 9$$

$$x + 9x - 21 = 9$$

$$10x = 30$$

$$x = 3$$

Therefore the value of 'y' is,

$$y = -3x + 7$$

$$=-3(3)+7$$

$$v = -1$$

Hence the co-ordinates of the centre of the circle are (3,-2)