

## Chapter 6 Graphs of Trigonometric Functions Ex 6.2 Q1

We have.

$$y = \cos\left(x + \frac{\pi}{4}\right)$$

$$\Rightarrow y - 0 = \cos\left(x + \frac{\pi}{4}\right) \qquad ---(i)$$

Shifting the origin at  $\left(-\frac{\pi}{4},0\right)$ , we obtain

$$X = X - \frac{\pi}{4}, \quad Y = Y + 0$$

Substituting these values in (i), we get

Thus we draw the graph of  $Y = \cos X$  and shift it by  $\frac{\pi}{4}$  to the left to get the required graph.



We have,

$$y = \cos\left(x - \frac{\pi}{4}\right)$$
 
$$\Rightarrow \qquad y - 0 = \cos\left(x - \frac{\pi}{4}\right) \qquad ---(i)$$

Shifting the origin at  $\left(\frac{\pi}{4},0\right)$ , we obtain

$$x = X + \frac{\pi}{4}, \ y = Y + 0$$

Substituting these values in (i), we get

Thus we draw the graph of  $Y = \cos X$  and shift it by  $\frac{\pi}{4}$  to the right to get the required graph.



We have,

$$y=3\cos\left(2x-1\right)$$

$$\Rightarrow \qquad \left(y-0\right) = 3\cos 2\left(x-\frac{1}{2}\right)$$


Shifting the origin at  $\left(\frac{1}{2},0\right)$ , we have

$$X = X + \frac{1}{3}$$
 and  $y = Y + 0$ 

 $x=X+\frac{1}{3} \text{ and } y=Y+0$  Substituting these values in (i), we get

 $Y = 3\cos 2X$ 

Thus we draw the graph of  $Y = 3\cos 2X$  and shift it by 1/2 to the right to get the required graph.



We have,

$$y = 2\cos\left(x - \frac{\pi}{2}\right)$$

$$\Rightarrow \qquad y - 0 = 2\cos\left(x - \frac{\pi}{2}\right)$$

---(i)

Shifting the origin at  $\left(\frac{\pi}{2},0\right)$ , we obtain

$$X=X+\frac{\pi}{2}\,,\ y=Y+0$$

Substituting these values in (i), we get  $Y = 2\cos X.$ 

$$Y = 2\cos X$$

Thus we draw the graph of  $Y = 2\cos X$  and shift it by  $\frac{\pi}{2}$  to the right to get the required graph.



\*\*\*\*\*\*\*\*\* END \*\*\*\*\*\*\*