

Main page
Contents
Featured content
Current events
Random article
Donate to Wkipedia
Wkipedia store

Interaction

Help About Wikipedia Community portal Recent changes Contact page

Tools

What links here Related changes Upload file Special pages Permanent link Page information Wkidata item Cite this page

Print/export

Create a book
Download as PDF
Printable version

Languages

Español Polski

Português Српски / srpski Article Talk Read Edit View history Search Q

Ukkonen's algorithm

From Wikipedia, the free encyclopedia

In computer science, **Ukkonen's algorithm** is a linear-time, online algorithm for constructing suffix trees, proposed by Esko Ukkonen in 1995.^[1]

The algorithm begins with an implicit suffix tree containing the first character of the string. Then it steps through the string adding successive characters until the tree is complete. This order addition of characters gives Ukkonen's algorithm its "on-line" property. The original algorithm presented by Peter Weiner proceeded backward from the last character to the first one from the shortest to the longest suffix. A simpler algorithm was found by Edward M. McCreight, going from the longest to the shortest suffix.

The naive implementation for generating a suffix tree going forward requires $O(n^2)$ or even $O(n^3)$ time complexity in big O notation, where n is the length of the string. By exploiting a number of algorithmic techniques, Ukkonen reduced this to O(n) (linear) time, for constant-size alphabets, and $O(n \log n)$ in general, matching the runtime performance of the earlier two algorithms.

References [edit]

- ^ Ukkonen, E. (1995). "On-line construction of suffix trees" (PDF). Algorithmica 14 (3): 249–260. doi:10.1007/BF01206331 ₽.
- 2. ^ Weiner, Peter (1973). "Linear pattern matching algorithms" ▶ (PDF). 14th Annual Symposium on Switching and Automata Theory (SWAT 1973). pp. 1–11. doi:10.1109/SWAT.1973.13 ₺.
- 3. ^ McCreight, Edward Meyers (1976). "A Space-Economical Suffix Tree Construction Algorithm" &. Journal of the ACM 23 (2): 262–272. doi:10.1145/321941.321946 &.

External links [edit]

- Detailed explanation in plain English ☑
- Fast String Searching With Suffix Trees ☑ Mark Nelson's tutorial. Has an implementation example written with C++.
- Implementation in C with detailed explanation ₽
- Ukkonen's homepage
- Text-Indexing project ☑ (Ukkonen's linear-time construction of suffix trees)
- Implementation in C Part 1 ☑ Part 2 ☑ Part 3 ☑ Part 4 ☑ Part 5 ☑ Part 6 ☑

This computer science article is a stub. You can help Wikipedia by expanding it.

Categories: Bioinformatics algorithms | Algorithms on strings | Substring indices | Computer science stubs

This page was last modified on 29 August 2015, at 01:26.

Text is available under the Creative Commons Attribution-ShareAlike License; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy. Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a non-profit organization.

Privacy policy About Wikipedia Disclaimers Contact Wikipedia Developers Mobile view



