



WIKIPEDIA
The Free Encyclopedia

Main page

Contents

Featured content

Current events

Random article

Donate to Wikipedia

Wikipedia store

Interaction

Help

About Wikipedia

Community portal

Recent changes

Contact page

Tools

What links here

Related changes

Upload file

Special pages

Permanent link

Page information

Wikidata item

Cite this page

Print/export

Create a book

Download as PDF

Printable version

Languages

Català

Deutsch

Español

Français

한국어

Italiano

日本語

Русский

Українська

中文

Edit links

Create account Log in

Article

Talk

Read

Edit

View history

Search



Entropy encoding

From Wikipedia, the free encyclopedia



This article includes a [list of references](#), related reading or [external links](#), **but its sources remain unclear because it lacks [inline citations](#)**.

Please [improve](#) this article by introducing more precise citations. *(December 2013)*

In [information theory](#) an **entropy encoding** is a [lossless data compression](#) scheme that is independent of the specific characteristics of the medium.

One of the main types of entropy coding creates and assigns a unique [prefix-free code](#) to each unique [symbol](#) that occurs in the input. These [entropy](#) encoders then compress data by replacing each fixed-length input symbol with the corresponding variable-length prefix-free output codeword. The length of each codeword is approximately [proportional](#) to the negative [logarithm](#) of the [probability](#). Therefore, the most common symbols use the shortest codes.

According to [Shannon's source coding theorem](#), the optimal code length for a symbol is $-\log_b P$, where *b* is the number of symbols used to make output codes and *P* is the probability of the input symbol.

Two of the most common entropy encoding techniques are [Huffman coding](#) and [arithmetic coding](#). If the approximate entropy characteristics of a data stream are known in advance (especially for [signal compression](#)), a simpler static code may be useful. These static codes include [universal codes](#) (such as [Elias gamma coding](#) or [Fibonacci coding](#)) and [Golomb codes](#) (such as [unary coding](#) or [Rice coding](#)).

Entropy as a measure of similarity [\[edit\]](#)

Besides using entropy encoding as a way to compress digital data, an entropy encoder can also be used to measure the amount of [similarity](#) between [streams of data](#) and already existing classes of data. This is done by generating an entropy coder/compressor for each class of data; unknown data is then [classified](#) by feeding the uncompressed data to each compressor and seeing which compressor yields the highest compression. The coder with the best compression is probably the coder trained on the data that was most similar to the unknown data.

External links [\[edit\]](#)

- [Information Theory, Inference, and Learning Algorithms](#)*, by [David MacKay](#) (2003), gives an introduction to Shannon theory and data compression, including the [Huffman coding](#) and [arithmetic coding](#).
- [Source Coding](#)*, by T. Wiegand and H. Schwarz (2011).

v · t · e		Data compression methods	[hide]
Lossless	Entropy type	Unary · Arithmetic · Golomb · Huffman (Adaptive · Canonical · Modified) · Range · Shannon · Shannon–Fano · Shannon–Fano–Elias · Tunstall · Universal (Exp-Golomb · Fibonacci · Gamma · Levenshtein)	
	Dictionary type	Byte pair encoding · DEFLATE · Lempel–Ziv (LZ77 / LZ78 (LZ1 / LZ2) · LZJB · LZMA · LZO · LZRW · LZS · LZSS · LZW · LZWL · LZX · LZ4 · Statistical)	
	Other types	BWT · CTW · Delta · DMC · MTF · PAQ · PPM · RLE	
Audio	Concepts	Bit rate (average (ABR) · constant (CBR) · variable (VBR)) · Companding · Convolution · Dynamic range · Latency · Nyquist–Shannon theorem · Sampling · Sound quality · Speech coding · Sub-band coding	
	Codec parts	A-law · μ -law · ACELP · ADPCM · CELP · DPCM · Fourier transform · LPC (LAR · LSP) · MDCT · Psychoacoustic model · WLPc	
Image	Concepts	Chroma subsampling · Coding tree unit · Color space · Compression artifact · Image resolution · Macroblock · Pixel · PSNR · Quantization · Standard test image	
	Methods	Chain code · DCT · EZW · Fractal · KLT · LP · RLE · SPIHT · Wavelet	
Video	Concepts	Bit rate (average (ABR) · constant (CBR) · variable (VBR)) · Display resolution · Frame · Frame rate · Frame types · Interlace · Video characteristics · Video quality	
	Codec parts	Lapped transform · DCT · Deblocking filter · Motion compensation	

Theory

[Entropy](#) · [Kolmogorov complexity](#) · [Lossy](#) · [Quantization](#) · [Rate–distortion](#) · [Redundancy](#) · [Timeline of information theory](#)



[Compression formats](#)



[Compression software \(codecs\)](#)

Categories: [Lossless compression algorithms](#) | [Entropy and information](#)

This page was last modified on 18 April 2015, at 15:09.

Text is available under the [Creative Commons Attribution-ShareAlike License](#); additional terms may apply. By using this site, you agree to the [Terms of Use](#) and [Privacy Policy](#). Wikipedia® is a registered trademark of the [Wikimedia Foundation, Inc.](#), a non-profit organization.

[Privacy policy](#) [About Wikipedia](#) [Disclaimers](#) [Contact Wikipedia](#) [Developers](#) [Mobile view](#)

