## **Overview**

	Passed	Failed	Known	Undefined	Total	%Passed
Features	1	0	0	0	1	100%
Scenarios	15	0	0	0	15	100%
Steps	78	0	0	0	78	100%

Overall Duration: 0h 04m 05s

## **Table of Contents**


- 1. Verify todos functionality
  - 1. : Verify the clear Completed "Test" items
  - 2. : Verify the clear Completed "123" items
  - 3. : Verify the clear Completed "Login" items
  - 4. : Verify the todos Active "Test" items
  - 5. : Verify the todos Active "123" items
  - 6. : Verify the todos Active "Login" items
  - 7. : Verify the Todos Completed "Test" Items
  - 8. : Verify the Todos Completed "123" Items
  - 9. : Verify the Todos Completed "Login" Items
  - 10. : Verify the Todos All "Test" Items
  - 11. : Verify the Todos All "123" Items
  - 12. : Verify the Todos All "Login" Items
  - 13. : The completed items list should be empty if there are no active "Test" items in the to-dos list.
  - 14. : The completed items list should be empty if there are no active "123" items in the to-dos list.
  - 15. : The completed items list should be empty if there are no active "Login" items in the todos list.

## **Detailed Results Report**


Passed: 15	Failed: 0	Undefined: 0	Duration: 245	.96s
Scenario Outl	ine: : Verify the c	lear Completed "Test"	items	
Passed: 5	Failed:	0 Undef	ined: 0	Duration: 16.22s
Before				0.07s
Given I La	unch the Applicat	ion ''\${app.url}''		4.33s
And I Ente	er the Name "Test	'' in todos screen		3.20s
And Verify	the Name "Test"	in todos screen		2.04s
And I click	the submit button	n in todos screen		0.03s
And I click	the "Clear compl	leted" in todos screen		6.04s
				<u> </u>

Pearl			
Read Social Specia	todos		
And as authorities to outing use refered, to an propies as	What needs is be alone?		
October and States, and October and States and companies to the states of States and desired and other than the problems.	Final Police of the con- trained by terrolated mater. For or Teachers.		
Officer Resources			
Official Resources  - San Stat  - All Remons  - Nationals  - Nationals			
Community  • Next Start Section			
Age for the NELTHE STATE OFFI			
After			0.52s
Back to Table of Cont	<u>ents</u>		
Scenario Outline:	: Verify the clear Com	pleted "123" items	
Passed: 5	Failed: 0	Undefined: 0	Duration: 15.13s
Before			0.00s
Given I Launch	the Application "\${a	nn.url}''	3.58s
	Name "123" in todos		3.18s
	Name "123" in todos		2.03s
	submit button in todos		0.03s
	"Clear completed" in		6.04s
		todos screen	0.048
Property Season Symbological States	todos		
Alact s.t. destination for coding user formats, to one progress as	What needs to be abne?		
Contented sobs diffusion and health principality what print companies to be the printing the printing date of the content the unbelong date before.	State of the set of th		
Office Associate			
- Date Date - Of Reference - Relations - Relations			
Community  • Name Stand Community			
A CO			0.00
After			0.27s
Back to Table of Cont			
Scenario Outline:	: Verify the clear Com	ipleted "Login" items	
Passed: 5	Failed: 0	Undefined: 0	Duration: 15.12s
Before			0.00s
Given I Launch	the Application "\${a	pp.url}''	3.57s
	Name "Login" in tod		3.19s
	Name "Login" in tode		2.03s
	submit button in todo		0.03s
	"Clear completed" in		6.03s
		todos screen	0.033
Picact final total State Spandogs - Naze Spand	todos		
And a a Andonomina for coming user information for unique part processed on a finance part	What needs to be done?		
Redelly Shrop could wise and Company of Court fee and Medical Head of Court fee and Medical date of Waste.	The annual of the second secon		
Official Resources			
Date Dat     Of Datement     Managery     Managery			
Community  • Seast Community			
Afton			0.275
After	,		0.27s
Back to Table of Cont			
Scenario Outline:	: Verify the todos Acti	ve "Test" items	

Given I Launch the Application "\${app.url}"  And I Enter the Name "123" in todos screen  And Verify the Name "123" in todos screen  And I click the "Active" in todoslist screen  And Verify the Name "123" in todos screen  2.03s  And Verify the Name "123" in todos screen  And Verify the Name "123" in todos screen  2.01s  Scream of todos  Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}"  3.56s  And I Enter the Name "Login" in todos screen  3.18s  And Verify the Name "Login" in todos screen  3.18s  And Verify the Name "Login" in todos screen  2.01s	ion: 17.18
And I Enter the Name "Test" in todos screen  And Verify the Name "Test" in todos screen  And I click the "Active" in todoslist screen  And Verify the Name "Test" in todos screen  2.02s  And Verify the Name "Test" in todos screen  And Verify the Name "Test" in todos screen  5.02s  And Verify the Name "Test" in todos screen  Coccario Outline: Verify the todos Active "123" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Given I Launch the Application "\${app.url}" 3.59s  And I Enter the Name "123" in todos screen  And Verify the Name "123" in todos screen  Coccario Outline: Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before  O.00s  Given I Launch the Application "\${app.url}" 3.56s  Coccario Outline: Verify the todos Active "Login" items  Coccario Outline: Verify the Name "Login" in todos screen  Coccario Outline: Verify the Name "Login" in todos screen  Coccario Outline: Verify the Name "Login" in todos screen  Coccario Outline: Verify the Name "Login" in todos screen  Coccario Outline: Verify the Name "Login" in todos screen  Coccario Outline: Verify the Name "Login" in todos screen  Coccario Outline: Verif	
And Verify the Name "Test" in todos screen 6.04s And I click the "Active" in todos screen 2.02s  And Verify the Name "Test" in todos screen 2.02s    Verify the Name "Test" in todos screen 2.02s   Verify the todos Active "123" items   Secaratio Outline: Verify the todos Active "123" items   Given I Launch the Application "\${app.url}" 3.59s And I Enter the Name "123" in todos screen 2.03s And Verify the Name "123" in todos screen 2.03s And Verify the Name "123" in todos screen 2.01s   And Verify the Name "123" in todos screen 2.01s   And Verify the Name "123" in todos screen 3.18s   And Verify the Name "123" in todos screen 3.01s   And Verify the Name "123" in todos screen 3.01s   And Verify the Name "123" in todos screen 3.01s   And Verify the Name "123" in todos screen 3.01s   And Verify the Name "123" in todos screen 3.01s   And Verify the Name "123" in todos screen 3.01s   And Verify the Name "123" in todos screen 3.01s   And Verify the Name "123" in todos screen 3.01s   And Verify the Name "123" in todos screen 3.01s   And Verify the Name "123" in todos screen 3.000s   And I Enter the Name "123" in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name "120; in todos screen 3.000s   And I Enter the Name	
And I click the "Active" in todoslist screen  And Verify the Name "Test" in todos screen  Lodos  Lod	
After   0.26s  Back to Table of Contents  Scenario Outline: Verify the todos Active "123" items  Passed: 5   Failed: 0   Undefined: 0   Undefined: 0    And I Enter the Name "123" in todos screen   2.03s  And I Click the "Active" in todoslist screen   2.01s  And Verify the Name "123" in todos screen   2.01s  And Verify the Name "123" in todos screen   2.01s  Example of Contents  Scenario Outline: Verify the todos Active "Login" items  Passed: 5   Failed: 0   Undefined: 0   Undefined: 0    Duration   2.02s  And I Click the "Active" in todoslist screen   2.01s  And Verify the Name "123" in todos screen   2.01s  Example of Contents  Scenario Outline: Verify the todos Active "Login" items  Passed: 5   Failed: 0   Undefined: 0   Duration    Before   0.00s  Given I Launch the Application "\${app.url}"   3.56s  And I Enter the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   2.01s	
After 0.26s  Back to Table of Contents  Scenario Outline: : Verify the todos Active "123" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Given I Launch the Application "\${app.url}" 3.59s  And I Enter the Name "123" in todos screen 2.03s  And I Click the "Active" in todoslist screen 3.18s  And Verify the Name "123" in todos screen 2.01s  Todos  After 0.27s  Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration 0.00s  Given I Launch the Application "\${app.url}" and 0.27s  Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s	
After 0.26s  Back to Table of Contents  Scenario Outline: : Verify the todos Active "123" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Given I Launch the Application "\${app.url}" 3.59s  And I Enter the Name "123" in todos screen 2.03s  And I Click the "Active" in todoslist screen 3.18s  And Verify the Name "123" in todos screen 2.01s  Todos  After 0.27s  Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration 0.00s  Given I Launch the Application "\${app.url}" and 0.27s  Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s	
After   0.26s  Back to Table of Contents  Scenario Outline:: Verify the todos Active "123" items  Passed: 5   Failed: 0   Undefined: 0   Duration  Before   0.00s  Given I Launch the Application "\${app.url}"   3.59s  And I Enter the Name "123" in todos screen   2.03s  And I click the "Active" in todoslist screen   6.04s  And Verify the Name "123" in todos screen   2.01s  And Verify the Name "123" in todos screen   2.01s  Todos  After   0.27s  Back to Table of Contents  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5   Failed: 0   Undefined: 0   Duration  Before   0.00s  Given I Launch the Application "\${app.url}"   3.56s  And I Enter the Name "Login" in todos screen   3.18s  And I Enter the Name "Login" in todos screen   3.18s  And I Enter the Name "Login" in todos screen   3.18s  And I Enter the Name "Login" in todos screen   3.18s	
After   0.26s  Back to Table of Contents  Scenario Outline:: Verify the todos Active "123" items  Passed: 5   Failed: 0   Undefined: 0   Duration  Before   0.00s  Given I Launch the Application "\${app.url}"   3.59s  And I Enter the Name "123" in todos screen   2.03s  And I click the "Active" in todos screen   2.01s  And Verify the Name "123" in todos screen   2.01s  Todos  And Verify the Name "123" in todos screen   2.01s  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5   Failed: 0   Undefined: 0   Duration  Before   0.00s  Given I Launch the Application "\${app.url}"   3.56s  And I Enter the Name "Login" in todos screen   3.18s  And I Enter the Name "Login" in todos screen   3.18s  And I Enter the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s	
After   0.26s  Back to Table of Contents  Scenario Outline:: Verify the todos Active "123" items  Passed: 5   Failed: 0   Undefined: 0   Duration  Before   0.00s  Given I Launch the Application "\${app.url}"   3.59s  And I Enter the Name "123" in todos screen   2.03s  And Verify the Name "123" in todos screen   2.01s  And Verify the Name "123" in todos screen   2.01s  The state of Contents  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5   Failed: 0   Undefined: 0   Duration  Before   0.00s  Given I Launch the Application "\${app.url}"   3.56s  And I Enter the Name "Login" in todos screen   3.18s  And I Enter the Name "Login" in todos screen   3.18s  And I Enter the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s	
After   0.26s  Back to Table of Contents  Scenario Outline:: Verify the todos Active "123" items  Passed: 5   Failed: 0   Undefined: 0   Duration  Before   0.00s  Given I Launch the Application "\${app.url}"   3.59s  And I Enter the Name "123" in todos screen   2.03s  And Verify the Name "123" in todos screen   2.01s  And Verify the Name "123" in todos screen   2.01s  The state of Contents  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5   Failed: 0   Undefined: 0   Duration  Before   0.00s  Given I Launch the Application "\${app.url}"   3.56s  And I Enter the Name "Login" in todos screen   3.18s  And I Enter the Name "Login" in todos screen   3.18s  And I Enter the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   3.18s	
Back to Table of Contents  Scenario Outline:: Verify the todos Active "123" items  Passed: 5 Failed: 0 Undefined: 0 Duration Before 0.00s  Given I Launch the Application "\${app.url}" 3.59s  And I Enter the Name "123" in todos screen 2.03s  And Verify the Name "123" in todos screen 3.18s  And Verify the Name "123" in todos screen 2.01s  And Verify the Name "123" in todos screen 2.01s  Todos  And Verify the Name "123" in todos screen 2.01s  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s	
Back to Table of Contents  Scenario Outline:: Verify the todos Active "123" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.59s  And I Enter the Name "123" in todos screen 2.03s  And I Click the "Active" in todoslist screen 6.04s  And Verify the Name "123" in todos screen 2.01s  Todos  And Verify the Name "123" in todos screen 2.01s  Todos  And Verify the Name "123" in todos screen 2.01s  Todos  Back to Table of Contents  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
Back to Table of Contents  Scenario Outline: : Verify the todos Active "123" items  Passed: 5 Failed: 0 Undefined: 0 Duration Before 0.00s  Given I Launch the Application "\${app.url}" 3.59s  And I Enter the Name "123" in todos screen 2.03s  And Verify the Name "123" in todos screen 3.18s  And Verify the Name "123" in todos screen 2.01s  And Verify the Name "123" in todos screen 2.01s  Todos  And Verify the Name "123" in todos screen 2.01s  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s	
Scenario Outline:: Verify the todos Active "123" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.59s  And I Enter the Name "123" in todos screen 2.03s  And I click the "Active" in todoslist screen 6.04s  And Verify the Name "123" in todos screen 2.01s  Todos  Todos  After 0.27s  Back to Table of Contents  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 3.18s	
Passed: 5 Failed: 0 Undefined: 0 Duration  Before	
Given I Launch the Application "\${app.url}" 3.59s And I Enter the Name "123" in todos screen 2.03s And I Click the "Active" in todoslist screen 6.04s And Verify the Name "123" in todos screen 2.01s  And Verify the Name "123" in todos screen 2.01s  Total Click the "Active" in todoslist screen 2.01s  Total Click the "Active" in todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
Given I Launch the Application "\${app.url}"  And I Enter the Name "123" in todos screen  And Verify the Name "123" in todos screen  2.03s  And I click the "Active" in todoslist screen  And Verify the Name "123" in todos screen  2.01s  **Todos**  **Todos	ion: 17.1
And I Enter the Name "123" in todos screen  And Verify the Name "123" in todos screen  And Verify the Name "123" in todos screen  And Verify the Name "123" in todos screen  2.01s  The state of the sta	
And I Enter the Name "123" in todos screen  And I click the "Active" in todoslist screen  And Verify the Name "123" in todos screen  And Verify the Name "123" in todos screen  2.01s  Todos  T	
And I click the "Active" in todos screen  And Verify the Name "123" in todos screen  2.01s    Name	
And Verify the Name "123" in todos screen    Todos	
After 0.27s  Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
After   0.27s  Back to Table of Contents  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5   Failed: 0   Undefined: 0   Duration  Before   0.00s  Given I Launch the Application "\${app.url}"   3.56s  And I Enter the Name "Login" in todos screen   3.18s  And Verify the Name "Login" in todos screen   2.01s	
After 0.27s  Back to Table of Contents  Scenario Outline: Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
After 0.27s  Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
After 0.27s  Back to Table of Contents  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
After 0.27s  Back to Table of Contents  Scenario Outline:: Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
Back to Table of Contents  Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
Scenario Outline: : Verify the todos Active "Login" items  Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
Passed: 5 Failed: 0 Undefined: 0 Duration  Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
Before 0.00s  Given I Launch the Application "\${app.url}" 3.56s  And I Enter the Name "Login" in todos screen 3.18s  And Verify the Name "Login" in todos screen 2.01s	
Given I Launch the Application "\${app.url}"  And I Enter the Name "Login" in todos screen  And Verify the Name "Login" in todos screen  2.01s	ion: 17.07
And I Enter the Name "Login" in todos screen  3.18s And Verify the Name "Login" in todos screen  2.01s	
And I Enter the Name "Login" in todos screen3.18sAnd Verify the Name "Login" in todos screen2.01s	
And Verify the Name "Login" in todos screen 2.01s	
And I click the "Active" in todoslist screen 6.04s	
And Verify the Name "Login" in todos screen 2.02s	



	e:: Verify the Todos Cor	<u> </u>	
Passed: 6	Failed: 0	Undefined: 0	Duration: 17.15
Before			0.00s
Given I Laun	ch the Application ''\${ar	pp.url}''	3.59s
And I Enter t	he Name "Login" in tod	os screen	3.17s
And Verify th	ne Name "Login" in todo	os screen	2.03s
And I click th	e submit button in todos	screen	0.03s
And I click th	e "Completed" in todos	list screen	6.05s
And Verify th	ne Name "Login" in todo	os screen	2.02s
React Next	todos		
Specializa - Specializa	→ What needs to be stone?		
was viriables. Bit can precipital aid obtained softs officially and of feeting Single official and our community considerated feeting and death of the official and outside pre-	⊘ Legin           Checkel         At 65th Complete         Chir complete		
OR SPACE.	Made 400 of the Depot is included the Windows		
Official Resources  - Date Ties  - Of Statement  - Relatings			
Connects  Contracts  Institute Contract			
Associates after health river to video, united			
After			0.27s
<b>Back to Table of Co</b>	<u>ntents</u>		
Scenario Outline	e:: Verify the Todos All	"Test" Items	
Passed: 6	Failed: 0	Undefined: 0	Duration: 17.11
Before			0.00s
Given I Laun	ch the Application "\${ap	op.url}''	3.60s
	he Name "Test" in todos		3.14s
And Verify th	ne Name "Test" in todos	screen	2.02s
	e submit button in todos		0.02s
And I click th	e "All" in todoslist scree	en	6.04s
	ne Name "Test" in todos		2.02s
React	todos		
Name Name Name Name Own States	■ What needs to be stone?		
And his autopriors to coming use realized to on progresses designed code offsets, and progresses on the con-	⊘ Seat   Connect ■ Note Concess Conscionance		
composed cool-level filescone! Area if an other wine the processing one principle.			
Official Resources	Name of the Control o		
Add Materians     Minimizeds     Materials			
+ Next territoriosites			
An acceptable and the sales			0.28s
After			0.235
After  Back to Table of Co	ntents		
Back to Table of Co		"112" Itams	
Back to Table of Co Scenario Outline	:: Verify the Todos All		D
Back to Table of Co Scenario Outline Passed: 6		"123" Items Undefined: 0	Duration: 17.16
Back to Table of Co Scenario Outline Passed: 6 Before	Failed: 0	Undefined: 0	0.00s
Back to Table of Co Scenario Outline Passed: 6 Before Given I Laun	Failed: 0 ch the Application ''\${ap	Undefined: 0  op.url}''	0.00s 3.60s
Scenario Outline Passed: 6 Before Given I Laun And I Enter t	Failed: 0  ch the Application "\${aphe Name "123" in todos	Undefined: 0  pp.url}'' screen	0.00s 3.60s 3.18s
Scenario Outline Passed: 6 Before Given I Laun And I Enter t	Failed: 0 ch the Application ''\${ap	Undefined: 0  pp.url}'' screen	0.00s 3.60s



After			0.24s
Back to Table of Cont	tents		
Scenario Outline: the to-dos list.	: The completed item	s list should be empty if there are	no active "123" items in
Passed: 4	Failed: 0	Undefined: 0	Duration: 15.0
Before			0.00s
Given I Launch	h the Application ''\${a	app.url}''	3.56s
And I Enter the	e Name "123" in todo	s screen	3.20s
And Verify the	Name "123" in todos	screen	2.01s
And I click the	"Completed" in todo	slist screen	6.04s
Floracti Floract Verific Special Speci	todos		
Specimen State Once State	What needs to be done?		
Aud to Auditor Review or college use Mathods Enrich program are discontracted by dispersion and familiar (Implication) what prof companied to continued familiar and a physical processing the auditorial	Theread At Allin Company Chirocolomic		
	Destroire de Paris Millione. No il 1968-2001		
Official Resources - Date Tool - All Resources - Princepts			
Consumity  Faculti-Control			
Assumes the high-root street, critical describes the discussion of the work place.			
After			0.28s
After Back to Table of Cont	tents		0.28s
Back to Table of Cont		s list should be empty if there are	<u> </u>
Back to Table of Cont Scenario Outline: n the to-dos list.		s list should be empty if there are  Undefined: 0	no active "Login" item
Back to Table of Cont Scenario Outline: n the to-dos list. Passed: 4	: The completed item		no active "Login" item
Back to Table of Cont Scenario Outline: n the to-dos list. Passed: 4 Before	: The completed item	Undefined: 0	no active "Login" item  Duration: 15.0
Sack to Table of Cont Scenario Outline: n the to-dos list. Passed: 4 Before Given I Launch	: The completed item  Failed: 0	Undefined: 0 app.url}''	no active "Login" item  Duration: 15.0 0.00s
Sack to Table of Cont Scenario Outline: n the to-dos list. Passed: 4 Before Given I Launch And I Enter the	Failed: 0 h the Application ''\${a	Undefined: 0  app.url}'' dos screen	no active "Login" item  Duration: 15.0 0.00s 3.59s
Scenario Outline: n the to-dos list. Passed: 4 Before Given I Launch And I Enter the	Failed: 0 h the Application ''\${a	Undefined: 0  app.url}'' dos screen los screen	Duration: 15.0 0.00s 3.59s 3.16s
Given I Launch And I Enter the And I click the	Failed: 0  h the Application "\${a e Name "Login" in tod "Completed" in todo	Undefined: 0  app.url}'' dos screen los screen	Duration: 15.0 0.00s 3.59s 3.16s 2.03s
Sack to Table of Cont Scenario Outline: n the to-dos list. Passed: 4 Before  Given I Launch And I Enter the And Verify the And I click the	Failed: 0  h the Application "\${a e Name "Login" in tod Name "Login" in tod "Completed" in todo todos  Hydroxeta to be dure?	Undefined: 0  app.url}'' dos screen los screen	Duration: 15.0 0.00s 3.59s 3.16s 2.03s
Back to Table of Cont Scenario Outline: n the to-dos list. Passed: 4 Before  Given I Launch And I Enter the And Verify the And I click the	Failed: 0  h the Application "\${a e Name "Login" in tod "Completed" in todo "Completed" in todo  todos  Wat reset to be directly to the complete todos	Undefined: 0  app.url}'' dos screen los screen	Duration: 15.0 0.00s 3.59s 3.16s 2.03s
Back to Table of Cont Scenario Outline: n the to-dos list. Passed: 4 Before  Given I Launch And I Enter the And Verify the And I click the	Failed: 0  h the Application "\${a e Name "Login" in tod Name "Login" in tod "Completed" in todo todos  Hydroxeta to be dure?	Undefined: 0  app.url}'' dos screen los screen	Duration: 15.0 0.00s 3.59s 3.16s 2.03s
Back to Table of Cont Scenario Outline: n the to-dos list. Passed: 4 Before  Given I Launch And I Enter the And Verify the And I click the  Passed:  Read I click the  Passed:  And I click the  And I click the  And I click the  Passed:  And I click the  An	Failed: 0  h the Application "\${a e Name "Login" in tod "Completed" in todo "Completed" in todo  todos  Wat reset to be directly to the complete todos	Undefined: 0  app.url}'' dos screen los screen	Duration: 15.0 0.00s 3.59s 3.16s 2.03s
Scenario Outline: n the to-dos list. Passed: 4 Before  Given I Launch And I Enter the And I Click the  Passed:  And I click the  And I click the  Passed:  And I click the  Passed:  And I click the  Passed:  And I click the  And I click the  Passed:  And I click the  Passed:  And I click the  Passed:  And I click the  And I click	Failed: 0  h the Application "\${a e Name "Login" in tod "Completed" in todo "Completed" in todo  todos  Wat reset to be directly to the complete todos	Undefined: 0  app.url}'' dos screen los screen	Duration: 15.0 0.00s 3.59s 3.16s 2.03s
Back to Table of Cont Scenario Outline: n the to-dos list. Passed: 4 Before  Given I Launch And I Enter the And Verify the And I click the  Passed:  Read I click the  Passed:  And I click the  And I click the  And I click the  Passed:  And I click the  An	Failed: 0  h the Application "\${a e Name "Login" in tod "Completed" in todo "Completed" in todo  todos  Wat reset to be directly to the complete todos	Undefined: 0  app.url}'' dos screen los screen	Duration: 15.0 0.00s 3.59s 3.16s 2.03s
Given I Launch And I Enter the And I click the  Reset  Reset  One of the second of the	Failed: 0  h the Application "\${a e Name "Login" in tod "Completed" in todo "Completed" in todo  todos  Wat reset to be directly to the complete todos	Undefined: 0  app.url}'' dos screen los screen	Duration: 15.0 0.00s 3.59s 3.16s 2.03s