



Faculty of Science and Engineering
School of Computing and Information Science

Manjith Gowthaman

**Module MOD007355:
Introduction to System Architecture and
Automation**

**Element 011
Lab Logbook**


Code Explanation Document

STUDENT ID: 2059502


Trimester 1 – 2021

CODE EXPLANATION DOCUMENT

For my Dynamic website I have used LAMP server (Linux, Apache2, Mysql and PHP). For Linux I have used Linux-mint In the Virtual-Box.



In above I've a folder called SecurityOops in the Directory var/www/html.



And In this image I have many files where all my content stored. I have a Folder in var/www/html/SecurityOops where I kept all my Files used to my Dynamic website

```
<!DOCTYPE html>
<html lang="en">
```


The HTML Tutorial <!DOCTYPE> tag is very first line of the HTML document. It tells the browser what version of HTML the document is written so that the browser knows what to do. And I second line you can notice a word Lang and that refers to language of the content page.

```
<link rel="stylesheet" href="style.css">
```

As you all can see the command above is used to connect the CSS page which is used for styles of the web pages.

```
<title>Security oops | Ecommerce store </title>
```

The above used to make a Title in the Top of the Web page. As i shown below.



```
<nav>
  <ul>
    <li><a href="index.html">Home</a></li>
    <li><a href="products.html">Products</a></li>
    <li><a href="About.html">About</a></li>
    <li><a href="https://www.youtube.com/channel/UCobaXsb6G8Ce95xBKkMXVOQ">Videos</a></li>
    <li><a href="contact.html">Contact</a></li>
    <li><a href="logout.php">Logout</a></li>
  </ul>
</nav>
```

As you can see the above Image codes used to navigate to another page from the home page. This commands will create a Buttons in the Home page which will navigate to Products, About, Videos, contact and Logout Page.

Home Products About Videos Contact Logout 


```

<div class="row">
  <div class="col-2">
    <h1>Start Learning Today</h1>
    <p> Learn The Art Of Hacking with the help of Security Ooops </p>
    <a href="https://securityoopss.blogspot.com/" class="btn">Explore Now &#8594; </a>
  </div>

```

The command <https://securityoopss.blogspot.com/> class="btn">Explore Now →

Used to take me to my website where I wrote my blogs related to Ethical Hacking and Cyber Security. And the **<h1>** tags used to showcase some words. And the **<p>** tag used to represents a paragraph.



```

<!-- ----- Featured Products ----->
<div class="small-container">
  <h2 class="title"> Featured Products </h2>
  <div class="row">
    <div class="col-4">
      <p><a href="wifipineapple.html"></a></p>
      <h4> WiFi Pineapple </h4>
      <p>$99.99</p>
    </div>
    <div class="col-4">
      <p><a href="sharkjack.html"></a></p>
      <h4> SHARK JACK </h4>
      <p>$96.99</p>
    </div>
    <div class="col-4">
      <p><a href="packetsquirrel.html"></a></p>
      <h4> Packet Squirrel </h4>
      <p>$79.99</p>
    </div>
    <div class="col-4">
      <p><a href="plunder bug lan tap.html"></a></p>
      <h4> Plunder Bug LAN Tap </h4>
      <p>$120.00</p>
    </div>
    <div class="col-4">
      
      <h4> Screen Crab </h4>
      <p>$199.99</p>
    </div>
  </div>

```

I have some featured products in my website and the above code is used for the displaying the Featured products of my website. As I used a tag class which used to Identify the specific part. So that in CSS I can design the page.

Featured Products



WiFi Pineapple
\$99.99

SHARK JACK
\$96.99

Packet Squirrel
\$79.99

Plunder Bug LAN Tap
\$120.00

Screen Crab
\$199.99

The above part is the CSS Code which i have used to Design the webpage.

```
.col-3{  
    flex-basis: 30%;  
    min-width: 250px;  
    margin-bottom: 30px;  
}  
.col-3 img{  
    width: 100%;  
}  
  
.small-container{  
    max-width: 1080px;  
    margin: auto;  
    padding-left: 35px;  
    padding-right: 25px;  
}
```

A promotional banner with a purple-to-white gradient background. It features a central image of three black networking devices: a WiFi Pineapple, a SHARK JACK, and a Screen Crab. To the right of the image, the text "Exclusively Available on Security Ops" is displayed. Below the text is a large, bold heading "MITM ATTACK BUNDLE". Underneath the heading is a descriptive paragraph: "A complete surveillance solution. Capture network traffic with the Packet Squirrel, video with the Screen Crab, and keystrokes with the Key Croc – all Cloud C2 enabled for real-time monitoring. Leave no port untapped with this Man-in-the-Middle attack bundle and get impressive loot on your next pentest!" At the bottom right is a purple button with the text "Buy Now →".

Exclusively Available on Security Ops

MITM ATTACK BUNDLE

A complete surveillance solution. Capture network traffic with the Packet Squirrel, video with the Screen Crab, and keystrokes with the Key Croc – all Cloud C2 enabled for real-time monitoring. Leave no port untapped with this Man-in-the-Middle attack bundle and get impressive loot on your next pentest!

Buy Now →

The above Image shows you the Exclusive offer made in my website. And i have used Gradient Colour for the Background and I have made a Button to Buy the Bundle.

```

<!-- OFFER AREA -->


<div class="small-container">
    <div class="row">
      <div class="col-2">
        
      </div>
      <div class="col-2">
        <p>Exclusively Available on Security Ooops</p>
        <h1>MITM ATTACK BUNDLE</h1>
        <small>A complete surveillance solution. Capture network traffic with the Packet Squirrel, video with the Screen Crab, and keystrokes with the Key Croc all Cloud C2 enabled for real-time monitoring. Leave no port untapped with this Man-in-the-Middle attack bundle and get impressive loot on your next pentest!
        </small><br>
        <a href="#" class="btn">Buy Now &#8594; </a>
      </div>
    </div>
  </div>


```

The code is the HTML code which i have used for Exclusive Offer Section. And the code used in the Down Image is for Design.

```

.offer{
  background: radial-gradient( #8500FC, #fff );
  margin-top: 80px;
  padding: 30px 0;
}
.col-2 .offer-img{
  padding: 50px;
}
small{
  color: #rgb(0, 0, 0);
}


```

As In the code I've used Gradient Colour for the Back-Ground.


Security Ooops Home Products About Videos 🔍

All Products

Default Shorting ▾



And this is Second Page where I used to showcase all my products. And In the top right there is a Option to choice filter.



This is option to Choose your Features. with a Hover effect.

About Me Page

Security Oops

Home Products About Videos Contact

I,M Manjith gowthaman

This is page to showcase my all works related to Ethical Hacking and CyberSecurity.

Skills

Instagram Facebook

The Above Image is the About Me Page where I have a Button “skills” which showcase my talents. And When You move your cursor on the above of Image I have a Hover effect which is cool. And also I have a Link to connect with my Instagram and Facebook page.

My Skills Page

Ethical Hacking
Ethical Hacking in mean I was practicing some skills relates to ethical hacking with the help online tools and In kali linux can we can many tools so I practised a lot. I am not a beginner or not a advanced guy in this field.

UI/UX Designer
In the field of UI/UX Designing I was there for 2 years. I have done only one project for My Teacher Who asked me to Do. When I was in High-school

Bash
For past two years I was using Kali linux. So I become a complexy to learn Bash to use Kali linux and I went through many tutorials in freecodecamp youtube channel.

OSINT
OSINT It is known as Open-source intelligence. Which is available widely to use by all the people in the internet. and I got interested in it just by watching a movie "Searching" and Now I got plenty of Tools relates to OSINT.


Wordpress
Wordpress is used to host a website. I have hosted plenty of websites. Including my High-school website. and I know the Security-related problems in Wordpress. so that your website cannot be hacked.

PYTHON
In the field of Python I am just a beginner. I known the basic programming of python but not in depth. So I am getting ready for that. which may help me in future.

This is the page where I Showcase My skills. I have used Hover Effect to show the webpage Beautiful.

Home Products About Videos Contact Logout

I have a section for video where I will take the user to My YouTube channel.



The screenshot shows a Mozilla Firefox window titled "Offer for Our Customers". The address bar indicates the URL is `localhost/SecurityOoops/A/rate.php`. The page displays a table with one row containing columns for "name" (Manjith) and "address" (emailmeatmanjith@securityoops.com). To the right of the address column are "Edit" and "Delete" buttons. Below the table is a form with fields for "name" and "address", each with a text input field, and a "Save" button.

In this page the users can give their Name and email so that they can participate in the monthly giveaway. The user can Create, Delete and Edit their Name and Email. Once they Enter the Name and email the Details will go to phpmyadmin database.

The screenshot shows the "localhost / localhost / crud / info" page in phpMyAdmin version 4.9.5deb2. The "Tables" menu is open, and the "info" table is selected. The table has three rows: "id", "name", and "address". The first row, with id 22, contains the values "Manjith" and "emailmeatmanjith@securityoops.com". The "address" field is highlighted with a red box. The "Edit" and "Delete" buttons for this row are also visible. The "Operations" tab is selected. The bottom of the screen shows the standard phpMyAdmin footer with various navigation links and a status bar indicating "Sun Dec 12, 20:44".

Product	Quantity	Subtotal
 WiFi Pineapple Price : \$99.99 Remove	1	\$99.99
 SHARK JACK Price : \$96.99 Remove	1	\$96.99
 Packet Squirrel Price : \$79.99 Remove	1	\$79.99
		<hr/>
Subtotal		\$276.97
Tax		\$9.99
Total		\$286.96

This is the Cart page where people choose their product and Buy the product at a time. For the cart page I've used HTML, CSS.

CONTACT PAGE

Contact Us

This is the contact page which I've used. But Due to some maintenance Issue the contact Page is Under Maintenance.



Wifi Pineapple Kit Pack

WiFi Pineapple

\$99.99

Select Model

Add To Cart

Product Detail

The industry standard pentest platform has evolved. Equip your red team with the WiFi Pineapple® Mark VII. Newly refined. Enterprise ready.

Automate WiFi auditing with all new campaigns and get actionable results from vulnerability assessment reports. Command the airspace with a new interactive recon dashboard, and stay on-target and in-scope with the leading rogue access point suite for advanced man-in-the-middle attacks.


This Page says the Brief Detail of a some products and you can choose the Quantity and as well can you can also choose the Model.

```

<div class="small-container single-product">
  <div class="row">
    <div class="col-2">
      
      <div class="small-img-row">
        <div class="small-img-col">
          
        </div>
        <div class="small-img-col">
          
        </div>
        <div class="small-img-col">
          
        </div>
        <div class="small-img-col">
          
        </div>
      </div>
    </div>
    <div class="col-2">
      <p> Wifi Pineapple Kit Pack </p>
      <h1> WiFi Pineapple </h1>
      <h3> $99.99 </h3>
      <select>
        <option>Select Model</option>
        <option>MARK VII BASIC</option>
        <option>MARK VII TACTICAL</option>
        <option>KISMET LED MODULE</option>
        <option>ENTERPRISE</option>
      </select>
      <input type="Number" value="1">
      <a href="#" class="btn" Add To Cart></a>
      <h3> Product Detail </h3>
      <br>
      <p> The industry standard pentest platform has evolved. <br>
        Equip your red team with the WiFi Pineapple® Mark VII. <br>
        Newly refined. Enterprise ready. <br><br>
        Automate WiFi auditing with all new campaigns and get<br>
        actionable results from vulnerability assessment reports. <br>
        Command the airspace with a new interactive recon dashboard,<br>
        and stay on-target and in-scope with the leading rogue access<br>
        point suite for advanced man-in-the-middle attacks. </p>
    </div>
  </div>

```

The Image show the code for Brief Detail of a some products.



The Above is the Sign up page where users can create a new account. When the Users enter the credentials like Name, Username, Password, Re-password. Then all the credentials will save into the Phpmyadmin database.

	Edit	Copy	Delete	12	manjith	e8ad2dd683d3baa50f6e4f5539928a3c	Manjith
<input checked="" type="checkbox"/>	Edit	Copy	Delete	13	admin	827ccb0eea8a706c4c34a16891f84e7b	Stuent

The password which you are entering will save into MD5 Hash into Phpmyadmin database.

			id	user_name	password	name
<input type="checkbox"/>	Edit	Copy	Delete	12	manjith	e8ad2dd683d3baa50f6e4f5539928a3c Manjith
<input type="checkbox"/>	Edit	Copy	Delete	13	admin	827ccb0eea8a706c4c34a16891f84e7b Stuent

Your String	12345
MD5 Hash	827ccb0eea8a706c4c34a16891f84e7b

LOGIN PAGE

LOGIN

User Name

Password

Create an account [Create an account](#)

This is the Login page where users can login using their credentials.

I have used to connect Login & Registration and MYSQL page using PHP Code.

```
1 <?php
2
3 $sname= "localhost";
4 $unmae= "manjith";
5 $password = "123456";
6
7 $db_name = "test_db";
8
9 $conn = mysqli_connect($sname, $unmae, $password, $db_name);
10
11 if (!$conn) {
12 | echo "Connection failed!";
13 }
```

I have connected my Login page & Registration page here using the above code.

The connect is done by connecting by username and password of phpmyadmin. And If anything went wrong the page will say Incorrect Username or Incorrect Password.

Footer Page

Soon You Can Download Our App

Download app for Android and Ios mobile Phone.



[Security](#) [Home](#)

Useful Links

[Coupons](#)
[Blog Post](#)
[Return Policy](#)
[About Us](#)

Follow us

[Facebook](#)
[Twitter](#)
[Instagram](#)
[Youtube](#)

Copyright 2021 - Security Oops

This is the footer page of my website. And the Image below is the code of my footer of my website. I have used HTML and CSS for my footer page.

```

<!-- Footer -->

<div class="footer">
  <div class="container">
    <div class="row">
      <div class="footer-col-1">
        <h3> Soon You Can Download Our App</h3>
        <p> Download app for Android and ios mobile Phone.</p>
        <div class="app-logo">
          
          
        </div>
      </div>

      <div class="footer-col-2">
        
        <p> </p>
      </div>
      <div class="footer-col-3">
        <h3>Useful Links</h3>
        <ul>
          <li> Coupons </li>
          <li> Blog Post </li>
          <li> Return Policy </li>
          <li> About Us </li>
        </ul>
      </div>
      <div class="footer-col-4">
        <h3>Follow us</h3>
        <ul>
          <li> Facebook </li>
          <li> Twitter </li>
          <li> Instagram</li>
          <li> Youtube </li>
        </ul>
      </div>
    </div>
    <hr>
    <p class="copyright">Copyright 2021 - Security Oops</p>
  </div>
</div>

```

Home Products About Videos Contact Logout 

Logout

There is also an option for Logout. Where user can come out of the website and when a user click on Logout it will directly go to Login page.

```

<?php
session_start();

session_unset();
session_destroy();

header("Location: index.php");

```

Session_start() : start new or resume existing session.

Session_unset() : Function frees all session variables currently registered.

Session_destroy() : Destroys all data registered to a session.

[Login page code](#)

```

<?php
session_start();
include "db_conn.php";

if (isset($_POST['uname']) && isset($_POST['password'])) {

    function validate($data){
        $data = trim($data);
        $data = stripslashes($data);
        $data = htmlspecialchars($data);
        return $data;
    }

    $uname = validate($_POST['uname']);
    $pass = validate($_POST['password']);

    if (empty($uname)) {
        header("Location: index.php?error=User Name is required");
        exit();
    }else if(empty($pass)){
        header("Location: index.php?error=Password is required");
        exit();
    }else{
        // hashing the password
        $pass = md5($pass);

        $sql = "SELECT * FROM users WHERE user_name='$uname' AND password='$pass'";

        $result = mysqli_query($conn, $sql);

        if (mysqli_num_rows($result) === 1) {
            $row = mysqli_fetch_assoc($result);
            if ($row['user_name'] === $uname && $row['password'] === $pass) {
                $_SESSION['user_name'] = $row['user_name'];
                $_SESSION['name'] = $row['name'];
                $_SESSION['id'] = $row['id'];
                header("Location: main.html");
                exit();
            }else{
                header("Location: index.php?error=Incorrect User name or password");
                exit();
            }
        }else{
            header("Location: index.php?error=Incorrect User name or password");
            exit();
        }
    }
}

}else{
    header("Location: index.php");
    exit();
}

```

Sign-up page code

```

<!DOCTYPE html>
<html>
<head>
    <title>SIGN UP</title>
    <link rel="stylesheet" type="text/css" href="style-8.css">
</head>
<body>
    <form action="signup-check.php" method="post">
        <h2>SIGN UP</h2>
        <?php if (isset($_GET['error'])) { ?>
            <p class="error"><?php echo $_GET['error']; ?></p>
        <?php } ?>

        <?php if (isset($_GET['success'])) { ?>
            <p class="success"><?php echo $_GET['success']; ?></p>
        <?php } ?>

        <label>Name</label>
        <?php if (isset($_GET['name'])) { ?>
            <input type="text"
                name="name"
                placeholder="Name"
                value="<?php echo $_GET['name']; ?>"><br>
        <?php } else{ ?>
            <input type="text"
                name="name"
                placeholder="Name"><br>
        <?php }?>

        <label>User Name</label>
        <?php if (isset($_GET['uname'])) { ?>
            <input type="text"
                name="uname"
                placeholder="User Name"
                value="<?php echo $_GET['uname']; ?>"><br>
        <?php } else{ ?>
            <input type="text"
                name="uname"
                placeholder="User Name"><br>
        <?php }?>

        <label>Password</label>
        <input type="password"
            name="password"
            placeholder="Password"><br>

        <label>Re Password</label>
        <input type="password"
            name="re_password"
            placeholder="Re_Password"><br>

        <button type="submit">Sign Up</button>
        <a href="index.php" class="ca">Already have an account?</a>
    </form>
</body>
</html>

```

[Edit / Delete Page](#)

```

<?php include('server.php');

if (isset($_GET['edit'])) {
    $id = $_GET['edit'];
    $edit_state = true;
    $rec = mysqli_query($db, "SELECT * FROM info WHERE id=$id");
    $record = mysqli_fetch_array($rec);
    $name = $record['name'];
    $address = $record['address'];
    $id = $record['id'];
}

?>

<!DOCTYPE html>
<html>
<head>
    <title>Offer for Our Customers</title>
    <link rel="stylesheet" type="text/css" href="style1022.css">
</head>
<body style="background-color:#8500FC;">

<?php if (isset($_SESSION['msg'])): ?>
    <div class="msg">
        <?php
            echo $_SESSION['msg'];
            unset($_SESSION['msg']);
        ?>
    </div>
<?php endif ?>

<?php $results = mysqli_query($db, "SELECT * FROM info"); ?>

<table>
    <thead>
        <tr>
            <th>name</th>
            <th>address</th>
            <th colspan="2">Action</th>
        </tr>
    </thead>
    <tbody>
        <?php while ($row = mysqli_fetch_array($result)) { ?>
            <tr>
                <td><?php echo $row['name']; ?></td>
                <td><?php echo $row['address']; ?></td>
                <td>
                    <a class="edit_btn" href="rate.php?edit=<?php echo $row['id']; ?>">Edit</a>
                </td>
                <td>
                    <a class="del_btn" href="server.php?del=<?php echo $row['id']; ?>">Delete</a>
                </td>
            </tr>
        <?php } ?>
    </tbody>
</table>

<form method="post" action="server.php">
    <input type="hidden" name="id" value="<?php echo $id; ?>">

    <div class="input-group">
        <label>name</label>
        <input type="text" name="name" value="<?php echo $name; ?>">
    </div>
    <div class="input-group">
        <label>address</label>
        <input type="text" name="address" value="<?php echo $address; ?>">
    </div>
    <div class="input-group">
        <?php if ($edit_state == true): ?>
            <button class="btn" type="submit" name="save" >Save</button>
        <?php else: ?>
            <button class="btn" type="submit" name="edit_state" style="background: #556B2F;" >update</button>
        <?php endif ?>
    </div>
</form>

```

This page is used for the users to enter their Name and Email for a monthly giveaway. So that users can add, edit and delete their

details.

This is How the Page looks like :

name	address	Action
Manjith	emailmeatmanjith@securityoops.com	Edit Delete

name	<input type="text"/>
address	<input type="text"/>
Save	

When ever user type their details it will store on the phpmyadmin database.

For this connectivity between the page and database I've again used php code for the connection.

```

<?php
    session_start();
    $db = mysqli_connect('localhost', 'manjith', '123456', 'crud');

    // initialize variables
    $name = "";
    $address = "";
    $id = 0;
    $edit_state = false;

    if (isset($_POST['save'])) {
        $name = $_POST['name'];
        $address = $_POST['address'];

        $query = "INSERT INTO info (name, address) VALUES ('$name', '$address')";
        mysqli_query($db, $query);
        $_SESSION['msg'] = "address saved";
        header('location: rate.php');
    }

    if (isset($_POST['update'])) {
        $name = mysqli_real_escape_string($_POST['name']);
        $address = mysqli_real_escape_string($_POST['address']);
        $id = mysqli_real_escape_string($_POST['id']);

        mysqli_query($db, "UPDATE info SET name='$name', address='$address' WHERE id=$id");
        $_SESSION['msg'] = "address update";
        header('location: rate.php');
    }

    if (isset($_GET['del'])) {
        $id = $_GET['del'];
        mysqli_query($db, "DELETE FROM info WHERE id=$id");
        $_SESSION['msg'] = "address deleted!";
        header('location: rate.php');
    }

    $result = mysqli_query($db, "SELECT * FROM info");

    ?>

```

In the above code i have connected the Database using a command :

“ \$db = mysqli_connect(“localhost”, “username”, “password”, “database_name”); ”

```

<?php include('server.php');

if (isset($_GET['edit'])) {
    $id = $_GET['edit'];
    $edit_state = true;
    $rec = mysqli_query($db, "SELECT * FROM info WHERE id=$id");
    $record = mysqli_fetch_array($rec);
    $name = $record['name'];
    $address = $record['address'];
    $id = $record['id'];
}

?>

<!DOCTYPE html>
<html>
<head>
    <title>Offer for Our Customers</title>
    <link rel="stylesheet" type="text/css" href="style1022.css">
</head>
<body style="background-color:#8500FC;">

<?php if (isset($_SESSION['msg'])): ?>
    <div class="msg">
        <?php
            echo $_SESSION['msg'];
            unset($_SESSION['msg']);
        ?>
    </div>
<?php endif ?>

<?php $results = mysqli_query($db, "SELECT * FROM info"); ?>

<table>
    <thead>
        <tr>
            <th>name</th>
            <th>address</th>
            <th colspan="2">Action</th>
        </tr>
    </thead>
    <tbody>
        <?php while ($row = mysqli_fetch_array($result)) { ?>
            <tr>
                <td><?php echo $row['name']; ?></td>
                <td><?php echo $row['address']; ?></td>
                <td>
                    <a class="edit_btn" href="rate.php?edit=<?php echo $row['id']; ?>">Edit</a>
                </td>
                <td>
                    <a class="del_btn" href="server.php?del=<?php echo $row['id']; ?>">Delete</a>
                </td>
            </tr>
        <?php } ?>
    </tbody>
</table>

<form method="post" action="server.php">
<input type="hidden" name="id" value=<?php echo $id; ?>>


    <div class="input-group">
        <label>name</label>
        <input type="text" name="name" value=<?php echo $name; ?>>
    </div>
    <div class="input-group">
        <label>address</label>
        <input type="text" name="address" value=<?php echo $address; ?>>
    </div>
    <div class="input-group">
        <?php if ($edit_state == true): ?>
            <button class="btn" type="submit" name="save" >Save</button>
        <?php else: ?>
            <button class="btn" type="submit" name="edit_state" style="background: #556B2F;" >update</button>
        <?php endif ?>
    </div>
</form>

```

The Above Images shows the code of the Giveaway page.


At the starting of the code I have a line to connect the database
“ <?php include('server.php'); ”.

Gallery




The sign-up page features a teal header and a white rectangular form area. At the top of the form is a bold black "SIGN UP" button. Below it are four input fields: "Name" (placeholder: Name), "User Name" (placeholder: User Name), "Password" (placeholder: Password), and "Re Password" (placeholder: Re_Password). At the bottom left of the form is a link "Already have an account?", and at the bottom right is a dark grey "Sign Up" button.

Sign up page



The login page features a teal header and a white rectangular form area. At the top of the form is a bold black "LOGIN" button. Below it are two input fields: "User Name" (placeholder: User Name) and "Password" (placeholder: Password). At the bottom left of the form is a link "Create an account", and at the bottom right is a dark grey "Login" button.

Login page



Landing Page

Featured Products



WiFi Pineapple
\$99.99

SHARK JACK
\$96.99

Packet Squirrel
\$79.99

Plunder Bug LAN Tap
\$120.00

Screen Crab
\$199.99

Featured Products

Latest Products



Latest Products

Exclusively Available on Security-Ops

MITM ATTACK BUNDLE



A complete surveillance solution. Capture network traffic with the Packet Squirrel, video with the Screen Grab, and keystrokes with the Key Croc – all Cloud C2 enabled for real-time monitoring. Leave no port unspotted with this Man-in-the-Middle attack bundle and get impressive loot on your next pentest!

[Buy Now →](#)

Special Offer Bundle

Top navigation bar placeholder

All Products

Default Shorting ▾



WiFi Pineapple
\$99.99

SHARK JACK
\$96.99

Pocket Squirrel
\$79.99

Plunder Bug LAN Tap
\$120.00

Screen Crab
\$199.99



USB Rubber Ducky
\$20.00

BASH BUNNY
\$119.99

Key Croc
\$99.99

O.MG Cable
\$119.99

O.MG field kit
\$864.94

All Products Page

Bottom navigation bar placeholder

Soon You Can Download Our App

Download app for Android and iOS mobile Phone.



Security

Useful Links

Coupons
Blog Post
Return Policy
About Us

Follow us

Facebook
Twitter
Instagram
Youtube

Copyright 2021 - SecurityOops

Footer Page

[Security Cops](#)

Home Products About Videos Contact

I,M Manjith gowthaman

This is page to showcase my all works related to Ethical Hacking and CyberSecurity.

[Skills](#)

About Me Page

My Skills

Ethical Hacking

Ethical Hacking in mean I was practicing some skills relates to ethical hacking with the help online tools and In kali linux can we can many tools so I practised a lot, I am not a beginner or not a advanced guy in this field.

UI/UX Designer

In the field of UI/UX Designing I was there for 2 years. I have done only one project for My Teacher Who asked me to Do. When I was in High-school

Bash

For past two years I was using Kali linux. So I become a complesory to learn Bash to use Kali linux and I went through many tutorials in freecodemc youtube channel.

OSINT

OSINT It is known as Open-source intelligence. Which is available widely to use by all the people in the internet. and I got interested in it just by watching a movie "Searching" and Now I got plenty of Tools relates to OSINT.

Wordpress

Wordpress is used to host a website. I have hosted plenty of website. Including my High-school website, and I known the Security-related problems in Wordpress. so that your website cannot be hacked.

PYTHON

In the field of Python I am just a beginner. I known the basic programming of python but not in depth. So I am getting ready for that. which may help me in future.

My skills Page

Security Ooops

Home Products About Videos Contact 

Product	Quantity	Subtotal
 WiFi Pineapple Price : \$99.99 Remove	<input type="button" value="1"/>	\$99.99
 SHARK JACK Price : \$96.99 Remove	<input type="button" value="1"/>	\$96.99
 Packet Squirrel Price : \$79.99 Remove	<input type="button" value="1"/>	\$79.99
		<hr/>
Subtotal		\$276.97
Tax		\$9.99
Total		\$286.96

Cart Page

name	address	Action
Manjith	emailmeatmanjith@securityoops.com	Edit Delete

name

address

[Save](#)

Give away Page

Thank you :)