intent-action-classify

June 19, 2022

```
[5]: import numpy as np # linear algebra
     import pandas as pd # data processing, CSV file I/O (e.g. pd.read_csv)
     import os
                    # import the spacy nlp
     import spacy
     import csv
     from sklearn.preprocessing import LabelEncoder # for label encoding
     from sklearn.svm import SVC
     from sklearn.metrics import classification_report #for evaluation
     # Change this path to path of task_dataset
     base_path = '/home/manju/Desktop/assign/task_data/'
     def readInputFile(csv_file):
         data = pd.read_csv(csv_file)
         #wav_loc = data['path']
         transcript = data['transcription'].str.lower() # convert to lower case
         action = data['action'].str.lower().str.replace(" ", "_") # convert to__
      →lower case then replace spaces by _
         #object_category = data['object']
         #location = data['location']
         return list(transcript.str.lower()), list(action) #Convert to list type &
      \rightarrowreturn
     ## encode transcription to vec foramat using spacy package
     def encode_sentences(sentences, embedding_dim, nlp):
         # Calculate number of sentences
         n_sentences = len(sentences)
         print('Number of sentences :-',n_sentences)
         X = np.zeros((n_sentences, embedding_dim))
         # Iterate over the sentences
         for idx, sentence in enumerate(sentences):
             # Pass each sentence to the nlp object to create a document
             doc = nlp(sentence)
             \# Save the document's .vector attribute to the corresponding row in x
             X[idx, :] = doc.vector
         return X
```

```
### to convert string labels to integers
def label_encoding(labels):
   # Calculate the length of labels
   n_labels = len(labels)
   print('Number of labels :',n_labels)
   # instantiate labelencoder object
   le = LabelEncoder()
   y =le.fit transform(labels)
   #print(y[:100])
   #print('Length of y : ',y.shape)
   return y
def svc_training(X,y):
   # Create a support vector classifier
   clf = SVC(C=1)
   # Fit the classifier using the training data
   clf.fit(X, y)
   return clf
def svc_validation(model,X,y):
   # Predict the labels of the test set
   y_pred = model.predict(X)
   # Count the number of correct predictions
   n_correct = 0
   for i in range(len(y)):
       if y_pred[i] == y[i]:
           n_correct += 1
   print("Predicted {0} correctly out of {1} training examples".

→format(n_correct, len(y)))
def main(base path):
   train_file = base_path + 'train_data.csv'
   valid_file = base_path + 'valid_data.csv'
   sentences_valid,labels_valid = readInputFile(valid_file)
   sentences_train,labels_train = readInputFile(train_file)
   ### print unique elements in list ###
   print("Unique action labels in training data: ", set(labels train))
   print("Unique action labels in validataion data: ", set(labels_valid))
   print("Loading nlp spacy model :")
```

```
# load nlp spacy model
    nlp = spacy.load('en_vectors_web_lg')
    # Calculate the dimensionality of nlp
    embedding_dim = nlp.vocab.vectors_length
    ###print(embedding_dim)
    print("Encoding train and validation sentences using spacy model")
    train X = encode sentences(sentences train, embedding dim, nlp)
    test_X = encode_sentences(sentences_valid, embedding_dim, nlp)
    print("Encoding labels to integers using skleran")
    train_y = label_encoding(labels_train)
    test_y = label_encoding(labels_valid)
    ###Intent classification with SVM | Training Step
    # X_train and y_train was given.
    print("Training SVM for Intent classification i.e predicting action using ⊔
  ⇔transcription")
    model = svc_training(train_X,train_y)
    #Validation Step
    print("SVM Prediction Step: comparing predicted labels with correct labels")
    svc_validation(model,train_X,train_y)
    svc_validation(model,test_X,test_y)
    # Evaluation
    print("Evaluation")
    y_true, y_pred = test_y, model.predict(test_X)
    print(classification_report(y_true, y_pred))
### Invoking Main function
if __name__ == "__main__":
    main(base_path)
Unique action labels in training data: {'bring', 'activate', 'increase',
'deactivate', 'change_language', 'decrease'}
Unique action labels in validataion data: {'bring', 'activate', 'increase',
'deactivate', 'change_language', 'decrease'}
Loading nlp spacy model:
Encoding train and validation sentences using spacy model
Number of sentences :- 11566
Number of sentences :- 3118
Encoding labels to integers using skleran
Number of labels : 11566
Number of labels: 3118
```

Training SVM for Intent classification i.e predicting action using transcription SVM Prediction Step: comparing predicted labels with correct labels Predicted 11566 correctly out of 11566 training examples Predicted 3118 correctly out of 3118 training examples Evaluation

	precision	recall	f1-score	support
0	1.00	1.00	1.00	562
1	1.00	1.00	1.00	234
2	1.00	1.00	1.00	292
3	1.00	1.00	1.00	439
4	1.00	1.00	1.00	769
5	1.00	1.00	1.00	822
accuracy			1.00	3118
macro avg	1.00	1.00	1.00	3118
weighted avg	1.00	1.00	1.00	3118

[]: