Week 7 Final Exam Review

E.J. Corey (Nobel Prize, 1990) "for his development of the theory and methodology of organic synthesis"




From the Nobel Committee, 1990:

This year's Nobel Prize in Chemistry has been awarded to Professor Elias J. Corey, USA, for his important contributions to synthetic organic chemistry. He has developed theories and methods that have made it possible to produce a large variety of biologically highly active, complicated natural products, thereby making, among other things, certain pharmaceuticals commercially available. Corey's work has also led to new general methods of producing, synthesizing, compounds in simpler ways.


The background to Elias J. Corey's successes lies in the fact that he has in a strictly logical way developed the principles of what is termed retrosynthetic analysis. This involves starting from the planned structure of the molecule one wishes to produce, the target molecule, and analyzing what bonds must be broken, thus simplifying the structure step by step. One then finds that certain fragments are already known and their structure and synthesis already described. After working backwards in this way from the complex to the already known, it is possible to start building, synthesizing, the molecule. This method has proved very amenable to data processing, which has entailed rapid developments in synthesis planning. Combining this synthesis planning with singular creativity, Corey has developed new methods of synthesis. He has produced some hundred important natural products, for example the active substance in an extract from the gingko tree, used in folk medicine in China.

Synthesis of β -trans-bergamotene (1)




Synthesis of β -trans-bergamotene (2)

Synthesis of α -Caryophyllene Alcohol (1)




Synthesis of α -Caryophyllene Alcohol (2)

Synthesis of Helminthosporal (1)



(*S*)-(+)-carvone



1. NaOMe,

2. H w/up

provide a mechanism;

explain why the product appears to have undergone reaction at the *less* substituted side

Synthesis of Helminthosporal (2)

2. NaOEt

provide a H[†] mechanism

Synthesis of Helminthosporal (3)


1.
$$ph_3^{\oplus}p \stackrel{\cdots}{\circ}_{OMe}$$
2. H^{\dagger} ,
HO OH

$$\begin{array}{c}
 & propose \ a \\
 & (multistep) \ synthesis
\end{array}$$

Synthesis of Isocaryophyllene (1)

Starting materials with **6 or fewer** carbons





propose a synthesis

propose a synthesis

Synthesis of Isocaryophyllene (2)


Me OMe OMe


1. Li OMe


2. H
$$^{+}$$
 w/up

3. H₂, Pd/C


4. H₃0 $^{+}$







Synthesis of Isocaryophyllene (3)




- 1. LDA 2. H⁺ w/up

propose a mechanism

Synthesis of Isocaryophyllene (4)

Synthesis of Isocaryophyllene (5)



1. NaH

2. H⁺ w/up

propose a mechanism

$$\begin{array}{c} H \\ H \\ 0 \end{array}$$

propose a synthesis

Synthesis of Estrone (1)

This last synthesis isn't by Corey (it was reported by Douglass Taber in 1987), but it's particularly interesting and instructive...

201

Synthesis of Estrone (2)

provide reagent(s)
and mechanism

Synthesis of Estrone (3)