

AltEner Solutions

PREMIUM ELECTRIC 3-WHEELER



REDEFINING THE ELECTRIC CARGO EXPERIENCE

BUZZ

SMART ENERGY FOR SMARTER LOGISTICS

BUSINESS VALUE

ALTENER BUZZ Engineering is at the forefront of India's electric mobility revolution. We engineer robust 3-wheelers designed to conquer challenging terrains while maximizing fleet efficiency. Our focus on zero-emission technology and rugged durability empowers businesses with lower operating costs and reliable, sustainable logistics solutions.



MAXIMUM SAVINGS

Slash running costs by 50–60% vs diesel. At ₹0.75–1.00/km vs ₹3.50–4.50/km, every delivery adds directly to your bottom line.



OPERATIONAL RELIABILITY

Active Cooling for Motor & Controller prevents thermal derating. Dual-speed gearbox reduces strain — BUZZ runs cooler, longer, stronger.



SUPERIOR GRADEABILITY

26.5% gradeability — best in segment. Carries full payload over flyovers, ramps, and ghat sections where competitors stall.



RAPID TURNOVER

80% charge in ~1.5 hrs. Swap drivers while charging. Achieve 2–3 delivery cycles per shift instead of waiting.



LPF- SAFE BATTERY CHEMISTRY

LiFePO4 — thermally stable & non-combustible. Safer thermal efficiency for India's extreme climate conditions.



ZERO MAINTENANCE

No engine oil, clutch, or spark plugs. Maintenance cost reduced by 70% — keep vehicles on the road, not in the workshop.

THE CONTAINER ADVANTAGE

FULLY ENCLOSED CARGO BAY

Weather-proof, lockable container delivers tamper-proof security for high-value and perishable goods. Built for modern e-commerce, pharma, FMCG, and dairy logistics.

Volume	4.36 m ³	Payload	570 kg
Length	1830 mm	Width	1500 mm

- E-COMMERCE
- FMCG
- PHARMA
- DAIRY
- HOME APPLIANCES



ENGINEERED FOR PERFORMANCE

BUILT FOR THE GRIND | DESIGNED FOR THE DRIVER

POWERTRAIN & SMART TECH



PMSM MOTOR

9kW high-efficiency motor with IP67 rating.



LFP BATTERY

8kWh - 12kWh Safe, long-lasting technology.



7" TOUCH HMI

Branded welcome display and interface.



FLEET MANAGER

Real-time tracking & diagnostics.



REGEN BRAKING

Recovers energy to extend driving range.

CONTROL & SAFETY



DISC BRAKES

Superior stopping power and safety.



PARKING BRAKE

Reminder for safe parking on slopes.



220 MM CLEARANCE

Best-in-class for rough roads.



WIDE MIRRORS

Enhanced visibility in traffic.



DRIVE MODE SWITCH

Easy toggle for Eco, Drive, Reverse.

ERGONOMICS



WINDSHIELD

Clear visibility and protection.



HANDLE CONTROLS

Economically easy accessible telltale switches.



SMART STORAGE

Ambient lighting & charging ports.



LED HEADLAMPS

Bright, low-energy illumination for night safety.

TECHNICAL SPECIFICATIONS

BATTERY & CHARGING

Battery Type	LiFePO4 (LFP)
Capacity	11.68 – 12.8 kWh
Charger	Onboard 25A
Charge Time	~1.5 hrs (0–80%)
Connector	CEE Socket

WEIGHT

Gross Weight	1,100 kg
Kerb Weight	530 kg
Payload	570 kg

SAFETY & SMART TECH

Display	7.0" Touch LCD
Connectivity	4G LTE + GNSS
Start System	Immobilizer
Rev. Camera	Yes · 4.3" Screen
GPS Tracking	Real-time

PERFORMANCE

Speed (Eco)	25 - 27 km/h
Speed (Boost)	45 - 47 km/h
Range	120 - 150 km
Drive Modes	Eco / Boost / Rev

MOTOR & DRIVETRAIN

Motor Type	PMSM, IP67
Peak Power	9.5 kW
Peak Torque	-
Transmission	2-Speed Gearbox
Gear Ratios	14.96 / 8.06

SUSPENSION & BRAKING

Front Susp.	Twin Shock + Springs
Rear Susp.	Rubber Damping + Shocks
Front Brake	Disc
Rear Brake	Drum
Regen Braking	Yes

MECHANICAL



Robust Chassis

High-strength steel construction ensures durability under heavy payloads and rough terrain conditions.



Dual Shocks

Provides superior stability and a smoother ride quality even on uneven urban roads.



Mechanical Pedals

Reliable backup control system for added safety and driver control preference.



Disc Brakes

Offers superior stopping power and enhanced safety in all weather conditions.

ADVANCED FLEET MANAGEMENT SUITE

- Live GPS Tracking
- Geofencing Alerts
- Remote Diagnostics
- OTA Software Updates
- Battery Health Monitoring
- Driver Behaviour Analysis
- Trip History & Logs
- Anti-Theft Immobilization
- Idle Time Reports

WHY BUZZ WINS

- ✓ Only 2-Speed in segment
- ✓ IP67 sealed motor
- ✓ 26.5% gradeability
- ✓ Hill Hold assist
- ✓ Auto power Modes
- ✓ Active Controller Cooling
- ✓ Reverse camera standard
- ✓ LFP – safest chemistry
- ✓ Real-time GPS
- ✓ Gearless Operated Speed

* Specifications are subject to change without notice. Performance values are under standard test conditions.

CONTAINER DIMENSIONS & SPECS



SPECIFICATION	VALUE
Length	1830 mm
Width	1500 mm
Height	1590 mm
Wheel Base	2100 mm
Ground Clearance	220 mm
Cargo Volume	4.36 m³
Payload	570 kg
Kerb Weight	530 kg

READY TO ELECTRIFY YOUR FLEET

Join the logistics revolution with ALTENER SOLUTIONS. Experience the power of reliable, cost-effective, and sustainable cargo logistics.

BOOK A TEST DRIVE