```
"C:\Users\MANJU SRI\PycharmProjects\PythonProject\.venv\Scripts\python.exe" "C:\Users\MANJU SRI\Downloads\Student Performance and Activity Analyzer.py"
All Students: ['Rahul', 'Sneha', 'Arjun', 'Priya', 'Karan', 'Rahul', 'Sneha']
Total Entries: 7
Unique Students: {'Priya', 'Karan', 'Arjun', 'Sneha', 'Rahul'}
Count of Names: {'Rahul': 2, 'Sneha': 2, 'Arjun': 1, 'Priya': 1, 'Karan': 1}

Student Marks:
Rahul 85
Sneha 92
Arjun 78
Priya 88
Karan 70
Topper: Sneha
Lowest: Karan
Average Marks: 82.6

Python Students:
Rahul
Arjun
Karan
Course Count: {'Python': 3, 'Data Engineering': 1, 'AI': 1}

Attendance Details:
Rahul -> 88.0 %
Sneha -> 96.0 %
Arjun -> 80.0 %
Priya -> 92.0 %
Karan -> 72.0 %

Below 80% Attendance:
Karan
Best Attendance: Sneha

Marks Analysis:
```

```
Highest: 92
Lowest: 70
Sum: 413
Courses Tuple: ('Python', 'Data Engineering', 'Python', 'AI', 'Python')
Unique Courses: {'Data Engineering', 'AI', 'Python'}
Marks Dictionary: {'Rahul': 85, 'Sneha': 92, 'Arjun': 78, 'Priya': 88, 'Karan': 70}
Attendance Dictionary: {'Rahul': 88.0, 'Sneha': 96.0, 'Arjun': 80.0, 'Priya': 92.0, 'Karan': 72.0}

Pass/Fail:
Rahul -> Pass
Sneha -> Pass
Arjun -> Pass
Priya -> Pass
Karan -> Pass

Grades:
Rahul -> B
Sneha -> A
Arjun -> B
Priya -> B
Karan -> C

High Performers (Marks >80 & Attendance >85):
Rahul
Sneha
Priya

Final Report:
Rahul - Marks: 85 - Attendance: 88.0% - Grade: B
Sneha - Marks: 92 - Attendance: 96.0% - Grade: A
Arjun - Marks: 78 - Attendance: 80.0% - Grade: B
Priya - Marks: 88 - Attendance: 92.0% - Grade: B
Karan - Marks: 70 - Attendance: 72.0% - Grade: C

Eligible Students: ['Rahul', 'Sneha', 'Arjun', 'Priya']
Needs Improvement: ['Karan']
```

```
----- FINAL OUTPUT -----
Topper: Sneha
Best Attendance: Sneha
Average Marks: 82.6
Eligible Students: Rahul, Sneha, Arjun, Priya
Students Needing Improvement: Karan

Process finished with exit code 0

```