

```
CREATE DATABASE supply_chain;
```

```
USE supply_chain;
```

```
CREATE TABLE suppliers (  
    supplier_id INT PRIMARY KEY AUTO_INCREMENT,  
    supplier_name VARCHAR(100) NOT NULL,  
    contact_email VARCHAR(100),  
    phone VARCHAR(20),  
    location VARCHAR(100)  
);
```

```
CREATE TABLE orders (  
    order_id INT PRIMARY KEY AUTO_INCREMENT,  
    product_id INT,  
    quantity INT NOT NULL,  
    order_date DATE,  
    delivery_date DATE,  
    status VARCHAR(50),  
    FOREIGN KEY (product_id) REFERENCES inventory(product_id)  
);
```

```
INSERT INTO suppliers (supplier_name, contact_email, phone, location)  
VALUES  
('ABC Supplies', 'abc@gmail.com', '9876543210', 'Chennai'),  
('Global Traders', 'global@gmail.com', '9876501234', 'Bangalore'),  
('Fast Logistics', 'fast@gmail.com', '9988776655', 'Mumbai');
```

```
INSERT INTO inventory (product_name, stock_quantity, reorder_level, supplier_id)  
VALUES  
('Laptop', 50, 20, 1),  
('Mouse', 100, 30, 2),  
('Keyboard', 25, 15, 2),
```

('Monitor', 10, 12, 3);

INSERT INTO orders (product_id, quantity, order_date, delivery_date, status)

VALUES

(1, 5, '2026-05-01', '2026-05-05', 'Delivered'),

(2, 10, '2026-05-03', '2026-05-10', 'Delayed'),

(3, 7, '2026-05-04', '2026-05-08', 'Delivered'),


(4, 2, '2026-05-06', '2026-05-15', 'Pending');

INSERT INTO suppliers (supplier_name, contact_email, phone, location)

VALUES ('Tech World', 'tech@gmail.com', '9999999999', 'Hyderabad');

-- View all suppliers


SELECT * FROM suppliers;



supplier_id	supplier_name	contact_email	phone	location
1	ABC Supplies	abc@gmail.com	9876543210	Chennai
2	Global Traders	global@gmail.com	9876501234	Bangalore
3	Fast Logistics	fast@gmail.com	9988776655	Mumbai
4	Tech World	tech@gmail.com	9999999999	Hyderabad
NULL	NULL	NULL	NULL	NULL

-- View all inventory

SELECT * FROM inventory;



product_id	product_name	stock_quantity	reorder_level	supplier_id
1	Laptop	80	20	1
2	Mouse	100	30	2
3	Keyboard	25	15	2
4	Monitor	10	12	3
NULL	NULL	NULL	NULL	NULL

-- View all orders

SELECT * FROM orders;

Result Grid						
Filter Rows:						
Edit: Export/Import: Wrap Cell Center						
	order_id	product_id	quantity	order_date	delivery_date	status
▶	1	1	5	2026-05-01	2026-05-05	Delivered
	2	2	10	2026-05-03	2026-05-10	Delayed
	3	3	7	2026-05-04	2026-05-08	Delivered
*	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid
Form Editor
Apply

orders 9 x

-- Update

-- Update stock quantity

UPDATE inventory

SET stock_quantity = 80

WHERE product_id = 1;

-- Delete

-- Delete an order

DELETE FROM orders

WHERE order_id = 4;

-- Stored Procedure (Auto Reorder Check)

-- Checks products below reorder level

DELIMITER //

CREATE PROCEDURE check_reorder()

BEGIN

SELECT product_id,


product_name,

stock_quantity,

reorder_level

```
FROM inventory
WHERE stock_quantity < reorder_level;
END //
```

```
DELIMITER ;
CALL check_reorder();
```



The screenshot shows a database query result grid. The grid has a header row with columns: product_id, product_name, stock_quantity, and reorder_level. Below the header, there is one data row with values: 4, Monitor, 10, and 12. The grid is part of a software interface with a toolbar at the top containing 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content' buttons. The status bar at the bottom indicates 'Result 10'.

product_id	product_name	stock_quantity	reorder_level
4	Monitor	10	12

```
-- 6. Trigger (Auto Reduce Stock After Order)
```

```
DELIMITER //
```

```
CREATE TRIGGER reduce_stock
AFTER INSERT ON orders
FOR EACH ROW
BEGIN
    UPDATE inventory
    SET stock_quantity = stock_quantity - NEW.quantity
    WHERE product_id = NEW.product_id;
END //
```

```
DELIMITER ;
```

```
-- 7. Join Query
```

```
-- Orders with supplier details
```


```
SELECT o.order_id,
```

i.product_name,
s.supplier_name,
o.quantity,
o.status

FROM orders o

JOIN inventory i ON o.product_id = i.product_id

JOIN suppliers s ON i.supplier_id = s.supplier_id;




Result Grid

	order_id	product_name	supplier_name	quantity	status
▶	1	Laptop	ABC Supplies	5	Delivered
	2	Mouse	Global Traders	10	Delayed
	3	Keyboard	Global Traders	7	Delivered

Result 11 x

Read Only



MySQL Workbench

CodingSQL x

File Edit View Query Database Server Tools Scripting Help

Navigator: week1_mysql_schema x SQLAdditions

SCHMAS

Filter objects

- capstone_sql
- company_training
- emscdb
- hexadb
- registratondb
- sakila
- smcscdb
- sys
- training_sql_db
- world

Administration Schemas

Information

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	09:52:55	CREATE DATABASE supply_chain	1 row(s) affected	0.000 sec
2	09:52:55	USE supply_chain	0 row(s) affected	0.015 sec
3	09:53:11	CREATE TABLE suppliers (supplier_id INT PRIMARY KEY AUTO_INCREMENT, ...	0 row(s) affected	0.031 sec
4	09:53:25	CREATE TABLE inventory (product_id INT PRIMARY KEY AUTO_INCREMENT, ...	0 row(s) affected	0.016 sec
5	09:53:38	CREATE TABLE orders (order_id INT PRIMARY KEY AUTO_INCREMENT, pr...	0 row(s) affected	0.032 sec
6	09:53:53	INSERT INTO suppliers (supplier_name, contact_email, phone, location) VALUES (A...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
7	09:54:13	INSERT INTO inventory (product_name, stock_quantity, reorder_level, supplier_id) V...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
8	09:54:26	INSERT INTO orders (product_id, quantity, order_date, delivery_date, status) VALU...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec
9	09:54:37	INSERT INTO suppliers (supplier_name, contact_email, phone, location) VALUES (T...	1 row(s) affected	0.015 sec
10	09:54:52	SELECT * FROM suppliers LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
11	09:55:36	SELECT * FROM inventory LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
12	09:56:06	SELECT * FROM orders LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
13	09:56:42	UPDATE inventory SET stock_quantity = 80 WHERE product_id = 1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
14	09:57:06	DELETE FROM orders WHERE order_id = 4	1 row(s) affected	0.016 sec
15	09:57:38	CREATE PROCEDURE check_reorder() BEGIN SELECT product_id, prod...	0 row(s) affected	0.000 sec
16	09:57:51	CALL check_reorder()	1 row(s) returned	0.000 sec / 0.000 sec
17	09:58:16	CREATE TRIGGER reduce_stock AFTER INSERT ON orders FOR EACH ROW BE...	0 row(s) affected	0.000 sec
18	09:58:50	SELECT o.order_id, i.product_name, s.supplier_name, o.quantity, o...	3 row(s) returned	0.000 sec / 0.000 sec