# Rajalakshmi Engineering College

Name: Manju sri N 🕠

Email: 241801151@rajalakshmi.edu.in

Roll no: 241801151 Phone: 8946059431

Branch: REC

Department: I AI & DS FC

Batch: 2028

Degree: B.E - AI & DS



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 6\_PAH

Attempt : 1 Total Mark : 30 Marks Obtained : 20

Section 1: Coding

### 1. Problem Statement

Peter manages a student database and needs a program to add students.

For each student, Alex inputs their ID and name. The program checks for duplicate IDs and ensures the database isn't full.

If a duplicate or a full database is detected, an appropriate error message is displayed. Otherwise, the student is added, and a confirmation message is shown. The database has a maximum capacity of 30 students, and each student must have a unique ID.

## **Input Format**

The first line contains an integer n, representing the number of students to be added to the school database.

The next n lines each contain two space-separated values, representing the student's ID (integer) and the student's name (string).

# Output Format

The output will depend on the actions performed in the code.

If a student is added to the database, the output will display: "Student with ID [ID number] added to the database."

If there is an exception due to a duplicate student ID, the output will display: "Exception caught. Error: Student ID already exists."

If there is an exception due to the database being full, the output will display: "Exception caught. Error: Student database is full."

Refer to the sample outputs for the formatting specifications.

# Sample Test Case

Input: 3 16 Sam 87 Sabari 43 Dani

Output: Student with ID 16 added to the database.
Student with ID 87 added to the database.
Student with ID 43 added to the database.

#### Answer

```
# You are using Python
# Define maximum capacity
MAX_CAPACITY = 30
```

try:

# Read number of students to be added
n = int(input())

# Check for database capacity constraint

```
if n > MAX_CAPACITY:
    raise RuntimeError("Exception caught. Error: Student database is full.")
  # Initialize database (using set for fast ID lookup)
  student_ids = set()
  student_count = 0
  for _ in range(n):
    # Read student ID and name
    inputs = input().split()
    student_id = int(inputs[0])
    student_name = inputs[1]
    # Check if database is already full before adding
    if student_count >= MAX_CAPACITY:
      raise RuntimeError("Exception caught. Error: Student database is full.")
    # Check for duplicate student ID
    if student_id in student_ids:
      raise ValueError("Exception caught. Error: Student ID already exists.")
    # Add student ID to database
    student_ids.add(student_id)
    student count += 1
    # Confirmation message
    print(f"Student with ID {student_id} added to the database.")
except ValueError as ve:
  print(ve)
except RuntimeError as re:
  print(re)
                                                                    Marks: 7.5/10
Status: Partially correct
```

## 2. Problem Statement

Reeta is playing with numbers. Reeta wants to have a file containing a list of numbers, and she needs to find the average of those numbers. Write a program to read the numbers from the file, calculate the average, and

display it.

File Name: user\_input.txt

# **Input Format**

The input file will contain a single line of space-separated numbers (as a string).

These numbers may be integers or decimals.

## **Output Format**

If all inputs are valid numbers, the output should print: "Average of the numbers is: X.XX" (where X.XX is the computed average rounded to two decimal places)

If the input contains invalid data, print: "Invalid data in the input."

Refer to the sample output for format specifications.

## Sample Test Case

Input: 1 2 3 4 5

Output: Average of the numbers is: 3.00

#### Answer

```
# You are using Python
try:
    # Open and read the file
    with open("user_input.txt", "r") as file:
        content = file.readline().strip()

# Split the line into parts
    parts = content.split()

numbers = []

# Validate and convert each part to a float
for item in parts:
    try:
        numbers.append(float(item))
        except ValueError:
```

```
raise ValueError("Invalid data in the input.")
```

```
# Calculate average
avg = sum(numbers) / len(numbers)

# Print average rounded to two decimal places
print(f"Average of the numbers is: {avg:.2f}")

except ValueError as ve:
    print(ve)

except FileNotFoundError:
    print("Invalid data in the input.")
```

Status: Partially correct Marks: 5/10

### Problem Statement

John is a data analyst who often works with text files. He needs a program that can analyze the contents of a text file and count the number of times a specific character appears in the file.

John wants a simple program that allows him to specify a file and a character to count within that file.

## **Input Format**

The first line of input consists of the file's name to be analyzed.

The second line of the input consists of the string they want to write within the file.

The third line of the input consists of a character to count within the file.

## **Output Format**

If the character is found, the output displays "The character 'X' appears {Y} times in the file." where X is the character and Y i the count,

If the character does not appear in the file, the output displays "Character not found."

Refer to the sample output for the formatting specifications.

## Sample Test Case

Input: test.txt
This is a test file to check the character count.
e
Output: The character 'e' appears 5 times in the file.

### Answer

```
# You are using Python
   # Read inputs
   file_name = input()
   file_content = input()
   character_to_count = input()
    # Write the content to the file
   with open(file_name, "w") as file:
      file.write(file_content)
    # Read content from the file
   with open(file_name, "r") as file:
   content = file.read()
    # Count occurrences of the character
   count = content.count(character_to_count)
   # Display output based on count
    if count > 0:
      print(f"The character '{character_to_count}' appears {count} times in the file.")
    else:
      print("Character not found in the file.")
```

Status: Partially correct Marks: 7.5/10