DonorsChoose

DonorsChoose.org receives hundreds of thousands of project proposals each year for classroom projects in need of funding. Right now, a large number of volunteers is needed to manually screen each submission before it's approved to be posted on the DonorsChoose.org website.

Next year, DonorsChoose.org expects to receive close to 500,000 project proposals. As a result, there are three main problems they need to solve:

- How to scale current manual processes and resources to screen 500,000 projects so that they can be posted as quickly and as efficiently as possible
- How to increase the consistency of project vetting across different volunteers to improve the experience for teachers
- How to focus volunteer time on the applications that need the most assistance

The goal of the competition is to predict whether or not a DonorsChoose.org project proposal submitted by a teacher will be approved, using the text of project descriptions as well as additional metadata about the project, teacher, and school. DonorsChoose.org can then use this information to identify projects most likely to need further review before approval.

About the DonorsChoose Data Set

The `train.csv` data set provided by DonorsChoose contains the following features:

Feature	Description
`project_id`	A unique identifier for the proposed project. **Example:** `p036502`
`project_title`	Title of the project. **Examples:** - `Art Will Make You Happy!` - `First Grade Fun`
`project_grade_category`	Grade level of students for which the project is targeted. One of the following enumerated values: - `Grades PreK-2` - `Grades 3-5` - `Grades 6-8` - `Grades 9-12`
`project_subject_categories`	One or more (comma-separated) subject categories for the project from the following enumerated list of values: - `Applied Learning` - `Care & Hunger` - `Health & Sports` - `History & Civics` - `Literacy & Language` - `Math & Science` - `Music & The Arts` - `Special Needs` - `Warmth` **Examples:** - `Music & The Arts` - `Literacy & Language, Math & Science`
`school_state`	State where school is located ([Two-letter U.S. postal code](#)). **Example:** `WY`
`project_subject_subcategories`	One or more (comma-separated) subject subcategories for the project. **Examples:** - `Literacy`

Feature	Description
`project_resource_summary`	An explanation of the resources needed for the project. **Example:** • `My students need hands on literacy materials to manage sensory needs!`
`project_essay_1`	First application essay[*]
`project_essay_2`	Second application essay[*]
`project_essay_3`	Third application essay[*]
`project_essay_4`	Fourth application essay[*]
`project_submitted_datetime`	Datetime when project application was submitted. **Example:** `2016-04-28 12:43:56.245`
`teacher_id`	A unique identifier for the teacher of the proposed project. **Example:** `bdf8baa8fedef6bfeec7ae4ff1c15c56`
`teacher_prefix`	Teacher's title. One of the following enumerated values: • `nan` • `Dr.` • `Mr.` • `Mrs.` • `Ms.` • `Teacher.`
`teacher_number_of_previously_posted_projects`	Number of project applications previously submitted by the same teacher. **Example:** `2`

[*] See the section **Notes on the Essay Data** for more details about these features.

Additionally, the `resources.csv` data set provides more data about the resources required for each project. Each line in this file represents a resource required by a project:

Feature	Description
`id`	A `project_id` value from the `train.csv` file. **Example:** `p036502`
`description`	Desciption of the resource. **Example:** `Tenor Saxophone Reeds, Box of 25`
`quantity`	Quantity of the resource required. **Example:** `3`
`price`	Price of the resource required. **Example:** `9.95`

Note: Many projects require multiple resources. The `id` value corresponds to a `project_id` in train.csv, so you use it as a key to retrieve all resources needed for a project:

The data set contains the following label (the value you will attempt to predict):

Label	Description
`project_is_approved`	A binary flag indicating whether DonorsChoose approved the project. A value of `0` indicates the project was not approved, and a value of `1` indicates the project was approved.

Notes on the Essay Data

Prior to May 17, 2016, the prompts for the essays were as follows:
- __project_essay_1:__ "Introduce us to your classroom"
- __project_essay_2:__ "Tell us more about your students"
- __project_essay_3:__ "Describe how your students will use the materials you're requesting"
- __project_essay_4:__ "Close by sharing why your project will make a difference"

Starting on May 17, 2016, the number of essays was reduced from 4 to 2, and the prompts for the first 2 essays were changed to the following:
- __project_essay_1:__ "Describe your students: What makes your students special? Specific details about their background, your neighborhood, and your school are all helpful."

- __project_essay_2:__ "About your project: How will these materials make a difference in your students' learning and improve their school lives?"

  For all projects with project_submitted_datetime of 2016-05-17 and later, the values of project_essay_3 and project_essay_4 will be NaN.

In [1]:

```python
%matplotlib inline
import warnings
warnings.filterwarnings("ignore")

import sqlite3
import pandas as pd
import numpy as np
import nltk
import string
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.feature_extraction.text import TfidfTransformer
from sklearn.feature_extraction.text import TfidfVectorizer

from sklearn.feature_extraction.text import CountVectorizer
from sklearn.metrics import confusion_matrix
from sklearn import metrics
from sklearn.metrics import roc_curve, auc
from nltk.stem.porter import PorterStemmer

import re
# Tutorial about Python regular expressions: https://pymotw.com/2/re/
import string
from nltk.corpus import stopwords
from nltk.stem import PorterStemmer
from nltk.stem.wordnet import WordNetLemmatizer

from gensim.models import Word2Vec
from gensim.models import KeyedVectors
import pickle

from tqdm import tqdm
import os

from chart_studio import plotly
import plotly.offline as offline
import plotly.graph_objs as go
offline.init_notebook_mode()
from collections import Counter
```

OBSERVATION: The above block is used to load all the libraries and module that are used in the assignment.

1.1 Reading Data

In [2]:

```python
project_data = pd.read_csv('train_data.csv', nrows=50000)
resource_data = pd.read_csv('resources.csv')
```

OBSERVATION: The above block takes all records from the data to perform analysis.

In [3]:

```python
print("Number of data points in train data", project_data.shape)
print('-'*50)
print("The attributes of data :", project_data.columns.values)
```

```
Number of data points in train data (50000, 17)
--------------------------------------------------
The attributes of data : ['Unnamed: 0' 'id' 'teacher_id' 'teacher_prefix' 'school_state'
 'project_submitted_datetime' 'project_grade_category'
 'project_subject_categories' 'project_subject_subcategories'
 'project_title' 'project_essay_1' 'project_essay_2' 'project_essay_3'
 'project_essay_4' 'project_resource_summary'
```

```
'teacher_number_of_previously_posted_projects' 'project_is_approved']
```

OBSERVATION: There are 109248 rows and 17 columns in the 'project_data' data frame.

In [4]:

```
print("Number of data points in resources data", resource_data.shape)
print(resource_data.columns.values)
resource_data.head(2)
```

```
Number of data points in resources data (1541272, 4)
['id' 'description' 'quantity' 'price']
```

Out[4]:

	id	description	quantity	price
0	p233245	LC652 - Lakeshore Double-Space Mobile Drying Rack	1	149.00
1	p069063	Bouncy Bands for Desks (Blue support pipes)	3	14.95

OBSERVATION: The above block shows the number of columns(4) and rows(1541272) in the resources file.

1.2 Data Analysis

In [5]:

```
# PROVIDE CITATIONS TO YOUR CODE IF YOU TAKE IT FROM ANOTHER WEBSITE.
# https://matplotlib.org/gallery/pie_and_polar_charts/pie_and_donut_labels.html#sphx-glr-gallery-p
ie-and-polar-charts-pie-and-donut-labels-py


y_value_counts = project_data['project_is_approved'].value_counts()
print("Number of projects thar are approved for funding ", y_value_counts[1], ", (",
(y_value_counts[1]/(y_value_counts[1]+y_value_counts[0]))*100,"%)")
print("Number of projects thar are not approved for funding ", y_value_counts[0], ", (",
(y_value_counts[0]/(y_value_counts[1]+y_value_counts[0]))*100,"%)")

fig, ax = plt.subplots(figsize=(6, 6), subplot_kw=dict(aspect="equal"))
recipe = ["Accepted", "Not Accepted"]

data = [y_value_counts[1], y_value_counts[0]]

wedges, texts = ax.pie(data, wedgeprops=dict(width=0.6), startangle=40)

bbox_props = dict(boxstyle="square,pad=0.3", fc="w", ec="k", lw=0.72)
kw = dict(xycoords='data', textcoords='data', arrowprops=dict(arrowstyle="-"),
          bbox=bbox_props, zorder=0, va="center")

for i, p in enumerate(wedges):
    ang = (p.theta2 - p.theta1)/2. + p.theta1
    y = np.sin(np.deg2rad(ang))
    x = np.cos(np.deg2rad(ang))
    horizontalalignment = {-1: "right", 1: "left"}[int(np.sign(x))]
    connectionstyle = "angle,angleA=0,angleB={}".format(ang)
    kw["arrowprops"].update({"connectionstyle": connectionstyle})
    ax.annotate(recipe[i], xy=(x, y), xytext=(1.35*np.sign(x), 1.4*y),
                horizontalalignment=horizontalalignment, **kw)

ax.set_title("Number of projects that are Accepted and not accepted")

plt.show()
```

```
Number of projects thar are approved for funding  42286 , ( 84.572 %)
Number of projects thar are not approved for funding  7714 , ( 15.428 %)
```

Number of projects that are Accepted and not accepted

OBSERVATION: The above block gives the percentage of projects that are approved(85%) and not approved(15%) for funding, in the form of statements and pie chart.

1.2.1 Univariate Analysis: School State

In [6]:

```
# Pandas dataframe groupby count, mean: https://stackoverflow.com/a/19385591/4084039

temp = pd.DataFrame(project_data.groupby("school_state")
["project_is_approved"].apply(np.mean)).reset_index()
#print(temp.head())
# if you have data which contain only 0 and 1, then the mean = percentage (think about it)
temp.columns = ['state_code', 'num_proposals']

'''# How to plot US state heatmap: https://datascience.stackexchange.com/a/9620

scl = [[0.0, 'rgb(242,240,247)'],[0.2, 'rgb(218,218,235)'],[0.4, 'rgb(188,189,220)'],\
            [0.6, 'rgb(158,154,200)'],[0.8, 'rgb(117,107,177)'],[1.0, 'rgb(84,39,143)']]

data = [ dict(
        type='choropleth',
        colorscale = scl,
        autocolorscale = False,
        locations = temp['state_code'],
        z = temp['num_proposals'].astype(float),
        locationmode = 'USA-states',
        text = temp['state_code'],
        marker = dict(line = dict (color = 'rgb(255,255,255)',width = 2)),
        colorbar = dict(title = "% of pro")
    ) ]

layout = dict(
        title = 'Project Proposals % of Acceptance Rate by US States',
        geo = dict(
            scope='usa',
            projection=dict( type='albers usa' ),
            showlakes = True,
            lakecolor = 'rgb(255, 255, 255)',
        ),
    )

fig = go.Figure(data=data, layout=layout)
offline.iplot(fig, filename='us-map-heat-map')
'''
```

Out[6]:

```
'# How to plot US state heatmap: https://datascience.stackexchange.com/a/9620\n\nscl = [[0.0, \'rg
b(242,240,247)\'],[0.2, \'rgb(218,218,235)\'],[0.4, \'rgb(188,189,220)\'],          [0.6, \'rgb(1
58,154,200)\'],[0.8, \'rgb(117,107,177)\'],[1.0, \'rgb(84,39,143)\']]\n\ndata = [ dict(\n        ty
pe=\'choropleth\',\n        colorscale = scl,\n        autocolorscale = False,\n        locations =
temp[\'state_code\'],\n        z = temp[\'num_proposals\'].astype(float),\n        locationmode = \
'USA-states\',\n        text = temp[\'state_code\'],\n        marker = dict(line = dict (color = \'
rgb(255,255,255)\',width = 2)),\n        colorbar = dict(title = "% of pro")\n    ) ]\n\nlayout = d
ict(\n        title = \'Project Proposals % of Acceptance Rate by US States\',\n        geo = dict(
\n            scope=\'usa\',\n            projection=dict( type=\'albers usa\' ),\n            show
akes = True,\n            lakecolor = \'rgb(255, 255, 255)\',\n        ),\n    )\n\nfig =
go.Figure(data=data, layout=layout)\noffline.iplot(fig, filename=\'us-map-heat-map\')\n'
```

OBSERVATION: The above block groups the 'project_data' data frame on 'school_state' and calculates the mean of the total projects approved per state to store in temp.

In [7]:

```python
# https://www.csi.cuny.edu/sites/default/files/pdf/administration/ops/2letterstabbrev.pdf
temp.sort_values(by=['num_proposals'], inplace=True)
print("States with lowest % approvals")
print(temp.head(5))
print('='*50)
print("States with highest % approvals")
print(temp.tail(5))
```

```
States with lowest % approvals
    state_code  num_proposals
26          MT       0.764151
46          VT       0.781250
7           DC       0.785425
43          TX       0.803916
13          ID       0.804636
==================================================
States with highest % approvals
    state_code  num_proposals
35          OH       0.877966
30          NH       0.879433
6           CT       0.882429
47          WA       0.888486
28          ND       0.904762
```

OBSERVATION: Above block lists out the states with their project approval percentage. The state VT has the lowest approval percentage(80%) and the highest value(89%) belongs to DE.

In [8]:

```python
#stacked bar plots matplotlib:
https://matplotlib.org/gallery/lines_bars_and_markers/bar_stacked.html
def stack_plot(data, xtick, col2='project_is_approved', col3='total'):
    ind = np.arange(data.shape[0])

    plt.figure(figsize=(20,5))
    p1 = plt.bar(ind, data[col3].values)
    p2 = plt.bar(ind, data[col2].values)

    plt.ylabel('Projects')
    plt.title('Number of projects aproved vs rejected')
    plt.xticks(ind, list(data[xtick].values))
    plt.legend((p1[0], p2[0]), ('total', 'accepted'))
    plt.show()
```

In [9]:

```python
def univariate_barplots(data, col1, col2='project_is_approved', top=False):
    # Count number of zeros in dataframe python: https://stackoverflow.com/a/51540521/4084039
    temp = pd.DataFrame(project_data.groupby(col1)[col2].agg(lambda x: x.eq(1).sum())).reset_index(
)

    # Pandas dataframe grouby count: https://stackoverflow.com/a/19385591/4084039
    temp['total'] = pd.DataFrame(project_data.groupby(col1)
[col2].agg({'total':'count'})).reset_index()['total']
    temp['Avg'] = pd.DataFrame(project_data.groupby(col1)[col2].agg({'Avg':'mean'})).reset_index()[
'Avg']

    temp.sort_values(by=['total'],inplace=True, ascending=False)

    if top:
        temp = temp[0:top]

    stack_plot(temp, xtick=col1, col2=col2, col3='total')
    print(temp.head(5))
    print("="*50)
    print(temp.tail(5))
```

In [10]:

```
univariate_barplots(project_data, 'school_state', 'project_is_approved', False)
```


Number of projects aproved vs rejected

```
     school_state  project_is_approved  total       Avg
4              CA                 6013   7024  0.856065
34             NY                 2903   3393  0.855585
43             TX                 2669   3320  0.803916
9              FL                 2328   2839  0.820007
27             NC                 2006   2340  0.857265
==================================================
     school_state  project_is_approved  total       Avg
39             RI                  107    126  0.849206
26             MT                   81    106  0.764151
28             ND                   57     63  0.904762
50             WY                   42     51  0.823529
46             VT                   25     32  0.781250
```

SUMMARY: Every state has greater than 80% success rate in approval

OBSERVATION: The above plot and the output show that the approval percentage of all the states remain almost same, regardless of the state and the number of projects proposed by those states. The state CA has proposed most number of projects and VT proposed least number of projects with approval percentage of 85.81 and 80 respectively.

1.2.2 Univariate Analysis: teacher_prefix

In [11]:

```
univariate_barplots(project_data, 'teacher_prefix', 'project_is_approved' , top=False)
```


Number of projects aproved vs rejected

```
   teacher_prefix  project_is_approved  total       Avg
2            Mrs.                22239  26140  0.850765
3             Ms.                15124  17936  0.843220
1             Mr.                 4073   4859  0.838238
4         Teacher                  847   1061  0.798303
0             Dr.                    1      2  0.500000
==================================================
   teacher_prefix  project_is_approved  total       Avg
2            Mrs.                22239  26140  0.850765
3             Ms.                15124  17936  0.843220
1             Mr.                 4073   4859  0.838238
4         Teacher                  847   1061  0.798303
0             Dr.                    1      2  0.500000
```

OBSERVATION: The above info shows that there are more projects proposed by teachers with 'Mrs.' prefix followed by 'Ms.' and 'Mr.'. There are very few projects proposed by teachers having a doctorate. This may be because, there may be more number of lady teachers and very few techers with a doctorate.

1.2.3 Univariate Analysis: project_grade_category

In [12]:

```
univariate_barplots(project_data, 'project_grade_category', 'project_is_approved', top=False)
```


	project_grade_category	project_is_approved	total	Avg
3	Grades PreK-2	17185	20316	0.845885
0	Grades 3-5	14466	16968	0.852546
1	Grades 6-8	6503	7750	0.839097
2	Grades 9-12	4132	4966	0.832058

==

	project_grade_category	project_is_approved	total	Avg
3	Grades PreK-2	17185	20316	0.845885
0	Grades 3-5	14466	16968	0.852546
1	Grades 6-8	6503	7750	0.839097
2	Grades 9-12	4132	4966	0.832058

OBSERVATION: Above plots show that approval percentage of projects remain almost same for all the grades. But the number of projects sent for approval reduces at higher grades.

1.2.4 Univariate Analysis: project_subject_categories

In [13]:

```
catogories = list(project_data['project_subject_categories'].values)
# remove special characters from list of strings python:
https://stackoverflow.com/a/47301924/4084039

# https://www.geeksforgeeks.org/removing-stop-words-nltk-python/
# https://stackoverflow.com/questions/23669024/how-to-strip-a-specific-word-from-a-string
# https://stackoverflow.com/questions/8270092/remove-all-whitespace-in-a-string-in-python
cat_list = []
for i in catogories:
    temp = ""
    # consider we have text like this "Math & Science, Warmth, Care & Hunger"
    for j in i.split(','): # it will split it in three parts ["Math & Science", "Warmth", "Care & H
unger"]
        if 'The' in j.split(): # this will split each of the catogory based on space "Math & Scienc
e"=> "Math","&", "Science"
            j=j.replace('The','') # if we have the words "The" we are going to replace it with ''(i
.e removing 'The')
        j = j.replace(' ','') # we are placeing all the ' '(space) with ''(empty) ex:"Math &
Science"=>"Math&Science"
        temp+=j.strip()+" " #" abc ".strip() will return "abc", remove the trailing spaces
        temp = temp.replace('&','_') # we are replacing the & value into
    cat_list.append(temp.strip())
```

In [14]:

```
project_data['clean_categories'] = cat_list
project_data.drop(['project_subject_categories'], axis=1, inplace=True)
project_data.head(2)
```

	Unnamed: 0	id	teacher_id	teacher_prefix	school_state	project_submitted_datetime	pro_
0	160221	p253737	c90749f5d961ff158d4b4d1e7dc665fc	Mrs.	IN	2016-12-05 13:43:57	Gra
1	140945	p258326	897464ce9ddc600bced1151f324dd63a	Mr.	FL	2016-10-25 09:22:10	Gra

In [15]:

```
univariate_barplots(project_data, 'clean_categories', 'project_is_approved', top=20)
```


Number of projects aproved vs rejected

```
            clean_categories  project_is_approved  total       Avg
23          Literacy_Language                 9444  10927  0.864281
31               Math_Science                 6307   7695  0.819623
27  Literacy_Language Math_Science            5805   6705  0.865772
8               Health_Sports                 3976   4700  0.845957
39                 Music_Arts                 2021   2358  0.857082
==================================================
            clean_categories  project_is_approved  total       Avg
19  History_Civics Literacy_Language            595    651  0.913978
14       Health_Sports SpecialNeeds             547    633  0.864139
49          Warmth Care_Hunger                  561    606  0.925743
32     Math_Science AppliedLearning             474    565  0.838938
4      AppliedLearning Math_Science             386    477  0.809224
```

OBSERVATION: More number of projects are suggested for the 'Literacy_Language' category and less number of categories for 'AppliedLearning Math_Science'. Even though we don't see a major change in approval percentage for any category, 'Warmth Care_Hunger' has high approval percentage. May be these projects are related to some of the basic amenities required by the students.

In [16]:

```python
# count of all the words in corpus python: https://stackoverflow.com/a/22898595/4084039
from collections import Counter
my_counter = Counter()
for word in project_data['clean_categories'].values:
    my_counter.update(word.split())
```

In [17]:

```python
# dict sort by value python: https://stackoverflow.com/a/613218/4084039
cat_dict = dict(my_counter)
sorted_cat_dict = dict(sorted(cat_dict.items(), key=lambda kv: kv[1]))


ind = np.arange(len(sorted_cat_dict))
plt.figure(figsize=(20,5))
p1 = plt.bar(ind, list(sorted_cat_dict.values()))
```

```
plt.ylabel('Projects')
plt.title('% of projects aproved category wise')
plt.xticks(ind, list(sorted_cat_dict.keys()))
plt.show()
```

```
for i, j in sorted_cat_dict.items():
    print("{:20} :{:10}".format(i,j))
```

```
Warmth               :       643
Care_Hunger          :       643
History_Civics       :      2689
Music_Arts           :      4699
AppliedLearning      :      5569
SpecialNeeds         :      6233
Health_Sports        :      6538
Math_Science         :     18874
Literacy_Language    :     23998
```

OBSERVATION: When projects with multiple categories are split and the number of projects for each category are taken, the counts will be as shown above.

1.2.5 Univariate Analysis: project_subject_subcategories

```
sub_catogories = list(project_data['project_subject_subcategories'].values)
# remove special characters from list of strings python:
https://stackoverflow.com/a/47301924/4084039

# https://www.geeksforgeeks.org/removing-stop-words-nltk-python/
# https://stackoverflow.com/questions/23669024/how-to-strip-a-specific-word-from-a-string
# https://stackoverflow.com/questions/8270092/remove-all-whitespace-in-a-string-in-python

sub_cat_list = []
for i in sub_catogories:
    temp = ""
    # consider we have text like this "Math & Science, Warmth, Care & Hunger"
    for j in i.split(','): # it will split it in three parts ["Math & Science", "Warmth", "Care & H
unger"]
        if 'The' in j.split(): # this will split each of the catogory based on space "Math & Scienc
e"=> "Math","&", "Science"
            j=j.replace('The','') # if we have the words "The" we are going to replace it with ''(i
.e removing 'The')
        j = j.replace(' ','') # we are placing all the ' '(space) with ''(empty) ex:"Math &
Science"=>"Math&Science"
        temp +=j.strip()+" "#" abc ".strip() will return "abc", remove the trailing spaces
        temp = temp.replace('&','_')
    sub_cat_list.append(temp.strip())
```

```
project_data['clean_subcategories'] = sub_cat_list
project_data.drop(['project_subject_subcategories'], axis=1, inplace=True)
project_data.head(2)
```

	Unnamed: 0	id	teacher_id	teacher_prefix	school_state	project_submitted_datetime	pro
0	160221	p253737	c90749f5d961ff158d4b4d1e7dc665fc	Mrs.	IN	2016-12-05 13:43:57	Gra
1	140945	p258326	897464ce9ddc600bced1151f324dd63a	Mr.	FL	2016-10-25 09:22:10	Gra

In [21]:

```
univariate_barplots(project_data, 'clean_subcategories', 'project_is_approved', top=50)
```



```
     clean_subcategories  project_is_approved  total       Avg
303              Literacy                 3919   4434  0.883852
305   Literacy Mathematics                3336   3833  0.870337
317  Literature_Writing Mathematics       2331   2705  0.861738
304  Literacy Literature_Writing          2217   2570  0.862646
327            Mathematics                2013   2441  0.824662
==================================================
                   clean_subcategories  project_is_approved  total       Avg
3     AppliedSciences College_CareerPrep                 169    201  0.840796
367                     PerformingArts                 177    200  0.885000
125                                ESL                 171    199  0.859296
188        EnvironmentalScience Literacy                169    195  0.866667
17    AppliedSciences Literature_Writing               165    188  0.877660
```

OBSERVATION: There is not much of a difference in the approval percentage of subcategories when there is change in the number of projects sent for approval.

In [22]:

```python
# count of all the words in corpus python: https://stackoverflow.com/a/22898595/4084039
from collections import Counter
my_counter = Counter()
for word in project_data['clean_subcategories'].values:
    my_counter.update(word.split())
```

In [23]:

```python
# dict sort by value python: https://stackoverflow.com/a/613218/4084039
sub_cat_dict = dict(my_counter)
sorted_sub_cat_dict = dict(sorted(sub_cat_dict.items(), key=lambda kv: kv[1]))


ind = np.arange(len(sorted_sub_cat_dict))
plt.figure(figsize=(20,5))
p1 = plt.bar(ind, list(sorted_sub_cat_dict.values()))

plt.ylabel('Projects')
plt.title('% of projects aproved state wise')
```

```
plt.xticks(ind, list(sorted_sub_cat_dict.keys()))
plt.show()
```


% of projects aproved state wise

```
for i, j in sorted_sub_cat_dict.items():
    print("{:20} :{:10}".format(i,j))
```

```
Economics            :       127
CommunityService     :       214
FinancialLiteracy    :       253
ParentInvolvement    :       302
Extracurricular      :       373
Civics_Government    :       380
ForeignLanguages     :       388
NutritionEducation   :       617
Warmth               :       643
Care_Hunger          :       643
SocialSciences       :       864
PerformingArts       :       910
CharacterEducation   :       958
TeamSports           :       995
Other                :      1128
College_CareerPrep   :      1168
Music                :      1432
History_Geography    :      1433
Health_LifeScience   :      1876
EarlyDevelopment     :      1937
ESL                  :      1999
Gym_Fitness          :      2068
EnvironmentalScience :      2533
VisualArts           :      2865
Health_Wellness      :      4732
AppliedSciences      :      4901
SpecialNeeds         :      6233
Literature_Writing   :     10127
Mathematics          :     12832
Literacy             :     15611
```

OBSERVATION: When projects with multiple subcategories are split and the number of projects for each subcategory are taken, the counts will be as shown above.

1.2.6 Univariate Analysis: Text features (Title)

In [25]:

```
#How to calculate number of words in a string in DataFrame:
https://stackoverflow.com/a/37483537/4084039
word_count = project_data['project_title'].str.split().apply(len).value_counts()
word_dict = dict(word_count)
word_dict = dict(sorted(word_dict.items(), key=lambda kv: kv[1]))


ind = np.arange(len(word_dict))
plt.figure(figsize=(20,5))
p1 = plt.bar(ind, list(word_dict.values()))

plt.ylabel('Numeber of projects')
plt.xlabel('Numeber words in project title')
```

```
plt.title('Words for each title of the project')
plt.xticks(ind, list(word_dict.keys()))
plt.show()
```


OBSERVATION: The above plot shows that the majority of the projects contains 3,4,5 words. Where as there are very less number of projects with more number of words(11,12,13).

In [26]:

```
approved_title_word_count = project_data[project_data['project_is_approved']==1]['project_title'].
str.split().apply(len)
approved_title_word_count = approved_title_word_count.values

rejected_title_word_count = project_data[project_data['project_is_approved']==0]['project_title'].
str.split().apply(len)
rejected_title_word_count = rejected_title_word_count.values
```

In [27]:

```
# https://glowingpython.blogspot.com/2012/09/boxplot-with-matplotlib.html
plt.boxplot([approved_title_word_count, rejected_title_word_count])
plt.xticks([1,2],('Approved Projects','Rejected Projects'))
plt.ylabel('Words in project title')
plt.grid()
plt.show()
```


OBSERVATION: The above box plots show that the majority of approved projects contain 4-7 words in the title. And the majority un-approved projects contain 3-6 words in title. Since more number of words imply better explanation of detail, more words in title allows the projects to get approved.

In [28]:

```
plt.figure(figsize=(10,3))
sns.kdeplot(approved_title_word_count,label="Approved Projects", bw=0.6)
sns.kdeplot(rejected_title_word_count,label="Not Approved Projects", bw=0.6)
plt.legend()
plt.show()
```

OBSERVATION: The kernel density estimate plot of both approved and un-approved projects are similar to each other and we can't infer much from this.

1.2.7 Univariate Analysis: Text features (Project Essay's)

In [29]:

```
# merge two column text dataframe:
project_data["essay"] = project_data["project_essay_1"].map(str) +\
                        project_data["project_essay_2"].map(str) + \
                        project_data["project_essay_3"].map(str) + \
                        project_data["project_essay_4"].map(str)
```

In [30]:

```
approved_word_count = project_data[project_data['project_is_approved']==1]['essay'].str.split().app
ly(len)
approved_word_count = approved_word_count.values

rejected_word_count = project_data[project_data['project_is_approved']==0]['essay'].str.split().app
ly(len)
rejected_word_count = rejected_word_count.values
```

In [31]:

```
# https://glowingpython.blogspot.com/2012/09/boxplot-with-matplotlib.html
plt.boxplot([approved_word_count, rejected_word_count])
plt.title('Words for each essay of the project')
plt.xticks([1,2],('Approved Projects','Rejected Projects'))
plt.ylabel('Words in project essays')
plt.grid()
plt.show()
```


OBSERVATION: The above box plots show that the projects submitted with more number of words in the essays had better chance of approval than the projects with less words in their essays. This may be due to better explanation of projects which may be an implication due to more number of words.

In [32]:

```
plt.figure(figsize=(10,3))
sns.distplot(approved_word_count, hist=False, label="Approved Projects")
sns.distplot(rejected_word_count, hist=False, label="Not Approved Projects")
plt.title('Words for each essay of the project')
plt.xlabel('Number of words in each eassay')
plt.legend()
plt.show()
```

Words for each essay of the project

OBSERVATION: The above plot shows that the projects with less number of words in the essays have more chance of getting rejected than the projects with more words in their essays.

1.2.8 Univariate Analysis: Cost per project

In [33]:

```
# we get the cost of the project using resource.csv file
resource_data.head(2)
```

Out[33]:

	id	description	quantity	price
0	p233245	LC652 - Lakeshore Double-Space Mobile Drying Rack	1	149.00
1	p069063	Bouncy Bands for Desks (Blue support pipes)	3	14.95

In [34]:

```
# https://stackoverflow.com/questions/22407798/how-to-reset-a-dataframes-indexes-for-all-groups-in
-one-step
price_data = resource_data.groupby('id').agg({'price':'sum', 'quantity':'sum'}).reset_index()
price_data.head(2)
```

Out[34]:

	id	price	quantity
0	p000001	459.56	7
1	p000002	515.89	21

In [35]:

```
# join two dataframes in python:
project_data = pd.merge(project_data, price_data, on='id', how='left')
```

In [36]:

```
approved_price = project_data[project_data['project_is_approved']==1]['price'].values

rejected_price = project_data[project_data['project_is_approved']==0]['price'].values
```

In [37]:

```
# https://glowingpython.blogspot.com/2012/09/boxplot-with-matplotlib.html
plt.boxplot([approved_price, rejected_price])
plt.title('Box Plots of Cost per approved and not approved Projects')
plt.xticks([1,2],('Approved Projects','Rejected Projects'))
plt.ylabel('Price')
plt.grid()
plt.show()
```

Box Plots of Cost per approved and not approved Projects

OBSERVATION: The above box plots does not reveal much info on the role played by price of project, in order for the project to be selected.

In [38]:

```python
plt.figure(figsize=(10,3))
sns.distplot(approved_price, hist=False, label="Approved Projects")
sns.distplot(rejected_price, hist=False, label="Not Approved Projects")
plt.title('Cost per approved and not approved Projects')
plt.xlabel('Cost of a project')
plt.legend()
plt.show()
```


Cost per approved and not approved Projects

OBSERVATION: The distribution plot also doesn't reveal much about the part played by the price of project, in order for the project to be selected.

In [39]:

```python
# http://zetcode.com/python/prettytable/
from prettytable import PrettyTable

#If you get a ModuleNotFoundError error , install prettytable using: pip3 install prettytable

x = PrettyTable()
x.field_names = ["Percentile", "Approved Projects", "Not Approved Projects"]

for i in range(0,101,5):
    x.add_row([i,np.round(np.percentile(approved_price,i), 3), np.round(np.percentile(rejected_price,i), 3)])
print(x)
```

```
+------------+-------------------+-----------------------+
| Percentile | Approved Projects | Not Approved Projects |
+------------+-------------------+-----------------------+
|     0      |        0.66       |          1.97         |
|     5      |       13.772      |         41.429        |
|     10     |       33.99       |         73.18         |
|     15     |       58.57       |         98.548        |
|     20     |       78.64       |        118.006        |
|     25     |       99.99       |        140.785        |
|     30     |      117.035      |        161.972        |
|     35     |      137.08       |        183.825        |
|     40     |       157.0       |        208.726        |
|     45     |      177.802      |        234.921        |
|     50     |      198.085      |        261.255        |
```

```
|    55     |      221.808      |       292.798        |
|    60     |      254.0        |       322.998        |
|    65     |      283.812      |       359.934        |
|    70     |      319.975      |       399.99         |
|    75     |      364.265      |       446.437        |
|    80     |      409.98       |       517.156        |
|    85     |      479.0        |       615.586        |
|    90     |      592.99       |       742.624        |
|    95     |      805.89       |       991.616        |
|   100     |      9999.0       |       9999.0         |
+-----------+------------------+----------------------+
```

OBSERVATION: The percentiles in above table reveals that, the price quoted for the approved projects are comparitively less than that of the non-approved projects.

1.2.9 Univariate Analysis: teacher_number_of_previously_posted_projects

In [40]:

```
univariate_barplots(project_data, 'teacher_number_of_previously_posted_projects',
'project_is_approved' , top=False)
```


Number of projects aproved vs rejected

```
     teacher_number_of_previously_posted_projects  project_is_approved  total  \
0                                             0                    0  11260  13735
1                                             1                    1   6055   7352
2                                             2                    2   3944   4709
3                                             3                    3   2690   3199
4                                             4                    4   2032   2399

        Avg
0  0.819803
1  0.823585
2  0.837545
3  0.840888
4  0.847020
=================================================
     teacher_number_of_previously_posted_projects  project_is_approved  total  \
250                                          266                    1      1
249                                          265                    1      1
247                                          262                    1      1
245                                          260                    1      1
326                                          428                    1      1

     Avg
250  1.0
249  1.0
247  1.0
245  1.0
326  1.0
```

OBSERVATION: The above analysis show that there is an approval percentage of above 80% regardless of the number of projects proposed by the teacher. However the approval percentage is more for teachers who have less number previously proposed projects.

1.2.10 Univariate Analysis: project_resource_summary

In [41]:

```
project_data.columns.values
project_data.shape
```

```
project_data.shape
```

Out[41]:

```
(50000, 20)
```

In [42]:

```
res_sum_num=project_data[project_data['project_resource_summary'].str.match('.*[0-
9*].*')]#https://davidhamann.de/2017/06/26/pandas-select-elements-by-string/
```

In [43]:

```
res_sum_num.shape
```

Out[43]:

```
(7083, 20)
```

In [44]:

```python
def univariate_barplots_res_sum_num(data, col1, col2='project_is_approved', top=False):
    # Count number of zeros in dataframe python: https://stackoverflow.com/a/51540521/4084039
    temp = pd.DataFrame(res_sum_num.groupby(col1)[col2].agg(lambda x: x.eq(1).sum())).reset_index()

    # Pandas dataframe grouby count: https://stackoverflow.com/a/19385591/4084039
    temp['total'] = pd.DataFrame(res_sum_num.groupby(col1)[col2].agg({'total':'count'})).reset_inde
x()['total']
    temp['Avg'] = pd.DataFrame(res_sum_num.groupby(col1)[col2].agg({'Avg':'mean'})).reset_index()['
Avg']

    temp.sort_values(by=['total'],inplace=True, ascending=False)

    if top:
        temp = temp[0:top]

    stack_plot(temp, xtick=col1, col2=col2, col3='total')
    print(temp.head(5))
    print("="*50)
    print(temp.tail(5))
```

In [45]:

```python
univariate_barplots_res_sum_num(res_sum_num, 'project_resource_summary', 'project_is_approved',
top=20)
```



```
                          project_resource_summary  project_is_approved  \
5580  My students need electronic tablets to do all ...                  21
3785  My students need Chromebooks to do all the thi...                   6
1650  My students need 3 Texas Instruments TI - 84 P...                   5
4354  My students need a Dell Chromebook 3120 and Go...                   4
5813  My students need iPads to access educational a...                   3

      total       Avg
5580     26  0.807692
3785      7  0.857143
1650      5  1.000000
4354      4  1.000000
5813      3  1.000000
==================================================
                          project_resource_summary  project_is_approved  \
```

```
2360  My students need 4 Samsung Chromebooks to rese...            2
3807  My students need Chromebooks to prepare and en...            1
3485  My students need 7 Hokki stools to help them s...            2
2912  My students need 5 Texas Instruments TI - 84 P...            2
1682  My students need 3 chromebooks for literacy an...            2

      total  Avg
2360      2  1.0
3807      2  0.5
3485      2  1.0
2912      2  1.0
1682      2  1.0
```

OBSERVATION: The above analysis show the approval percentage of projects with numeric values in the resource summary. Based on the bar plots we can see that there is almost 90% approval rate on proposals with numbers in the resource summary.

In [46]:

```
res_sum_without_num=project_data[project_data['project_resource_summary'].str.contains('.*[0-9].*'
)==False]#https://davidhamann.de/2017/06/26/pandas-select-elements-by-string/
```

In [47]:

```
res_sum_without_num.shape
```

Out[47]:

```
(42918, 20)
```

In [48]:

```
def univariate_barplots_res_sum_without_num(data, col1, col2='project_is_approved', top=False):
    # Count number of zeros in dataframe python: https://stackoverflow.com/a/51540521/4084039
    temp = pd.DataFrame(res_sum_without_num.groupby(col1)[col2].agg(lambda x: x.eq(1).sum())).reset
_index()

    # Pandas dataframe grouby count: https://stackoverflow.com/a/19385591/4084039
    temp['total'] = pd.DataFrame(res_sum_without_num.groupby(col1)[col2].agg({'total':'count'})).re
set_index()['total']
    temp['Avg'] = pd.DataFrame(res_sum_without_num.groupby(col1)[col2].agg({'Avg':'mean'})).reset_i
ndex()['Avg']

    temp.sort_values(by=['total'],inplace=True, ascending=False)

    if top:
        temp = temp[0:top]

    stack_plot(temp, xtick=col1, col2=col2, col3='total')
    print(temp.head(5))
    print("="*50)
    print(temp.tail(5))
```

In [49]:

```
univariate_barplots_res_sum_without_num(res_sum_without_num, 'project_resource_summary',
'project_is_approved', top=20)
```



```
                        project_resource_summary  project_is_approved  \
16102  My students need black and color ink for our c...            4
13064  My students need an Asus Chromebook, wireless ...            2
668    My students need Chromebooks in our classroom ...            3
```

```
10639  My students need a variety of books for our cl...                          3
4327   My students need a Dell Chromebook and EDU Man...                          3

       total       Avg
16102      4  1.000000
13064      3  0.666667
668        3  1.000000
10639      3  1.000000
4327       3  1.000000
==================================================
                          project_resource_summary  project_is_approved  \
22933  My students need graphic novels to spark their...                    2
3515   My students need Sphero robotic balls, Nubby C...                    2
12994  My students need an Apple MacBook Pro to conne...                    2
25164  My students need iPads to maximize the potenti...                    2
18579  My students need colored ink to make their lea...                    2

       total  Avg
22933      2  1.0
3515       2  1.0
12994      2  1.0
25164      2  1.0
18579      2  1.0
```

OBSERVATION: The above analysis show the approval percentage of projects without numeric values in the resource summary. Based on the bar plots we can see that there is almost 100% approval rate on proposals without numbers in the resource summary. So the presence of numeric values in the resource summary does not seem to be playing a important role in project approval. But there is slight edge for the summaries with numeric values over those with numeric values.

1.3 Text preprocessing

1.3.1 Essay Text

In [50]:

```
project_data.head(2)
```

Out[50]:

	Unnamed: 0	id	teacher_id	teacher_prefix	school_state	project_submitted_datetime	pro
0	160221	p253737	c90749f5d961ff158d4b4d1e7dc665fc	Mrs.	IN	2016-12-05 13:43:57	Gra
1	140945	p258326	897464ce9ddc600bced1151f324dd63a	Mr.	FL	2016-10-25 09:22:10	Gra

In [51]:

```
# printing some random essays.
print(project_data['essay'].values[0])
print("="*50)
print(project_data['essay'].values[150])
print("="*50)
print(project_data['essay'].values[1000])
print("="*50)
print(project_data['essay'].values[5000])
print("="*50)
```

```
print(project_data['essay'].values[5999])
print("="*50)
```

My students are English learners that are working on English as their second or third languages. We are a melting pot of refugees, immigrants, and native-born Americans bringing the gift of language to our school. \r\n\r\n We have over 24 languages represented in our English Learner program with students at every level of mastery. We also have over 40 countries represented with the families within our school. Each student brings a wealth of knowledge and experiences to us that open our eyes to new cultures, beliefs, and respect.\"The limits of your language are the limits of your world.\"-Ludwig Wittgenstein Our English learner's have a strong support system at home that begs for more resources. Many times our parents are learning to read and speak English along side of their children. Sometimes this creates barriers for parents to be able to help their child learn phonetics, letter recognition, and other reading skills.\r\n\r\nBy providing these dvd's and players, students are able to continue their mastery of the English language even if no one at home is able to assist. All families with students within the Level 1 proficiency status, will be a offered to be a part of this program. These educational videos will be specially chosen by the English Learner Teacher and will be sent home regularly to watch. The videos are to help the child develop early reading skills.\r\n\r\nParents that do not have access to a dvd player will have the opportunity to check out a dvd player to use for the year. The plan is to use these videos and educational dvd's for the years to come for other EL students.\r\nnannan
==
The 51 fifth grade students that will cycle through my classroom this year all love learning, at least most of the time. At our school, 97.3% of the students receive free or reduced price lunch. Of the 560 students, 97.3% are minority students. \r\nThe school has a vibrant community that loves to get together and celebrate. Around Halloween there is a whole school parade to show off the beautiful costumes that students wear. On Cinco de Mayo we put on a big festival with crafts made by the students, dances, and games. At the end of the year the school hosts a carnival to celebrate the hard work put in during the school year, with a dunk tank being the most popular activity.My students will use these five brightly colored Hokki stools in place of regular, stationary, 4-legged chairs. As I will only have a total of ten in the classroom and not enough for each student to have an individual one, they will be used in a variety of ways. During independent reading time they will be used as special chairs students will each use on occasion. I will utilize them in place of chairs at my small group tables during math and reading times. The rest of the day they will be used by the students who need the highest amount of movement in their life in order to stay focused on school.\r\n\r\nWhenever asked what the classroom is missing, my students always say more Hokki Stools. They can't get their fill of the 5 stools we already have. When the students are sitting in group with me on the Hokki Stools, they are always moving, but at the same time doing their work. Anytime the students get to pick where they can sit, the Hokki Stools are the first to be taken. There are always students who head over to the kidney table to get one of the stools who are disappointed as there are not enough of them. \r\n\r\nWe ask a lot of students to sit for 7 hours a day. The Hokki stools will be a compromise that allow my students to do desk work and move at the same time. These stools will help students to meet their 60 minutes a day of movement by allowing them to activate their core muscles for balance while they sit. For many of my students, these chairs will take away the barrier that exists in schools for a child who can't sit still.nannan
==
How do you remember your days of school? Was it in a sterile environment with plain walls, rows of desks, and a teacher in front of the room? A typical day in our room is nothing like that. I work hard to create a warm inviting themed room for my students look forward to coming to each day.\r\n\r\nMy class is made up of 28 wonderfully unique boys and girls of mixed races in Arkansas.\r\nThey attend a Title I school, which means there is a high enough percentage of free and reduced-price lunch to qualify. Our school is an \"open classroom\" concept, which is very unique as there are no walls separating the classrooms. These 9 and 10 year-old students are very eager learners; they are like sponges, absorbing all the information and experiences and keep on wanting more.With these resources such as the comfy red throw pillows and the whimsical nautical hanging decor and the blue fish nets, I will be able to help create the mood in our classroom setting to be one of a themed nautical environment. Creating a classroom environment is very important in the success in each and every child's education. The nautical photo props will be used with each child as they step foot into our classroom for the first time on Meet the Teacher evening. I'll take pictures of each child with them, have them developed, and then hung in our classroom ready for their first day of 4th grade. This kind gesture will set the tone before even the first day of school! The nautical thank you cards will be used throughout the year by the students as they create thank you cards to their team groups.\r\n\r\nYour generous donations will help me to help make our classroom a fun, inviting, learning environment from day one.\r\n\r\nIt costs lost of money out of my own pocket on resources to get our classroom ready. Please consider helping with this project to make our new school year a very successful one. Thank you!nannan
==
My class is made up of students from various grade levels. We work hard in filling learning gaps and have students reach grade level. My students are dealing with emotional issues that make it hard for them to handle frustration with tasks and need a lot of individual attention. By learning to work independently, my students will have the chance to mainstream into other classrooms with their peer groups. Our biggest goal with my students is for them to learn not only to control their emotions but to learn how to be students. Many of them have spent a large amount of time absent from school for different reasons and need to get into the routine of being in class and on task all day. Modeling good classroom routines and task is important for them to master and move back into general education classrooms. Being apart of a Title 1 school means resources that students need a

re massive and a lot of supplies are shared with parents to make sure homework is completed.Bouncy Bands will give my students a way to get rid of anxiety, tension, and energy all while staying at their desk and working independently. Students will use the bands at either their desk or at a wh ole group table with a chair and avoid having to get up or be asked to stop moving. Movement is the key to keeping students with ADHD and other disabilities focused and finishing up their assignments or staying on task while the teacher is teaching. \r\n   My goal is to help my stuc ents learn helpful strategies that will allow them to join their peers in the general education setting.   By learning how to maintain focus by getting their wiggles and extra energy and grow ac ademically.nannan

==

My students are bright eyed and starving for knowledge. My Pre-K -1 children are like a sponge, th ey want to learn everything and they learn so much by using their senses and intuition. Although my students are on the Autistic spectrum they are just as curious and want what all children want which is to have fun, be excepted by their peers and mentors, feel safe and comforted, explore the world around them and they want to experience and learn new things.My students have language and s peech delays and verbal communication is very difficult. My students use a picture exchange commun ication system and are learning to read and write. \r\n\r\n\r\nThe Boogie Boards will be a great tool for my students to use. They will be able to write and use these boards to communicate. It will al so motivate them to learn. The size and different textures of the stylus will make it easy for my students to hold the stylus. My students's fine motor skills are also low. \r\n\r\n\r\nThe Magnetic bo ard, Magnetic Letters and stamps will be a great addition to help facilitate language.\r\nnannan

==

In [52]:

```
# https://stackoverflow.com/a/47091490/4084039
import re

def decontracted(phrase):
    # specific
    phrase = re.sub(r"won't", "will not", phrase)
    phrase = re.sub(r"can\'t", "can not", phrase)

    # general
    phrase = re.sub(r"n\'t", " not", phrase)
    phrase = re.sub(r"\'re", " are", phrase)
    phrase = re.sub(r"\'s", " is", phrase)
    phrase = re.sub(r"\'d", " would", phrase)
    phrase = re.sub(r"\'ll", " will", phrase)
    phrase = re.sub(r"\'t", " not", phrase)
    phrase = re.sub(r"\'ve", " have", phrase)
    phrase = re.sub(r"\'m", " am", phrase)
    return phrase
```

In [53]:

```
sent = decontracted(project_data['essay'].values[1000])
print(sent)
print("="*50)
```

How do you remember your days of school? Was it in a sterile environment with plain walls, rows of desks, and a teacher in front of the room? A typical day in our room is nothing like that. I work hard to create a warm inviting themed room for my students look forward to coming to each day.\r\n \r\nMy class is made up of 28 wonderfully unique boys and girls of mixed races in Arkansas.\r\nThey attend a Title I school, which means there is a high enough percentage of free a nd reduced-price lunch to qualify. Our school is an \"open classroom\" concept, which is very uniq ue as there are no walls separating the classrooms. These 9 and 10 year-old students are very eage r learners; they are like sponges, absorbing all the information and experiences and keep on wanti ng more.With these resources such as the comfy red throw pillows and the whimsical nautical hangin g decor and the blue fish nets, I will be able to help create the mood in our classroom setting to be one of a themed nautical environment. Creating a classroom environment is very important in the success in each and every child is education. The nautical photo props will be used with each child as they step foot into our classroom for the first time on Meet the Teacher evening. I will take pictures of each child with them, have them developed, and then hung in our classroom ready f or their first day of 4th grade. This kind gesture will set the tone before even the first day of school! The nautical thank you cards will be used throughout the year by the students as they crea te thank you cards to their team groups.\r\n\r\nYour generous donations will help me to help make our classroom a fun, inviting, learning environment from day one.\r\n\r\nIt costs lost of money ou t of my own pocket on resources to get our classroom ready. Please consider helping with this proj ect to make our new school year a very successful one. Thank you!nannan

==

In [54]:

```python
# \r \n \t remove from string python: http://texthandler.com/info/remove-line-breaks-python/
sent = sent.replace('\\r', ' ')
sent = sent.replace('\\"', ' ')
sent = sent.replace('\\n', ' ')
print(sent)
```

How do you remember your days of school? Was it in a sterile environment with plain walls, rows of
desks, and a teacher in front of the room? A typical day in our room is nothing like that. I work
hard to create a warm inviting themed room for my students look forward to coming to each day.
My class is made up of 28 wonderfully unique boys and girls of mixed races in Arkansas. They
attend a Title I school, which means there is a high enough percentage of free and reduced-price l
unch to qualify. Our school is an open classroom concept, which is very unique as there are no w
alls separating the classrooms. These 9 and 10 year-old students are very eager learners; they are
like sponges, absorbing all the information and experiences and keep on wanting more.With these re
sources such as the comfy red throw pillows and the whimsical nautical hanging decor and the blue
fish nets, I will be able to help create the mood in our classroom setting to be one of a themed n
autical environment. Creating a classroom environment is very important in the success in each and
every child is education. The nautical photo props will be used with each child as they step foot
into our classroom for the first time on Meet the Teacher evening. I will take pictures of each ch
ild with them, have them developed, and then hung in our classroom ready for their first day of 4t
h grade. This kind gesture will set the tone before even the first day of school! The nautical th
ank you cards will be used throughout the year by the students as they create thank you cards to t
heir team groups.   Your generous donations will help me to help make our classroom a fun,
inviting, learning environment from day one.   It costs lost of money out of my own pocket on res
ources to get our classroom ready. Please consider helping with this project to make our new schoo
l year a very successful one. Thank you!nannan

In [55]:

```python
#remove spacial character: https://stackoverflow.com/a/5843547/4084039
sent = re.sub('[^A-Za-z0-9]+', ' ', sent)
print(sent)
```

How do you remember your days of school Was it in a sterile environment with plain walls rows of d
esks and a teacher in front of the room A typical day in our room is nothing like that I work hard
to create a warm inviting themed room for my students look forward to coming to each day My class
is made up of 28 wonderfully unique boys and girls of mixed races in Arkansas They attend a Title
I school which means there is a high enough percentage of free and reduced price lunch to qualify
Our school is an open classroom concept which is very unique as there are no walls separating the
classrooms These 9 and 10 year old students are very eager learners they are like sponges absorbin
g all the information and experiences and keep on wanting more With these resources such as the co
mfy red throw pillows and the whimsical nautical hanging decor and the blue fish nets I will be ab
le to help create the mood in our classroom setting to be one of a themed nautical environment Cre
ating a classroom environment is very important in the success in each and every child is
education The nautical photo props will be used with each child as they step foot into our
classroom for the first time on Meet the Teacher evening I will take pictures of each child with t
hem have them developed and then hung in our classroom ready for their first day of 4th grade This
kind gesture will set the tone before even the first day of school The nautical thank you cards wi
ll be used throughout the year by the students as they create thank you cards to their team groups
Your generous donations will help me to help make our classroom a fun inviting learning environmen
t from day one It costs lost of money out of my own pocket on resources to get our classroom ready
Please consider helping with this project to make our new school year a very successful one Thank
you nannan

In [56]:

```python
# https://gist.github.com/sebleier/554280
# we are removing the words from the stop words list: 'no', 'nor', 'not'
stopwords= ['i', 'me', 'my', 'myself', 'we', 'our', 'ours', 'ourselves', 'you', "you're", "you've",
\
            "you'll", "you'd", 'your', 'yours', 'yourself', 'yourselves', 'he', 'him', 'his',
'himself', \
            'she', "she's", 'her', 'hers', 'herself', 'it', "it's", 'its', 'itself', 'they', 'them',
'their',\
            'theirs', 'themselves', 'what', 'which', 'who', 'whom', 'this', 'that', "that'll",
'these', 'those', \
            'am', 'is', 'are', 'was', 'were', 'be', 'been', 'being', 'have', 'has', 'had', 'having',
'do', 'does', \
            'did', 'doing', 'a', 'an', 'the', 'and', 'but', 'if', 'or', 'because', 'as', 'until', '
while', 'of', \
            'at', 'by', 'for', 'with', 'about', 'against', 'between', 'into', 'through', 'during',
'before', 'after',\
            'above', 'below', 'to', 'from', 'up', 'down', 'in', 'out', 'on', 'off', 'over', 'under'
, 'again', 'further',\
```

```
            'then', 'once', 'here', 'there', 'when', 'where', 'why', 'how', 'all', 'any', 'both', 'e
ach', 'few', 'more',\
            'most', 'other', 'some', 'such', 'only', 'own', 'same', 'so', 'than', 'too', 'very', \
            's', 't', 'can', 'will', 'just', 'don', "don't", 'should', "should've", 'now', 'd', 'll'
, 'm', 'o', 're', \
            've', 'y', 'ain', 'aren', "aren't", 'couldn', "couldn't", 'didn', "didn't", 'doesn', "do
esn't", 'hadn',\
            "hadn't", 'hasn', "hasn't", 'haven', "haven't", 'isn', "isn't", 'ma', 'mightn',
"mightn't", 'mustn',\
            "mustn't", 'needn', "needn't", 'shan', "shan't", 'shouldn', "shouldn't", 'wasn',
"wasn't", 'weren', "weren't", \
            'won', "won't", 'wouldn', "wouldn't"]
```

In [57]:

```python
# Combining all the above statemennts
from tqdm import tqdm
preprocessed_essays = []
# tqdm is for printing the status bar
for sentance in tqdm(project_data['essay'].values):
    sent = decontracted(sentance)
    sent = sent.replace('\\r', ' ')
    sent = sent.replace('\\"', ' ')
    sent = sent.replace('\\n', ' ')
    sent = re.sub('[^A-Za-z0-9]+', ' ', sent)
    # https://gist.github.com/sebleier/554280
    sent = ' '.join(e for e in sent.split() if e not in stopwords)
    preprocessed_essays.append(sent.lower().strip())
```

```
100%|███████████████████████████████████████████████████████| 50000/50000 [00:
57<00:00, 865.06it/s]
```

In [58]:

```python
project_data['preprocessed_essays'] = preprocessed_essays
```

1.3.2 Project title Text

In [59]:

```python
# printing some random essays.
print(project_data['project_title'].values[7])
print("="*50)
print(project_data['project_title'].values[5])
print("="*50)
```

```
It's the 21st Century
==================================================
Flexible Seating for Mrs. Jarvis' Terrific Third Graders!!
==================================================
```

In [60]:

```python
sent_title = decontracted(project_data['project_title'].values[7])
print(sent_title)
print("="*50)
sent_title1 = decontracted(project_data['project_title'].values[9])
print(sent_title1)
```

```
It is the 21st Century
==================================================
Just For the Love of Reading--\r\nPure Pleasure
```

In [61]:

```python
# \r \n \t remove from string python: http://texthandler.com/info/remove-line-breaks-python/
sent_title1 = sent_title1.replace('\\r', ' ')
sent_title1 = sent_title1.replace('\\"', ' ')
sent_title1 = sent_title1.replace('\\n', ' ')
```

```
print(sent_title1)
```

Just For the Love of Reading-- Pure Pleasure

In [62]:

```
#remove spacial character: https://stackoverflow.com/a/5843547/4084039
sent_title1 = re.sub('[^A-Za-z0-9]+', ' ', sent_title1)
print(sent_title1)
```

Just For the Love of Reading Pure Pleasure

In [63]:

```
# Combining all the above statemennts
from tqdm import tqdm
preprocessed_project_title = []
# tqdm is for printing the status bar
for sentance in tqdm(project_data['project_title'].values):
    sent_title = decontracted(sentance)
    sent_title = sent_title.replace('\\r', ' ')
    sent_title = sent_title.replace('\\"', ' ')
    sent_title = sent_title.replace('\\n', ' ')
    sent_title = re.sub('[^A-Za-z0-9]+', ' ', sent_title)
    # https://gist.github.com/sebleier/554280
    sent_title = ' '.join(e for e in sent_title.split() if e not in stopwords)
    preprocessed_project_title.append(sent_title.lower().strip())
```

```
100%|████████████████████████████████████████████████████████████████| 50000/50000
[00:02<00:00, 19388.07it/s]
```


In [64]:

```
# after preprocesing
print(preprocessed_project_title[5])
print(preprocessed_project_title[7])
```

flexible seating mrs jarvis terrific third graders
it 21st century

In [65]:

```
title = list(project_data['project_title'].values)
# remove special characters from list of strings python:
https://stackoverflow.com/a/47301924/4084039

# https://www.geeksforgeeks.org/removing-stop-words-nltk-python/
# https://stackoverflow.com/questions/23669024/how-to-strip-a-specific-word-from-a-string
# https://stackoverflow.com/questions/8270092/remove-all-whitespace-in-a-string-in-python
title_list = []
for i in title:
    temp = ""
    # consider we have text like this "Math & Science, Warmth, Care & Hunger"
    for j in i.split(','): # it will split it in three parts ["Math & Science", "Warmth", "Care & H
unger"]
        if 'The' in j.split(): # this will split each of the catogory based on space "Math & Scienc
e"=> "Math","&", "Science"
            j=j.replace('The','') # if we have the words "The" we are going to replace it with ''(i
.e removing 'The')
        j = j.replace(' ','') # we are placeing all the ' '(space) with ''(empty) ex:"Math &
Science"=>"Math&Science"
        temp+=j.strip()+" " #" abc ".strip() will return "abc", remove the trailing spaces
        temp = temp.replace('&','_') # we are replacing the & value into
    title_list.append(temp.strip())
```


In [66]:

```
project_data['preprocessed_project_title'] = title_list
#project_data.drop(['project_title'], axis=1, inplace=True)
project_data.head(2)
```

	Unnamed: 0	id	teacher_id	teacher_prefix	school_state	project_submitted_datetime	pro
0	160221	p253737	c90749f5d961ff158d4b4d1e7dc665fc	Mrs.	IN	2016-12-05 13:43:57	Gra
1	140945	p258326	897464ce9ddc600bced1151f324dd63a	Mr.	FL	2016-10-25 09:22:10	Gra

2 rows × 22 columns

◄ ▶

1. 4 Preparing data for models

```
project_data.columns
```

```
Index(['Unnamed: 0', 'id', 'teacher_id', 'teacher_prefix', 'school_state',
       'project_submitted_datetime', 'project_grade_category', 'project_title',
       'project_essay_1', 'project_essay_2', 'project_essay_3',
       'project_essay_4', 'project_resource_summary',
       'teacher_number_of_previously_posted_projects', 'project_is_approved',
       'clean_categories', 'clean_subcategories', 'essay', 'price', 'quantity',
       'preprocessed_essays', 'preprocessed_project_title'],
      dtype='object')
```

we are going to consider

```
    - school_state : categorical data
    - clean_categories : categorical data
    - clean_subcategories : categorical data
    - project_grade_category : categorical data
    - teacher_prefix : categorical data

    - project_title : text data
    - text : text data
    - project_resource_summary: text data

    - quantity : numerical
    - teacher_number_of_previously_posted_projects : numerical
    - price : numerical
```

1.4.1 Vectorizing Categorical data

- https://www.appliedaicourse.com/course/applied-ai-course-online/lessons/handling-categorical-and-numerical-features/

```
list(project_data.columns.values)
```

```
['Unnamed: 0',
 'id',
 'teacher_id',
 'teacher_prefix',
 'school_state',
 'project_submitted_datetime',
 'project_grade_category',
 'project_title',
 'project_essay_1',
 'project_essay_2',
 'project_essay_3',
 'project_essay_4',
 'project_resource_summary',
 'teacher_number_of_previously_posted_projects',
 'project_is_approved',
 'clean_categories',
 'clean_subcategories',
 'essay',
 'price',
 'quantity',
 'preprocessed_essays',
 'preprocessed_project_title']
```

In [69]:

```python
project_data['teacher_prefix'].values
```

Out[69]:

```
array(['Mrs.', 'Mr.', 'Ms.', ..., 'Mrs.', 'Mrs.', 'Mrs.'], dtype=object)
```

In [70]:

```python
project_data['school_state'].values
```

Out[70]:

```
array(['IN', 'FL', 'AZ', ..., 'SD', 'CT', 'KY'], dtype=object)
```

In [71]:

```python
project_data['project_grade_category'].values
```

Out[71]:

```
array(['Grades PreK-2', 'Grades 6-8', 'Grades 6-8', ..., 'Grades 3-5',
       'Grades PreK-2', 'Grades PreK-2'], dtype=object)
```

In [72]:

```python
# we use count vectorizer to convert the values into one hot encoded features
from sklearn.feature_extraction.text import CountVectorizer
vectorizer = CountVectorizer(vocabulary=list(sorted_cat_dict.keys()), lowercase=False, binary=True
)
vectorizer.fit(project_data['clean_categories'].values)
print(vectorizer.get_feature_names())


categories_one_hot = vectorizer.transform(project_data['clean_categories'].values)
print("Shape of matrix after one hot encodig ",categories_one_hot.shape)
```

```
['Warmth', 'Care_Hunger', 'History_Civics', 'Music_Arts', 'AppliedLearning', 'SpecialNeeds',
'Health_Sports', 'Math_Science', 'Literacy_Language']
Shape of matrix after one hot encodig  (50000, 9)
```

In [73]:

```python
# we use count vectorizer to convert the values into one hot encoded features
```

```
vectorizer = CountVectorizer(vocabulary=list(sorted_sub_cat_dict.keys()), lowercase=False, binary=
True)
vectorizer.fit(project_data['clean_subcategories'].values)
print(vectorizer.get_feature_names())


sub_categories_one_hot = vectorizer.transform(project_data['clean_subcategories'].values)
print("Shape of matrix after one hot encodig ",sub_categories_one_hot.shape)
```

```
['Economics', 'CommunityService', 'FinancialLiteracy', 'ParentInvolvement', 'Extracurricular',
'Civics_Government', 'ForeignLanguages', 'NutritionEducation', 'Warmth', 'Care_Hunger',
'SocialSciences', 'PerformingArts', 'CharacterEducation', 'TeamSports', 'Other',
'College_CareerPrep', 'Music', 'History_Geography', 'Health_LifeScience', 'EarlyDevelopment', 'ESL
', 'Gym_Fitness', 'EnvironmentalScience', 'VisualArts', 'Health_Wellness', 'AppliedSciences',
'SpecialNeeds', 'Literature_Writing', 'Mathematics', 'Literacy']
Shape of matrix after one hot encodig  (50000, 30)
```

In [74]:

```
# count of all the words in corpus python: https://stackoverflow.com/a/22898595/4084039
from collections import Counter
my_counter = Counter()
for word in project_data['school_state'].values:
    my_counter.update(word.split())
# dict sort by value python: https://stackoverflow.com/a/613218/4084039
state_dict = dict(my_counter)
sorted_state_dict = dict(sorted(state_dict.items(), key=lambda kv: kv[1]))
```

In [75]:

```
# we use count vectorizer to convert the values into one hot encoded features
vectorizer = CountVectorizer(vocabulary=list(sorted_state_dict.keys()), lowercase=False, binary=Tr
ue)
vectorizer.fit(project_data['school_state'].values)
print(vectorizer.get_feature_names())


states_one_hot = vectorizer.transform(project_data['school_state'].values)
print("Shape of matrix after one hot encodig ",states_one_hot.shape)
```

```
['VT', 'WY', 'ND', 'MT', 'RI', 'NH', 'SD', 'NE', 'AK', 'DE', 'WV', 'ME', 'NM', 'HI', 'DC', 'KS', 'I
D', 'IA', 'AR', 'CO', 'MN', 'OR', 'MS', 'KY', 'NV', 'MD', 'CT', 'TN', 'AL', 'UT', 'WI', 'VA', 'AZ',
'NJ', 'OK', 'MA', 'LA', 'WA', 'MO', 'IN', 'OH', 'PA', 'MI', 'GA', 'SC', 'IL', 'NC', 'FL', 'TX', 'NY
', 'CA']
Shape of matrix after one hot encodig  (50000, 51)
```

In [76]:

```
# count of all the words in corpus python: https://stackoverflow.com/a/22898595/4084039
from collections import Counter
my_counter = Counter()
for word in project_data['project_grade_category'].values:
    #print(word)
    my_counter.update(word.split('  '))
# dict sort by value python: https://stackoverflow.com/a/613218/4084039
grades_dict = dict(my_counter)
sorted_grade_dict = dict(sorted(grades_dict.items(), key=lambda kv: kv[1]))
```

In [77]:

```
# we use count vectorizer to convert the values into one hot encoded features
vectorizer = CountVectorizer(vocabulary=list(sorted_grade_dict.keys()), lowercase=False, binary=Tr
ue)
vectorizer.fit(project_data['project_grade_category'].values)
print(vectorizer.get_feature_names())


grades_one_hot = vectorizer.transform(project_data['project_grade_category'].values)
print("Shape of matrix after one hot encodig ",grades_one_hot.shape)
```

```
['Grades 9-12', 'Grades 6-8', 'Grades 3-5', 'Grades PreK-2']
```

```
Shape of matrix after one hot encodig  (50000, 4)
```

In [78]:

```python
# count of all the words in corpus python: https://stackoverflow.com/a/22898595/4084039
from collections import Counter
my_counter = Counter()
project_data['teacher_prefix']=project_data['teacher_prefix'].fillna('')
for word in project_data['teacher_prefix'].values:
    #print(word)
    my_counter.update(word.split())
# dict sort by value python: https://stackoverflow.com/a/613218/4084039
teacherprefix_dict = dict(my_counter)
sorted_teacherprefix_dict = dict(sorted(teacherprefix_dict.items(), key=lambda kv: kv[1]))
```

In [79]:

```python
# we use count vectorizer to convert the values into one hot encoded features
vectorizer = CountVectorizer(vocabulary=list(sorted_teacherprefix_dict.keys()), lowercase=False, b
inary=True)
vectorizer.fit(project_data['teacher_prefix'].values)
print(vectorizer.get_feature_names())


teacherprefix_one_hot = vectorizer.transform(project_data['teacher_prefix'].values)
print("Shape of matrix after one hot encodig ",teacherprefix_one_hot.shape)
```

```
['Dr.', 'Teacher', 'Mr.', 'Ms.', 'Mrs.']
Shape of matrix after one hot encodig  (50000, 5)
```

1.4.2 Vectorizing Text data

1.4.2.1 Bag of words

In [80]:

```python
# We are considering only the words which appeared in at least 10 documents(rows or projects).
vectorizer = CountVectorizer(min_df=10)
text_bow = vectorizer.fit_transform(preprocessed_essays)
print("Shape of matrix after one hot encodig ",text_bow.shape)
```

```
Shape of matrix after one hot encodig  (50000, 12211)
```

In [81]:

```python
type(text_bow)
```

Out[81]:

```
scipy.sparse.csr.csr_matrix
```

1.4.2.2 Bag of Words on `project_title`

In [82]:

```python
# We are considering only the words which appeared in at least 10 documents(rows or projects).
vectorizer = CountVectorizer(min_df=10)
title_bow = vectorizer.fit_transform(preprocessed_project_title)
print("Shape of matrix after one hot encodig ",title_bow.shape)
```

```
Shape of matrix after one hot encodig  (50000, 2135)
```

In [83]:

```python
type(title_bow)
```

```
scipy.sparse.csr.csr_matrix
```

1.4.2.3 TFIDF vectorizer

In [84]:

```python
from sklearn.feature_extraction.text import TfidfVectorizer
vectorizer = TfidfVectorizer(min_df=10)
text_tfidf = vectorizer.fit_transform(preprocessed_essays)
print("Shape of matrix after one hot encodig ",text_tfidf.shape)
```

```
Shape of matrix after one hot encodig  (50000, 12211)
```

1.4.2.4 TFIDF Vectorizer on `project_title`

In [85]:

```python
from sklearn.feature_extraction.text import TfidfVectorizer
vectorizer = TfidfVectorizer(min_df=10)
title_tfidf = vectorizer.fit_transform(preprocessed_project_title)
print("Shape of matrix after one hot encodig ",title_tfidf.shape)
```

```
Shape of matrix after one hot encodig  (50000, 2135)
```

1.4.2.5 Using Pretrained Models: Avg W2V

In [86]:

```python
'''
# Reading glove vectors in python: https://stackoverflow.com/a/38230349/4084039
def loadGloveModel(gloveFile):
    print ("Loading Glove Model")
    f = open(gloveFile,'r', encoding="utf8")
    model = {}
    for line in tqdm(f):
        splitLine = line.split()
        word = splitLine[0]
        embedding = np.array([float(val) for val in splitLine[1:]])
        model[word] = embedding
    print ("Done.",len(model)," words loaded!")
    return model
model = loadGloveModel('glove.42B.300d.txt')

# ============================
Output:

Loading Glove Model
1917495it [06:32, 4879.69it/s]
Done. 1917495  words loaded!

# ============================

words = []
for i in preproced_texts:
    words.extend(i.split(' '))

for i in preproced_titles:
    words.extend(i.split(' '))
print("all the words in the coupus", len(words))
words = set(words)
print("the unique words in the coupus", len(words))

inter_words = set(model.keys()).intersection(words)
print("The number of words that are present in both glove vectors and our coupus", \
      len(inter_words),"(",np.round(len(inter_words)/len(words)*100,3),"%)")

words_courpus = {}
```

```
    _
words_glove = set(model.keys())
for i in words:
    if i in words_glove:
        words_courpus[i] = model[i]
print("word 2 vec length", len(words_courpus))


# stronging variables into pickle files python: http://www.jessicayung.com/how-to-use-pickle-to-sa
ve-and-load-variables-in-python/

import pickle
with open('glove_vectors', 'wb') as f:
    pickle.dump(words_courpus, f)


'''
```

Out[86]:

```
'\n# Reading glove vectors in python: https://stackoverflow.com/a/38230349/4084039\ndef
loadGloveModel(gloveFile):\n    print ("Loading Glove Model")\n    f = open(gloveFile,\'r\',
encoding="utf8")\n    model = {}\n    for line in tqdm(f):\n        splitLine = line.split()\n
word = splitLine[0]\n        embedding = np.array([float(val) for val in splitLine[1:]])\n        n
odel[word] = embedding\n    print ("Done.",len(model)," words loaded!")\n    return model\nmodel =
loadGloveModel(\'glove.42B.300d.txt\')\n\n# ============================\nOutput:\n    \nLoading G
love Model\n1917495it [06:32, 4879.69it/s]\nDone. 1917495  words loaded!\n\n#
============================\n\nwords = []\nfor i in preproced_texts:\n    words.extend(i.split(\'
\'))\n\nfor i in preproced_titles:\n    words.extend(i.split(\' \'))\nprint("all the words in the
coupus", len(words))\nwords = set(words)\nprint("the unique words in the coupus",
len(words))\n\ninter_words = set(model.keys()).intersection(words)\nprint("The number of words tha
t are present in both glove vectors and our coupus",        len(inter_words)," 
(",np.round(len(inter_words)/len(words)*100,3),"%)")\n\nwords_courpus = {}\nwords_glove =
set(model.keys())\nfor i in words:\n    if i in words_glove:\n        words_courpus[i] = model[i]\n
print("word 2 vec length", len(words_courpus))\n\n\n# stronging variables into pickle files python
: http://www.jessicayung.com/how-to-use-pickle-to-save-and-load-variables-in-python/\n\nimport pic
kle\nwith open(\'glove_vectors\', \'wb\') as f:\n    pickle.dump(words_courpus, f)\n\n\n'
```

In [87]:

```python
# stronging variables into pickle files python: http://www.jessicayung.com/how-to-use-pickle-to-sa
ve-and-load-variables-in-python/
# make sure you have the glove_vectors file
with open('glove_vectors', 'rb') as f:
    model = pickle.load(f)
    glove_words =  set(model.keys())
```

In [88]:

```python
# average Word2Vec
# compute average word2vec for each review.
avg_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(preprocessed_essays): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    cnt_words =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if word in glove_words:
            vector += model[word]
            cnt_words += 1
    if cnt_words != 0:
        vector /= cnt_words
    avg_w2v_vectors.append(vector)

print(len(avg_w2v_vectors))
print(len(avg_w2v_vectors[0]))
#print(avg_w2v_vectors[0])
```

```
100%|████████████████████████████████████████████████████████████████████| 50000/50000
[00:29<00:00, 1684.77it/s]
```

```
50000
300
```

1.4.2.6 Using Pretrained Models: AVG W2V on `project_title`

```python
# average Word2Vec
# compute average word2vec for each review.
avg_w2v_title = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(preprocessed_project_title): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    cnt_words =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if word in glove_words:
            vector += model[word]
            cnt_words += 1
    if cnt_words != 0:
        vector /= cnt_words
    avg_w2v_title.append(vector)

print(len(avg_w2v_title))
print(len(avg_w2v_title[0]))
#print(avg_w2v_title[0])
```

```
100%|████████████████████████████████████████████████| 50000/50000
[00:01<00:00, 36944.84it/s]
```

```
50000
300
```

1.4.2.7 Using Pretrained Models: TFIDF weighted W2V

```python
# S = ["abc def pqr", "def def def abc", "pqr pqr def"]
tfidf_model = TfidfVectorizer()
tfidf_model.fit(preprocessed_essays)
# we are converting a dictionary with word as a key, and the idf as a value
dictionary = dict(zip(tfidf_model.get_feature_names(), list(tfidf_model.idf_)))
tfidf_words = set(tfidf_model.get_feature_names())
```

```python
# average Word2Vec
# compute average word2vec for each review.
tfidf_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(preprocessed_essays): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    tf_idf_weight =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if (word in glove_words) and (word in tfidf_words):
            vec = model[word] # getting the vector for each word
            # here we are multiplying idf value(dictionary[word]) and the tf
value((sentence.count(word)/len(sentence.split())))
            tf_idf = dictionary[word]*(sentence.count(word)/len(sentence.split())) # getting the tf
idf value for each word
            vector += (vec * tf_idf) # calculating tfidf weighted w2v
            tf_idf_weight += tf_idf
    if tf_idf_weight != 0:
        vector /= tf_idf_weight
    tfidf_w2v_vectors.append(vector)

print(len(tfidf_w2v_vectors))
print(len(tfidf_w2v_vectors[0]))
```

```
100%|████████████████████████████████████████████████| 50000/50000 [03:
47<00:00, 220.01it/s]
```

```
50000
300
```

In [92]:

```
# S = ["abc def pqr", "def def def abc", "pqr pqr def"]
tfidf_model1 = TfidfVectorizer()
tfidf_model1.fit(preprocessed_project_title)
# we are converting a dictionary with word as a key, and the idf as a value
dictionary = dict(zip(tfidf_model1.get_feature_names(), list(tfidf_model1.idf_)))
tfidf_title = set(tfidf_model1.get_feature_names())
```

average Word2Vec

compute average word2vec for each review.

tfidf_w2v_title = []; # the avg-w2v for each sentence/review is stored in this list for sentence in tqdm(preprocessed_project_title): # for each review/sentence vector = np.zeros(300) # as word vectors are of zero length tf_idf_weight =0; # num of words with a valid vector in the sentence/review for word in sentence.split(): # for each word in a review/sentence if (word in glove_words) and (word in tfidf_w2v_title): vec = model[word] # getting the vector for each word

```
        # here we are multiplying idf value(dictionary[word]) and the tf
    value((sentence.count(word)/len(sentence.split())))
        tf_idf = dictionary[word]*(sentence.count(word)/len(sentence.split())) # getting the
    tfidf value for each word
        vector += (vec * tf_idf) # calculating tfidf weighted w2v
        tf_idf_weight += tf_idf
    if tf_idf_weight != 0:
        vector /= tf_idf_weight
    tfidf_w2v_title.append(vector)
```

print(len(tfidf_w2v_title)) print(len(tfidf_w2v_title[0]))

1.4.3 Vectorizing Numerical features

In [93]:

```
# the cost feature is already in numerical values,  we are going to represent the money, as numeri
cal values within the range 0-1
# normalization sklearn: https://scikit-
learn.org/stable/modules/generated/sklearn.preprocessing.StandardScaler.html
from sklearn.preprocessing import StandardScaler

# price_normalized = standardScalar.fit(project_data['price'].values)
# this will rise the error
# ValueError: Expected 2D array, got 1D array instead: array=[725.05 213.03 329.   ... 399.   287.
73   5.5 ].
# Reshape your data either using array.reshape(-1, 1)

price_scalar = StandardScaler()
price_scalar.fit(project_data['price'].values.reshape(-1,1)) # finding the mean and standard
deviation of this data
print(f"Mean : {price_scalar.mean_[0]}, Standard deviation : {np.sqrt(price_scalar.var_[0])}")

# Now standardize the data with above maen and variance.
price_normalized = price_scalar.transform(project_data['price'].values.reshape(-1, 1))
```

Mean : 299.33367619999996, Standard deviation : 378.20927190421384

In [94]:

```
price_normalized
```

Out[94]:

```
array([[-0.38268146],
       [-0.00088225],
```

```
                    [ 0.57512161],
                    ...,
                    [-0.65382764],
                    [-0.52109689],
                    [ 0.54492668]])
```

1.4.4 Merging all the above features

- we need to merge all the numerical vectors i.e catogorical, text, numerical vectors

In [95]:

```
print(categories_one_hot.shape)
print(sub_categories_one_hot.shape)
print(text_bow.shape)
print(price_normalized.shape)
```

```
(50000, 9)
(50000, 30)
(50000, 12211)
(50000, 1)
```

In [96]:

```
# Assignment 3: Apply KNN# merge two sparse matrices: https://stackoverflow.com/a/19710648/4084039
from scipy.sparse import hstack
# with the same hstack function we are concatinating a sparse matrix and a dense matirx :)
X = hstack((categories_one_hot, sub_categories_one_hot, text_bow, price_normalized))
X.shape
```

Out[96]:

```
(50000, 12251)
```

Assignment 4: Naive Bayes

1. **Apply Multinomial NaiveBayes on these feature sets**

   - Set 1: categorical, numerical features + project_title(BOW) + preprocessed_eassay (BOW)
   - Set 2: categorical, numerical features + project_title(TFIDF)+ preprocessed_eassay (TFIDF)

2. **The hyper paramter tuning(find best Alpha)**

   - Find the best hyper parameter which will give the maximum AUC value
   - Consider a wide range of alpha values for hyperparameter tuning, start as low as 0.00001
   - Find the best hyper paramter using k-fold cross validation or simple cross validation data
   - Use gridsearch cv or randomsearch cv or you can also write your own for loops to do this task of hyperparameter tuning

3. **Feature importance**

   - Find the top 10 features of positive class and top 10 features of negative class for both feature sets Set 1 and Set 2 using values of `feature_log_prob_` parameter of MultinomialNB and print their corresponding feature names

4. **Representation of results**

   - You need to plot the performance of model both on train data and cross validation data for each hyper parameter, like shown in the figure. Here on X-axis you will have alpha values, since they have a wide range, just to represent those alpha values on the graph, apply log function on those alpha values.
   - Once after you found the best hyper parameter, you need to train your model with it, and find the AUC on test data and plot the ROC curve on both train and test.
   - Along with plotting ROC curve, you need to print the confusion matrix with predicted and original labels of test data points. Please visualize your confusion matrices using seaborn heatmaps.

5. **Conclusion**

In [97]:

```python
Y = project_data['project_is_approved'].values
del project_data['project_is_approved']
project_data.columns
#project_data.loc[:, project_data.columns != 'project_is_approved'].values
#X1 = np.array(preprocessed_essays)
#X2 = project_data['preprocessed_project_title'].values
```

Out[97]:

```
Index(['Unnamed: 0', 'id', 'teacher_id', 'teacher_prefix', 'school_state',
       'project_submitted_datetime', 'project_grade_category', 'project_title',
       'project_essay_1', 'project_essay_2', 'project_essay_3',
       'project_essay_4', 'project_resource_summary',
       'teacher_number_of_previously_posted_projects', 'clean_categories',
       'clean_subcategories', 'essay', 'price', 'quantity',
       'preprocessed_essays', 'preprocessed_project_title'],
      dtype='object')
```

In [98]:

```python
# https://scikit-learn.org/stable/modules/generated/sklearn.model_selection.train_test_split.html
from sklearn.model_selection import train_test_split

# X_train, X_test, y_train, y_test = train_test_split(X, Y, test_size=0.33, shuffle=Flase)# this is for time series split
X_train, X_test, y_train, y_test = train_test_split(project_data, Y, test_size=0.33) # this is random splitting
X_train, X_cv, y_train, y_cv = train_test_split(X_train, y_train, test_size=0.33) # this is random splitting


print(X_train.shape, y_train.shape)
print(X_cv.shape, y_cv.shape)
print(X_test.shape, y_test.shape)

print("="*100)
```

```
(22445, 21) (22445,)
(11055, 21) (11055,)
(16500, 21) (16500,)
====================================================================================================
```

◄ | | ≡ ►

In [157]:

```python
# we use count vectorizer to convert the values into one hot encoded features
from sklearn.feature_extraction.text import CountVectorizer
vectorizer_cat = CountVectorizer(vocabulary=list(sorted_cat_dict.keys()), lowercase=False, binary=True)
vectorizer_cat.fit(X_train['clean_categories'].values)

X_train_categories_one_hot = vectorizer_cat.transform(X_train['clean_categories'].values)
X_cv_categories_one_hot = vectorizer_cat.transform(X_cv['clean_categories'].values)
X_test_categories_one_hot = vectorizer_cat.transform(X_test['clean_categories'].values)
```

In [158]:

```python
# we use count vectorizer to convert the values into one hot encoded features
vectorizer_sub_cat = CountVectorizer(vocabulary=list(sorted_sub_cat_dict.keys()), lowercase=False, binary=True)
vectorizer_sub_cat.fit(X_train['clean_subcategories'].values)

X_train_sub_categories_one_hot = vectorizer_sub_cat.transform(X_train['clean_subcategories'].values)
X_cv_sub_categories_one_hot = vectorizer_sub_cat.transform(X_cv['clean_subcategories'].values)
```

```
X_test_sub_categories_one_hot = vectorizer_sub_cat.transform(X_test['clean_subcategories'].values)
```

In [159]:

```python
# we use count vectorizer to convert the values into one hot encoded features
vectorizer_states = CountVectorizer(vocabulary=list(sorted_state_dict.keys()), lowercase=False, bi
nary=True)
vectorizer_states.fit(X_train['school_state'].values)

X_train_states_one_hot = vectorizer_states.transform(X_train['school_state'].values)
X_cv_states_one_hot = vectorizer_states.transform(X_cv['school_state'].values)
X_test_states_one_hot = vectorizer_states.transform(X_test['school_state'].values)
```

In [160]:

```python
# we use count vectorizer to convert the values into one hot encoded features
vectorizer_grades = CountVectorizer(vocabulary=list(sorted_grade_dict.keys()), lowercase=False, bi
nary=True)
vectorizer_grades.fit(X_train['project_grade_category'].values)

X_train_grades_one_hot = vectorizer_grades.transform(X_train['project_grade_category'].values)
X_cv_grades_one_hot = vectorizer_grades.transform(X_cv['project_grade_category'].values)
X_test_grades_one_hot = vectorizer_grades.transform(X_test['project_grade_category'].values)
```

In [161]:

```python
# we use count vectorizer to convert the values into one hot encoded features
vectorizer_teacher_prefix = CountVectorizer(vocabulary=list(sorted_teacherprefix_dict.keys()), low
ercase=False, binary=True)
vectorizer_teacher_prefix.fit(X_train['teacher_prefix'].values)

X_train_teacherprefix_one_hot =
vectorizer_teacher_prefix.transform(X_train['teacher_prefix'].values)
X_cv_teacherprefix_one_hot = vectorizer_teacher_prefix.transform(X_cv['teacher_prefix'].values)
X_test_teacherprefix_one_hot = vectorizer_teacher_prefix.transform(X_test['teacher_prefix'].values
)
```

In [106]:

```python
from sklearn.preprocessing import Normalizer

normalizer = Normalizer()

# normalizer.fit(X_train['price'].values)
# this will rise an error Expected 2D array, got 1D array instead:
# array=[105.22 215.96  96.01 ... 368.98  80.53 709.67].
# Reshape your data either using
# array.reshape(-1, 1) if your data has a single feature
# array.reshape(1, -1)  if it contains a single sample.

normalizer.fit(X_train['price'].values.reshape(1,-1))

X_train_price_normalized = normalizer.transform(X_train['price'].values.reshape(1,-1))
X_cv_price_normalized = normalizer.transform(X_cv['price'].values.reshape(1,-1))
X_test_price_normalized = normalizer.transform(X_test['price'].values.reshape(1,-1))

X_train_price_normalized = normalizer.transform(X_train['price'].values.reshape(1,-1))
X_cv_price_normalized = normalizer.transform(X_cv['price'].values.reshape(1,-1))
X_test_price_normalized = normalizer.transform(X_test['price'].values.reshape(1,-1))
```

In [124]:

```python
print(X_train_price_normalized.shape)
print(X_cv_price_normalized.shape)
print(X_test_price_normalized.shape)
print('====================')
X_train_price_normalized=X_train_price_normalized.transpose()
X_cv_price_normalized = X_cv_price_normalized.transpose()
X_test_price_normalized =X_test_price_normalized.transpose()
print(X_train_price_normalized.shape)
print(X_cv_price_normalized.shape)
print(X_test_price_normalized.shape)
```

```
(1, 22445)
(1, 11055)
(1, 16500)
==================
(22445, 1)
(11055, 1)
(16500, 1)
```

Essay Pre-processing

In [172]:

```python
# We are considering only the words which appeared in at least 10 documents(rows or projects).
vectorizer_essay_bow = CountVectorizer(min_df=10)
vectorizer_essay_bow.fit(X_train['preprocessed_essays'])
# we use the fitted CountVectorizer to convert the text to vector
X_train_essay_bow = vectorizer_essay_bow.transform(X_train['preprocessed_essays'])
X_cv_essay_bow = vectorizer_essay_bow.transform(X_cv['preprocessed_essays'])
X_test_essay_bow = vectorizer_essay_bow.transform(X_test['preprocessed_essays'])
```

In [173]:

```python
from sklearn.feature_extraction.text import TfidfVectorizer
vectorizer_essay_tfid = TfidfVectorizer(min_df=10)
vectorizer_essay_tfid.fit(X_train['preprocessed_essays'])
X_train_essay_tfid = vectorizer_essay_tfid.transform(X_train['preprocessed_essays'])
X_cv_essay_tfid= vectorizer_essay_tfid.transform(X_cv['preprocessed_essays'])
X_test_essay_tfid = vectorizer_essay_tfid.transform(X_test['preprocessed_essays'])
```

In [110]:

```python
# stronging variables into pickle files python: http://www.jessicayung.com/how-to-use-pickle-to-sa
ve-and-load-variables-in-python/
# make sure you have the glove_vectors file
with open('glove_vectors', 'rb') as f:
    model = pickle.load(f)
    glove_words =  set(model.keys())
```

In [111]:

```python
# average Word2Vec
# compute average word2vec for each review.
X_train_essay_avg_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_train['preprocessed_essays']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    cnt_words =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if word in glove_words:
            vector += model[word]
            cnt_words += 1
    if cnt_words != 0:
        vector /= cnt_words
    X_train_essay_avg_w2v_vectors.append(vector)

X_cv_essay_avg_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_cv['preprocessed_essays']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    cnt_words =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if word in glove_words:
            vector += model[word]
            cnt_words += 1
    if cnt_words != 0:
        vector /= cnt_words
    X_cv_essay_avg_w2v_vectors.append(vector)

X_test_essay_avg_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_test['preprocessed_essays']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    cnt_words =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
```

```
        if word in glove_words:
            vector += model[word]
            cnt_words += 1
    if cnt_words != 0:
        vector /= cnt_words
    X_test_essay_avg_w2v_vectors.append(vector)
```

In [112]:

```
# S = ["abc def pqr", "def def def abc", "pqr pqr def"]
tfidf_model = TfidfVectorizer()
tfidf_model.fit(X_train['preprocessed_essays'])
# we are converting a dictionary with word as a key, and the idf as a value
dictionary = dict(zip(tfidf_model.get_feature_names(), list(tfidf_model.idf_)))
tfidf_words = set(tfidf_model.get_feature_names())
```

In [113]:

```
# average Word2Vec
# compute average word2vec for each review.
X_train_essay_tfidf_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_train['preprocessed_essays']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    tf_idf_weight =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if (word in glove_words) and (word in tfidf_words):
            vec = model[word] # getting the vector for each word
            # here we are multiplying idf value(dictionary[word]) and the tf value((sentence.count(word)/len(sentence.split())))
            tf_idf = dictionary[word]*(sentence.count(word)/len(sentence.split())) # getting the tf idf value for each word
            vector += (vec * tf_idf) # calculating tfidf weighted w2v
            tf_idf_weight += tf_idf
    if tf_idf_weight != 0:
        vector /= tf_idf_weight
    X_train_essay_tfidf_w2v_vectors.append(vector)

X_cv_essay_tfidf_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_cv['preprocessed_essays']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    tf_idf_weight =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if (word in glove_words) and (word in tfidf_words):
            vec = model[word] # getting the vector for each word
            # here we are multiplying idf value(dictionary[word]) and the tf value((sentence.count(word)/len(sentence.split())))
            tf_idf = dictionary[word]*(sentence.count(word)/len(sentence.split())) # getting the tf idf value for each word
            vector += (vec * tf_idf) # calculating tfidf weighted w2v
            tf_idf_weight += tf_idf
    if tf_idf_weight != 0:
        vector /= tf_idf_weight
    X_cv_essay_tfidf_w2v_vectors.append(vector)

X_test_essay_tfidf_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_test['preprocessed_essays']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    tf_idf_weight =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if (word in glove_words) and (word in tfidf_words):
            vec = model[word] # getting the vector for each word
            # here we are multiplying idf value(dictionary[word]) and the tf value((sentence.count(word)/len(sentence.split())))
            tf_idf = dictionary[word]*(sentence.count(word)/len(sentence.split())) # getting the tf idf value for each word
            vector += (vec * tf_idf) # calculating tfidf weighted w2v
            tf idf weight += tf idf
```

```
            tf_idf_weight += tf_idf
    if tf_idf_weight != 0:
        vector /= tf_idf_weight
    X_test_essay_tfidf_w2v_vectors.append(vector)
```

```
100%|████████████████████████████████████████████████████████| 22445/22445 [01:
25<00:00, 261.45it/s]
100%|████████████████████████████████████████████████████████| 11055/11055 [00:
42<00:00, 260.82it/s]
100%|████████████████████████████████████████████████████████| 16500/16500 [01:
03<00:00, 261.86it/s]
```

Text Pre-processing

In [174]:

```python
# We are considering only the words which appeared in at least 10 documents(rows or projects).
vectorizer_title_bow = CountVectorizer(min_df=10)
vectorizer_title_bow.fit(X_train['preprocessed_project_title'])
# we use the fitted CountVectorizer to convert the text to vector
X_train_title_bow = vectorizer_title_bow.transform(X_train['preprocessed_project_title'])
X_cv_title_bow = vectorizer_title_bow.transform(X_cv['preprocessed_project_title'])
X_test_title_bow = vectorizer_title_bow.transform(X_test['preprocessed_project_title'])
```

In [175]:

```python
from sklearn.feature_extraction.text import TfidfVectorizer
vectorizer_title_tfid = TfidfVectorizer(min_df=10)
vectorizer_title_tfid.fit(X_train['preprocessed_project_title'])
X_train_title_tfid = vectorizer_title_tfid.transform(X_train['preprocessed_project_title'])
X_cv_title_tfid= vectorizer_title_tfid.transform(X_cv['preprocessed_project_title'])
X_test_title_tfid = vectorizer_title_tfid.transform(X_test['preprocessed_project_title'])
```

In [116]:

```python
# stronging variables into pickle files python: http://www.jessicayung.com/how-to-use-pickle-to-sa
ve-and-load-variables-in-python/
# make sure you have the glove_vectors file
with open('glove_vectors', 'rb') as f:
    model = pickle.load(f)
    glove_words =  set(model.keys())
```

In [117]:

```python
# average Word2Vec
# compute average word2vec for each review.
X_train_title_avg_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_train['preprocessed_project_title']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    cnt_words =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if word in glove_words:
            vector += model[word]
            cnt_words += 1
    if cnt_words != 0:
        vector /= cnt_words
    X_train_title_avg_w2v_vectors.append(vector)

X_cv_title_avg_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_cv['preprocessed_project_title']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    cnt_words =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if word in glove_words:
            vector += model[word]
            cnt_words += 1
    if cnt_words != 0:
        vector /= cnt_words
    X_cv_title_avg_w2v_vectors.append(vector)

X_test_title_avg_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_test['preprocessed_project_title']): # for each review/sentence
```

```python
    vector = np.zeros(300) # as word vectors are of zero length
    cnt_words =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if word in glove_words:
            vector += model[word]
            cnt_words += 1
    if cnt_words != 0:
        vector /= cnt_words
    X_test_title_avg_w2v_vectors.append(vector)
```

In [118]:

```python
# S = ["abc def pqr", "def def def abc", "pqr pqr def"]
tfidf_model = TfidfVectorizer()
tfidf_model.fit(X_train['preprocessed_project_title'])
# we are converting a dictionary with word as a key, and the idf as a value
dictionary = dict(zip(tfidf_model.get_feature_names(), list(tfidf_model.idf_)))
tfidf_words = set(tfidf_model.get_feature_names())
```

In [119]:

```python
# average Word2Vec
# compute average word2vec for each review.
X_train_title_tfidf_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this lis
t
for sentence in tqdm(X_train['preprocessed_project_title']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    tf_idf_weight =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if (word in glove_words) and (word in tfidf_words):
            vec = model[word] # getting the vector for each word
            # here we are multiplying idf value(dictionary[word]) and the tf
value((sentence.count(word)/len(sentence.split())))
            tf_idf = dictionary[word]*(sentence.count(word)/len(sentence.split())) # getting the tf
idf value for each word
            vector += (vec * tf_idf) # calculating tfidf weighted w2v
            tf_idf_weight += tf_idf
    if tf_idf_weight != 0:
        vector /= tf_idf_weight
    X_train_title_tfidf_w2v_vectors.append(vector)

X_cv_title_tfidf_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_cv['preprocessed_project_title']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    tf_idf_weight =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if (word in glove_words) and (word in tfidf_words):
            vec = model[word] # getting the vector for each word
            # here we are multiplying idf value(dictionary[word]) and the tf
value((sentence.count(word)/len(sentence.split())))
            tf_idf = dictionary[word]*(sentence.count(word)/len(sentence.split())) # getting the tf
idf value for each word
            vector += (vec * tf_idf) # calculating tfidf weighted w2v
            tf_idf_weight += tf_idf
    if tf_idf_weight != 0:
        vector /= tf_idf_weight
    X_cv_title_tfidf_w2v_vectors.append(vector)

X_test_title_tfidf_w2v_vectors = []; # the avg-w2v for each sentence/review is stored in this list
for sentence in tqdm(X_test['preprocessed_project_title']): # for each review/sentence
    vector = np.zeros(300) # as word vectors are of zero length
    tf_idf_weight =0; # num of words with a valid vector in the sentence/review
    for word in sentence.split(): # for each word in a review/sentence
        if (word in glove_words) and (word in tfidf_words):
            vec = model[word] # getting the vector for each word
            # here we are multiplying idf value(dictionary[word]) and the tf
value((sentence.count(word)/len(sentence.split())))
            tf_idf = dictionary[word]*(sentence.count(word)/len(sentence.split())) # getting the tf
```

```
            tf_idf = dictionary[word]*(sentence.count(word)/len(sentence.split())) # getting the tf
idf value for each word
            vector += (vec * tf_idf) # calculating tfidf weighted w2v
            tf_idf_weight += tf_idf
    if tf_idf_weight != 0:
        vector /= tf_idf_weight
    X_test_title_tfidf_w2v_vectors.append(vector)
```

```
100%|████████████████████████████████████████████| 22445/22445
[00:00<00:00, 148005.09it/s]
100%|████████████████████████████████████████████| 11055/11055
[00:00<00:00, 139685.04it/s]
100%|████████████████████████████████████████████| 16500/16500
[00:00<00:00, 181766.17it/s]
```

2.4.1 Applying Brute force on BOW, SET 1

1.1 Method 1: Simple for loop

In [125]:

```
X_train_bow=hstack((X_train_categories_one_hot,X_train_sub_categories_one_hot,X_train_states_one_ho
t,X_train_grades_one_hot,X_train_teacherprefix_one_hot,X_train_price_normalized,X_train_essay_bow,
X_train_title_bow)).tocsr()

X_cv_bow=hstack((X_cv_categories_one_hot,X_cv_sub_categories_one_hot,X_cv_states_one_hot,X_cv_grade
s_one_hot,X_cv_teacherprefix_one_hot,X_cv_price_normalized,X_cv_essay_bow,X_cv_title_bow)).tocsr()

X_test_bow=hstack((X_test_categories_one_hot,X_test_sub_categories_one_hot,X_test_states_one_hot,X
_test_grades_one_hot,X_test_teacherprefix_one_hot,X_test_price_normalized,X_test_essay_bow,X_test_t
itle_bow)).tocsr()
```

In [143]:

```
from sklearn.naive_bayes import MultinomialNB
from sklearn.metrics import roc_auc_score
import matplotlib.pyplot as plt
"""
y_true : array, shape = [n_samples] or [n_samples, n_classes]
True binary labels or binary label indicators.

y_score : array, shape = [n_samples] or [n_samples, n_classes]
Target scores, can either be probability estimates of the positive class, confidence values, or no
n-thresholded measure of
decisions (as returned by "decision_function" on some classifiers).
For binary y_true, y_score is supposed to be the score of the class with greater label.

"""

train_auc = []
cv_auc = []
K = [0.00001, 0.0001, 0.001, 0.01, 0.1, 1, 10,  100,  1000]
for i in tqdm(K):
    nb = MultinomialNB(alpha = i,class_prior=[0.5,0.5])
    nb.fit(X_train_bow, y_train)
    # roc_auc_score(y_true, y_score) the 2nd parameter should be probability estimates of the posi
tive class
    # not the predicted outputs
    #y_train_pred =  neigh.predict_proba(X_train_bow)[:,1]
    y_train_pred = []
    for i in range(0, X_train_bow.shape[0], 1000):
        y_train_pred.extend(nb.predict_proba(X_train_bow[i:i+1000])[:,1])
    #y_cv_pred =  neigh.predict_proba(X_cv_bow)[:,1]
    y_cv_pred = []
    for i in range(0, X_cv_bow.shape[0], 1000):
        y_cv_pred.extend(nb.predict_proba(X_cv_bow[i:i+1000])[:,1])

    train_auc.append(roc_auc_score(y_train,y_train_pred))
    cv_auc.append(roc_auc_score(y_cv, y_cv_pred))

plt.plot(K, train_auc, label='Train AUC')
plt.plot(K, cv_auc, label='CV AUC')
```

```
plt.legend()
plt.xlabel("K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()
import math
log_K=[]
for i in K:
    j=math.log(i)
    log_K.append(j)
#print(log_K)
#print(K)
plt.plot(log_K, train_auc, label='Train AUC')
plt.plot(log_K, cv_auc, label='CV AUC')
plt.legend()
plt.xlabel("log_K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()
```

```
100%|████████████████████████████████████████| 9/9 [00
:00<00:00,  8.48it/s]
```


1.2 Method 2: GridSearch or randomsearch

```
# https://scikit-learn.org/stable/modules/generated/sklearn.model_selection.GridSearchCV.html
from sklearn.model_selection import GridSearchCV

nb = MultinomialNB(class_prior=[0.5,0.5])
parameters = {'alpha':[0.00001, 0.0001, 0.001, 0.01, 0.1, 1, 10,  100,  1000]}
clf = GridSearchCV(nb, parameters, cv=3, scoring='roc_auc')
clf.fit(X_train_bow, y_train)

train_auc= clf.cv_results_['mean_train_score']
train_auc_std= clf.cv_results_['std_train_score']
cv_auc = clf.cv_results_['mean_test_score']
```

```python
cv_auc_std= clf.cv_results_['std_test_score']

plt.plot(K, train_auc, label='Train AUC')
# this code is copied from here: https://stackoverflow.com/a/48803361/4084039
plt.gca().fill_between(K,train_auc - train_auc_std,train_auc + train_auc_std,alpha=0.2,color='darkb
lue')

plt.plot(K, cv_auc, label='CV AUC')
# this code is copied from here: https://stackoverflow.com/a/48803361/4084039
plt.gca().fill_between(K,cv_auc - cv_auc_std,cv_auc + cv_auc_std,alpha=0.2,color='darkorange')
plt.legend()
plt.xlabel("K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()
import math
log_K=[]
for i in K:
    j=math.log(i)
    log_K.append(j)
plt.plot(log_K, train_auc, label='Train AUC')
# this code is copied from here: https://stackoverflow.com/a/48803361/4084039
plt.gca().fill_between(log_K,train_auc - train_auc_std,train_auc + train_auc_std,alpha=0.2,color='d
arkblue')

plt.plot(log_K, cv_auc, label='CV AUC')
# this code is copied from here: https://stackoverflow.com/a/48803361/4084039
plt.gca().fill_between(log_K,cv_auc - cv_auc_std,cv_auc + cv_auc_std,alpha=0.2,color='darkorange')
plt.legend()
plt.xlabel("log_K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()
```


In [148]:

```python
print(clf.best_score_)
print(clf.best_estimator_)
print(clf.best_params_)
```

```
0.681260867855518
MultinomialNB(alpha=0.1, class_prior=[0.5, 0.5], fit_prior=True)
{'alpha': 0.1}
```

```python
# from the error plot we choose K such that, we will have maximum AUC on cv data and gap between t
he train and cv is less
# Note: based on the method you use you might get different hyperparameter values as best one
# so, you choose according to the method you choose, you use gridsearch if you are having more com
puting power and note it will take more time
# if you increase the cv values in the GridSearchCV you will get more rebust results.

#here we are choosing the best_k based on forloop results
best_k = clf.best_params_['alpha']
```

2. Testing with Test data

```python
# https://scikit-
learn.org/stable/modules/generated/sklearn.metrics.roc_curve.html#sklearn.metrics.roc_curve
from sklearn.metrics import roc_curve, auc


nb = MultinomialNB(alpha=best_k,class_prior=[0.5,0.5])
nb.fit(X_train_bow, y_train)
# roc_auc_score(y_true, y_score) the 2nd parameter should be probability estimates of the positive
class
# not the predicted outputs
y_train_pred = []
for i in range(0, X_train_bow.shape[0], 1000):
    y_train_pred.extend(nb.predict_proba(X_train_bow[i:i+1000])[:,1])
#y_cv_pred =  neigh.predict_proba(X_cv_bow)[:,1]
y_test_pred = []
for i in range(0, X_test_bow.shape[0], 1000):
        y_test_pred.extend(nb.predict_proba(X_test_bow[i:i+1000])[:,1])

#train_fpr, train_tpr, thresholds = roc_curve(y_train, neigh.predict_proba(X_train_bow)[:,1])
train_fpr, train_tpr, thresholds = roc_curve(y_train, y_train_pred)
#test_fpr, test_tpr, thresholds = roc_curve(y_test, neigh.predict_proba(X_test_bow)[:,1])
test_fpr, test_tpr, thresholds = roc_curve(y_test,  y_test_pred)

plt.plot(train_fpr, train_tpr, label="train AUC ="+str(auc(train_fpr, train_tpr)))
plt.plot(test_fpr, test_tpr, label="train AUC ="+str(auc(test_fpr, test_tpr)))
plt.legend()
plt.xlabel("K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()

print("="*100)

from sklearn.metrics import confusion_matrix
print("Train confusion matrix")
print(confusion_matrix(y_train, nb.predict(X_train_bow)))
print("Test confusion matrix")
print(confusion_matrix(y_test, nb.predict(X_test_bow)))
```

```
                        ┌──── train AUC =0.6943176276043922
   0.0 ─┤  V            ├────
        ├────┬────┬────┬────┬────┬────┬
       0.0  0.2  0.4  0.6  0.8  1.0
              K: hyperparameter
```

===

```
Train confusion matrix
[[ 2605    836]
 [ 4510 14494]]
Test confusion matrix
[[ 1441  1129]
 [ 3746 10184]]
```

In [153]:

```python
train_conf_matrix_BOW=confusion_matrix(y_train, nb.predict(X_train_bow))
#https://medium.com/@dtuk81/confusion-matrix-visualization-fc31e3f30fea
group_names = ['True Neg','False Pos','False Neg','True Pos']
group_counts = ['{0:0.0f}'.format(value) for value in
                train_conf_matrix_BOW.flatten()]
group_percentages = ['{0:.2%}'.format(value) for value in
                     train_conf_matrix_BOW.flatten()/np.sum(train_conf_matrix_BOW)]
labels = [f'{v1}\n{v2}\n{v3}' for v1, v2, v3 in
          zip(group_names,group_counts,group_percentages)]
labels = np.asarray(labels).reshape(2,2)
import matplotlib.pyplot as plt
from sklearn.metrics import confusion_matrix
print("Train confusion matrix")
sns.heatmap(train_conf_matrix_BOW, annot=labels, fmt='', cmap='Blues');
ax.set_xlabel('Predicted labels');
ax.set_ylabel('True labels');
ax.set_title('Train confusion matrix');
```

Train confusion matrix

In [154]:

```python
test_conf_matrix_BOW=confusion_matrix(y_test, nb.predict(X_test_bow))
#https://medium.com/@dtuk81/confusion-matrix-visualization-fc31e3f30fea
group_names = ['True Neg','False Pos','False Neg','True Pos']
group_counts = ['{0:0.0f}'.format(value) for value in
                test_conf_matrix_BOW.flatten()]
group_percentages = ['{0:.2%}'.format(value) for value in
                     test_conf_matrix_BOW.flatten()/np.sum(test_conf_matrix_BOW)]
labels = [f'{v1}\n{v2}\n{v3}' for v1, v2, v3 in
          zip(group_names,group_counts,group_percentages)]
labels = np.asarray(labels).reshape(2,2)
import matplotlib.pyplot as plt
from sklearn.metrics import confusion_matrix
print("Test confusion matrix")
sns.heatmap(test_conf_matrix_BOW, annot=labels, fmt='', cmap='Blues');
ax.set_xlabel('Predicted labels');
ax.set_ylabel('True labels');
ax.set_title('Test confusion matrix');
```

Test confusion matrix

2.4.1.1 Top 10 important features of positive class from SET 1

In [162]:

```python
# Collecting feature names for BOW set1
# adding to end of list by concatening features
# Code snippet taken from here https://stackabuse.com/append-vs-extend-in-python-lists/

bow_features_names1 = []
for cnt in vectorizer_cat.get_feature_names() :
    bow_features_names1.append(cnt)

for cnt1len(bow_features_names1) in vectorizer_sub_cat.get_feature_names() :
    bow_features_names1.append(cnt1)

for cnt2 in vectorizer_states.get_feature_names() :
    bow_features_names1.append(cnt2)

for cnt3 in vectorizer_grades.get_feature_names() :
    bow_features_names1.append(cnt3)

for cnt4 in vectorizer_teacher_prefix.get_feature_names() :
    bow_features_names1.append(cnt4)
```

In [163]:

```python
len(bow_features_names1)
```

Out[163]:

99

In [164]:

```python
bow_features_names1.append("price")

bow_features_names1.append("quantity")

bow_features_names1.append("prev_proposed_projects")

bow_features_names1.append("title_word_count")

bow_features_names1.append("essay_word_count")
```

In [165]:

```python
len(bow_features_names1)
```

Out[165]:

104

```
for cnt5 in vectorizer_essay_bow.get_feature_names() :
    bow_features_names1.append(cnt5)
for cnt6 in vectorizer_title_bow.get_feature_names() :
    bow_features_names1.append(cnt6)
```

```
len(bow_features_names1)
```

```
9110
```

TOP 10 positive Features

NOTE¶ Using argsort by default it sorts in ascending order,but we need sorted log probabilities in desc order.

While sorting the log probabilities in ascending order we get least imp features because just for an example say f1 has prob 16 and f2 has prob -14 .The actual prob of f1 would be exp(-16) and actual prob of f2 would be exp(-14). Clearly f2 has higher prob so it is an imp feature

```
nb_bow = MultinomialNB(alpha = best_k,class_prior=[0.5,0.5])

nb_bow.fit(X_train_bow, y_train)
```

```
MultinomialNB(alpha=0.1, class_prior=[0.5, 0.5], fit_prior=True)
```

```
# To use argsort for descending order
# Code snippet taken from https://stackoverflow.com/questions/16486252/is-it-possible-to-use-argso
rt-in-descending-order
pos_class_prob_sorted = nb_bow.feature_log_prob_[1, :].argsort()[::-1][:9110]
for i in pos_class_prob_sorted[:10]:
    print(bow_features_names1[i])
```

```
struggles
scholars
musicians
learn
classify
thankfully
northern
thermometers
leaning
held
```

TOP 10 negative Features

```
# To use argsort for descending order
# Code snippet taken from https://stackoverflow.com/questions/16486252/is-it-possible-to-use-argso
rt-in-descending-order
# using log_prob_ Code taken from https://scikit-
learn.org/stable/modules/generated/sklearn.naive_bayes.MultinomialNB.html

neg_class_prob_sorted = nb_bow.feature_log_prob_[0, :].argsort()[::-1][:9110]
for i in neg_class_prob_sorted[0:10]:
    print(bow_features_names1[i])
```

```
struggles
scholars
learn
musicians
classify
thermometers
leaning
northern
held
thankfully
```

2.4.2 Applying Naive Bayes on TFIDF, SET 2

In [186]:

```
X_train_tfid=hstack((X_train_categories_one_hot,X_train_sub_categories_one_hot,X_train_states_one_h
ot,X_train_grades_one_hot,X_train_teacherprefix_one_hot,X_train_price_normalized,X_train_essay_tfic
,X_train_title_tfid)).tocsr()

X_cv_tfid=hstack((X_cv_categories_one_hot,X_cv_sub_categories_one_hot,X_cv_states_one_hot,X_cv_grac
es_one_hot,X_cv_teacherprefix_one_hot,X_cv_price_normalized,X_cv_essay_tfid,X_cv_title_tfid)).tocs
r()

X_test_tfid=hstack((X_test_categories_one_hot,X_test_sub_categories_one_hot,X_test_states_one_hot,
X_test_grades_one_hot,X_test_teacherprefix_one_hot,X_test_price_normalized,X_test_essay_tfid,X_tes
t_title_tfid)).tocsr()
```

In [188]:

```python
from sklearn.naive_bayes import MultinomialNB
from sklearn.metrics import roc_auc_score
import matplotlib.pyplot as plt
"""
y_true : array, shape = [n_samples] or [n_samples, n_classes]
True binary labels or binary label indicators.

y_score : array, shape = [n_samples] or [n_samples, n_classes]
Target scores, can either be probability estimates of the positive class, confidence values, or no
n-thresholded measure of
decisions (as returned by "decision_function" on some classifiers).
For binary y_true, y_score is supposed to be the score of the class with greater label.

"""

train_auc = []
cv_auc = []
K = [0.00001, 0.0001, 0.001, 0.01, 0.1, 1, 10,  100,  1000]
for i in tqdm(K):
    nb = MultinomialNB(alpha = i,class_prior=[0.5,0.5])
    nb.fit(X_train_tfid, y_train)
    # roc_auc_score(y_true, y_score) the 2nd parameter should be probability estimates of the posi
tive class
    # not the predicted outputs
    #y_train_pred =  neigh.predict_proba(X_train_bow)[:,1]
    y_train_pred = []
    for i in range(0, X_train_tfid.shape[0], 1000):
        y_train_pred.extend(nb.predict_proba(X_train_tfid[i:i+1000])[:,1])
    #y_cv_pred =  neigh.predict_proba(X_cv_bow)[:,1]
    y_cv_pred = []
    for i in range(0, X_cv_tfid.shape[0], 1000):
        y_cv_pred.extend(nb.predict_proba(X_cv_tfid[i:i+1000])[:,1])

    train_auc.append(roc_auc_score(y_train,y_train_pred))
    cv_auc.append(roc_auc_score(y_cv, y_cv_pred))

plt.plot(K, train_auc, label='Train AUC')
plt.plot(K, cv_auc, label='CV AUC')
plt.legend()
plt.xlabel("K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()
import math
```

```python
log_K=[]
for i in K:
    j=math.log(i)
    log_K.append(j)
#print(log_K)
#print(K)
plt.plot(log_K, train_auc, label='Train AUC')
plt.plot(log_K, cv_auc, label='CV AUC')
plt.legend()
plt.xlabel("log_K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()
```

```
100%|████████████████████████████████████████████████████████| 9/9 [00
:00<00:00,  8.93it/s]
```


In [189]:

```python
# https://scikit-learn.org/stable/modules/generated/sklearn.model_selection.GridSearchCV.html
from sklearn.model_selection import GridSearchCV

nb = MultinomialNB(class_prior=[0.5,0.5])
parameters = {'alpha':[0.00001, 0.0001, 0.001, 0.01, 0.1, 1, 10,  100,  1000]}
clf = GridSearchCV(nb, parameters, cv=3, scoring='roc_auc')
clf.fit(X_train_tfid, y_train)

train_auc= clf.cv_results_['mean_train_score']
train_auc_std= clf.cv_results_['std_train_score']
cv_auc = clf.cv_results_['mean_test_score']
cv_auc_std= clf.cv_results_['std_test_score']

plt.plot(K, train_auc, label='Train AUC')
# this code is copied from here: https://stackoverflow.com/a/48803361/4084039
plt.gca().fill_between(K,train_auc - train_auc_std,train_auc + train_auc_std,alpha=0.2,color='darkb
lue')

plt.plot(K, cv_auc, label='CV AUC')
# this code is copied from here: https://stackoverflow.com/a/48803361/4084039
plt.gca().fill_between(K,cv_auc - cv_auc_std,cv_auc + cv_auc_std,alpha=0.2,color='darkorange')
```

```python
plt.legend()
plt.xlabel("K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()
import math
log_K=[]
for i in K:
    j=math.log(i)
    log_K.append(j)
plt.plot(log_K, train_auc, label='Train AUC')
# this code is copied from here: https://stackoverflow.com/a/48803361/4084039
plt.gca().fill_between(log_K,train_auc - train_auc_std,train_auc + train_auc_std,alpha=0.2,color='darkblue')

plt.plot(log_K, cv_auc, label='CV AUC')
# this code is copied from here: https://stackoverflow.com/a/48803361/4084039
plt.gca().fill_between(log_K,cv_auc - cv_auc_std,cv_auc + cv_auc_std,alpha=0.2,color='darkorange')
plt.legend()
plt.xlabel("log_K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()
```


In [190]:

```python
print(clf.best_score_)
print(clf.best_estimator_)
print(clf.best_params_)
```

```
0.6485709892948707
MultinomialNB(alpha=0.1, class_prior=[0.5, 0.5], fit_prior=True)
{'alpha': 0.1}
```

In [191]:

```python
# from the error plot we choose K such that, we will have maximum AUC on cv data and gap between the train and cv is less
# Note: based on the method you use you might get different hyperparameter values as best one
```

```
# Note: based on the method you use you might get different hyperparameter values as best one
# so, you choose according to the method you choose, you use gridsearch if you are having more com
puting power and note it will take more time
# if you increase the cv values in the GridSearchCV you will get more rebust results.

#here we are choosing the best_k based on forloop results
best_k = clf.best_params_['alpha']
```

2. Testing with Test data

In [192]:

```
# https://scikit-
learn.org/stable/modules/generated/sklearn.metrics.roc_curve.html#sklearn.metrics.roc_curve
from sklearn.metrics import roc_curve, auc


nb = MultinomialNB(alpha=best_k,class_prior=[0.5,0.5])
nb.fit(X_train_tfid, y_train)
# roc_auc_score(y_true, y_score) the 2nd parameter should be probability estimates of the positive
class
# not the predicted outputs
y_train_pred = []
for i in range(0, X_train_tfid.shape[0], 1000):
    y_train_pred.extend(nb.predict_proba(X_train_tfid[i:i+1000])[:,1])
#y_cv_pred =  neigh.predict_proba(X_cv_bow)[:,1]
y_test_pred = []
for i in range(0, X_test_tfid.shape[0], 1000):
        y_test_pred.extend(nb.predict_proba(X_test_tfid[i:i+1000])[:,1])

#train_fpr, train_tpr, thresholds = roc_curve(y_train, neigh.predict_proba(X_train_bow)[:,1])
train_fpr, train_tpr, thresholds = roc_curve(y_train, y_train_pred)
#test_fpr, test_tpr, thresholds = roc_curve(y_test, neigh.predict_proba(X_test_bow)[:,1])
test_fpr, test_tpr, thresholds = roc_curve(y_test,  y_test_pred)

plt.plot(train_fpr, train_tpr, label="train AUC ="+str(auc(train_fpr, train_tpr)))
plt.plot(test_fpr, test_tpr, label="train AUC ="+str(auc(test_fpr, test_tpr)))
plt.legend()
plt.xlabel("K: hyperparameter")
plt.ylabel("AUC")
plt.title("ERROR PLOTS")
plt.show()

print("="*100)

from sklearn.metrics import confusion_matrix
print("Train confusion matrix")
print(confusion_matrix(y_train, nb.predict(X_train_tfid)))
print("Test confusion matrix")
print(confusion_matrix(y_test, nb.predict(X_test_tfid)))
```



```
====================================================================================================

Train confusion matrix
[[ 2522   919]
 [ 5146 13858]]
```

Test confusion matrix
[[1417 1153]
 [4381 9549]]

In [196]:

```python
train_conf_matrix_tfid=confusion_matrix(y_train, nb.predict(X_train_tfid))
#https://medium.com/@dtuk81/confusion-matrix-visualization-fc31e3f30fea
group_names = ['True Neg','False Pos','False Neg','True Pos']
group_counts = ['{0:0.0f}'.format(value) for value in
                train_conf_matrix_tfid.flatten()]
group_percentages = ['{0:.2%}'.format(value) for value in
                     train_conf_matrix_tfid.flatten()/np.sum(train_conf_matrix_tfid)]
labels = [f'{v1}\n{v2}\n{v3}' for v1, v2, v3 in
          zip(group_names,group_counts,group_percentages)]
labels = np.asarray(labels).reshape(2,2)
import matplotlib.pyplot as plt
from sklearn.metrics import confusion_matrix
print("Train confusion matrix")
sns.heatmap(train_conf_matrix_tfid, annot=labels, fmt='', cmap='Blues');
ax.set_xlabel('Predicted labels');
ax.set_ylabel('True labels');
ax.set_title('Train confusion matrix');
```

Train confusion matrix

In [194]:

```python
test_conf_matrix_tfid=confusion_matrix(y_test, nb.predict(X_test_tfid))
#https://medium.com/@dtuk81/confusion-matrix-visualization-fc31e3f30fea
group_names = ['True Neg','False Pos','False Neg','True Pos']
group_counts = ['{0:0.0f}'.format(value) for value in
                test_conf_matrix_tfid.flatten()]
group_percentages = ['{0:.2%}'.format(value) for value in
                     test_conf_matrix_tfid.flatten()/np.sum(test_conf_matrix_tfid)]
labels = [f'{v1}\n{v2}\n{v3}' for v1, v2, v3 in
          zip(group_names,group_counts,group_percentages)]
labels = np.asarray(labels).reshape(2,2)
import matplotlib.pyplot as plt
from sklearn.metrics import confusion_matrix
print("Test confusion matrix")
sns.heatmap(test_conf_matrix_tfid, annot=labels, fmt='', cmap='Blues');
ax.set_xlabel('Predicted labels');
ax.set_ylabel('True labels');
ax.set_title('Test confusion matrix');
```

Test confusion matrix

2.4.2.1 Top 10 important features of positive class from SET 2

```python
# Collecting feature names for BOW set1
# adding to end of list by concatening features
# Code snippet taken from here https://stackabuse.com/append-vs-extend-in-python-lists/

tfid_features_names1 = []
for cnt in vectorizer_cat.get_feature_names() :
    tfid_features_names1.append(cnt)

for cnt1 in vectorizer_sub_cat.get_feature_names() :
    tfid_features_names1.append(cnt1)

for cnt2 in vectorizer_states.get_feature_names() :
    tfid_features_names1.append(cnt2)

for cnt3 in vectorizer_grades.get_feature_names() :
    tfid_features_names1.append(cnt3)

for cnt4 in vectorizer_teacher_prefix.get_feature_names() :
    tfid_features_names1.append(cnt4)

tfid_features_names1.append("price")
tfid_features_names1.append("quantity")
tfid_features_names1.append("prev_proposed_projects")
tfid_features_names1.append("title_word_count")
tfid_features_names1.append("essay_word_count")
for cnt5 in vectorizer_essay_tfid.get_feature_names() :
    tfid_features_names1.append(cnt5)
for cnt6 in vectorizer_title_tfid.get_feature_names() :
    tfid_features_names1.append(cnt6)
```

```python
len(bow_features_names1)
```

```
9110
```

TOP 10 positive Features

NOTE¶ Using argsort by default it sorts in ascending order,but we need sorted log probabilities in desc order. While sorting the log probabilities in ascending order we get least imp features because just for an example say f1 has prob 16 and f2 has prob -14 .The actual prob of f1 would be exp(-16) and actual prob of f2 would be exp(-14). Clearly f2 has higher prob so it is an imp feature

```python
nb_tfid = MultinomialNB(alpha = best_k,class_prior=[0.5,0.5])

nb_tfid.fit(X_train_tfid, y_train)
```

```
MultinomialNB(alpha=0.1, class_prior=[0.5, 0.5], fit_prior=True)
```

```python
# To use argsort for descending order
# Code snippet taken from https://stackoverflow.com/questions/16486252/is-it-possible-to-use-argso
```

```
rt-in-descending-order
pos_class_prob_sorted = nb_tfid.feature_log_prob_[1, :].argsort()[::-1][:9110]
for i in pos_class_prob_sorted[:10]:
    print(bow_features_names1[i])
```

```
Literacy_Language
Math_Science
Literacy
Mathematics
Literature_Writing
CA
struggles
Health_Sports
SpecialNeeds
SpecialNeeds
```

TOP 10 negative Features

```
# To use argsort for descending order
# Code snippet taken from https://stackoverflow.com/questions/16486252/is-it-possible-to-use-argso
rt-in-descending-order
# using log_prob_ Code taken from https://scikit-
learn.org/stable/modules/generated/sklearn.naive_bayes.MultinomialNB.html

neg_class_prob_sorted = nb_tfid.feature_log_prob_[0, :].argsort()[::-1][:9110]
for i in neg_class_prob_sorted[0:10]:
    print(bow_features_names1[i])
```

```
Literacy_Language
Math_Science
Mathematics
Literacy
Literature_Writing
SpecialNeeds
SpecialNeeds
CA
struggles
AppliedLearning
```