

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Digital signal and Image process (01CT1513)	Aim: Simulate linear convolution and circular convolution on discrete time signals.	
Experiment - 2	Date: 18/07/2026	Enrolment No:92400133125

Aim : Simulate linear convolution and circular convolution on discrete time signals.

GitHub : <https://github.com/mankumarbhalodiya/Digital-Signal-and-Image-Processing/tree/main/Experiment%202>

Code :

```
import numpy as np

import matplotlib.pyplot as plt

# Function to compute linear convolution
def linear_convolution(signal1, signal2):
    return np.convolve(signal1, signal2, mode='full')

# Function to compute circular convolution
def circular_convolution(signal1, signal2):
    fft_length = len(signal1) + len(signal2) - 1
    fft_signal1 = np.fft.fft(signal1, fft_length)
    fft_signal2 = np.fft.fft(signal2, fft_length)
    circular_conv = np.fft.ifft(fft_signal1 * fft_signal2)
    return circular_conv.real # Take only the real part

# Define the discrete-time signals
signal1 = np.array([1, 2, 3, 4, 5])
signal2 = np.array([2, 4, 6, 8, 10])

# Compute the linear convolution
linear_conv = linear_convolution(signal1, signal2)

# Compute the circular convolution
circular_conv = circular_convolution(signal1, signal2)

# Display the results
print("Signal 1:", signal1)
```

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Digital signal and Image process (01CT1513)	Aim: Simulate linear convolution and circular convolution on discrete time signals.	
Experiment - 2	Date: 18/07/2026	Enrolment No:92400133125

```

print("Signal 2:", signal2)

print("\nLinear Convolution:")

print(linear_conv)

print("\nCircular Convolution:")

print(circular_conv)

# Plot the results

plt.figure(figsize=(10, 6))

# Linear Convolution

plt.subplot(2, 1, 1)

plt.stem(range(len(linear_conv)), linear_conv)

plt.title("Linear Convolution")

plt.xlabel("Sample")

plt.ylabel("Amplitude")

plt.grid(True)

# Circular Convolution

plt.subplot(2, 1, 2)

plt.stem(range(len(circular_conv)), circular_conv)

plt.title("Circular Convolution (Using FFT)")

plt.xlabel("Sample")

plt.ylabel("Amplitude")

plt.grid(True)

plt.tight_layout()

plt.show()

# Optional: Save the results


```

 Marwadi University	Marwadi University Faculty of Technology Department of Information and Communication Technology	
Digital signal and Image process (01CT1513)	Aim: Simulate linear convolution and circular convolution on discrete time signals.	
Experiment - 2	Date: 18/07/2026	Enrolment No:92400133125

```
# np.savetxt("linear_convolution.txt", linear_conv, delimiter=",")
```

```
# np.savetxt("circular_convolution.txt", circular_conv, delimiter=",")
```

OUTPUT :



Conclusion : This experiment helped me understand the difference between linear convolution and circular convolution. Linear convolution gives a longer output, while circular convolution gives an output of the same length as the input signals. Using Python made it easy to perform the calculations and visualize the results.



Digital signal and Image
process (01CT1513)

Aim: Simulate linear convolution and circular convolution on discrete
time signals.

Experiment - 2

Date: 18/07/2026

Enrolment No:92400133125

Experiment - 2 Calculation

Q. 1 Linear Circular

Signal 1 = [2, 4, 6, 8, 10]

Signal 2 = [1, 3, 5, 7, 9]

	1	3	5	7	9
2	2	6	10	14	18
4	4	12	20	28	36
6	6	18	30	42	54
8	8	24	40	56	72
10	10	30	50	70	90

$y(0) = 2$

$y(1) = 4 + 6 = 10$

$y(2) = 6 + 12 + 20 = 28$

$y(3) = 8 + 18 + 20 + 34 = 60$

$y(4) = 10 + 24 + 30 + 28 + 18 = 110$

$y(5) = 30 + 40 + 42 + 36 = 148$

$y(6) = 50 + 56 + 54 = 160$

$y(7) = 70 + 72 = 142$

$y(8) = 90$

$\hat{x}(n) * h(n) = \{2, 10, 28, 60, 110, 148, 160, 142, 90\}$



Digital signal and Image process (01CT1513)

Aim: Simulate linear convolution and circular convolution on discrete time signals.

Experiment - 2

Date: 18/07/2026

Enrolment No:92400133125

PAGE NO:

Circular Convolution

1	2	0	0	0	0	20	8	6	4
3	4	2	0	0	0	0	20	8	6
5	6	4	2	0	0	0	0	20	8
7	8	6	4	2	0	0	0	0	20
9	20	8	6	4	2	0	0	0	0
0	0	20	8	6	4	2	0	0	0
0	0	0	20	8	6	4	2	0	0
0	0	0	0	20	8	6	4	2	0
0	0	0	0	0	20	8	6	4	2

$$= \begin{bmatrix} 2 \\ 4+6 \\ 6+12+10 \\ 8+16+20+14 \\ 10+24+30+28+28 \\ 30+40+42+36 \\ 50+56+54 \\ 70+72 \\ 90 \end{bmatrix}$$

=

$$\begin{bmatrix} 2 \\ 20 \\ 28 \\ 60 \\ 120 \\ 148 \\ 160 \\ 142 \\ 90 \end{bmatrix}$$