

aws

cloudformation

X

CloudFor

CloudForm

Stacks

StackSets

Exports

Infrastructure

IaC generator

Hooks overview

Hooks New

Registry

Public extensi

Activated exte

Publisher

Spotlight

Feedback

Services

Features

Resources New

Documentation

Knowledge articles

Marketplace

Blog posts

Events

Tutorials

Services

CloudFormation

Create and Manage Resources with Templates

Infrastructure Composer

Visually design and build modern applications quickly

Features

Show more

IaC Generator

CloudFormation feature

Spotlight

CloudFormation feature

Public extensions

CloudFormation feature

Designer

CloudFormation feature

Resources

/ for a focused search


i


Introducing resource search

Enable to show cross-region resources for your account in search results. Takes less than 5 minutes to set up.

Go to Resource Explorer

X





aws

Search

[Alt+S]

Close

File: 'new template'

Go to Infrastructure Composer for the upgraded version of CloudFormation Designer. If you choose to continue using Designer, please provide your feedback.

Infrastructure Composer

resource types

Route53Resolver

S3

AccessGrant

AccessGrantsInstance

AccessGrantsLocation

AccessPoint

Bucket

BucketPolicy

MultiRegionAccessPoint

MultiRegionAccessPointPolicy

StorageLens

StorageLensGroup

S3B2URS346

Bucket

Properties

Metadata

DeletionPolicy

DependsOn

Condition

S3B2URS346

Choose template language: JSON YAML

```
1 {
2   "Resources": {
3     "S3B2URS346": {
4       "Type": "AWS::S3::Bucket",
5       "Properties": {}
6     }
7   }
8 }
```

Messages

CloudFormation > Stacks > Create stack

CloudFormation <

Stacks

StackSets

Exports

Infrastructure Composer

laC generator

Hooks overview New

Hooks New

Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

Introducing the new Hooks experience and capabilities

The Hooks' new console workflow simplifies how you author your Hooks by using Lambda functions or Guard domain-specific language (DSL). You can also learn more about the expanded evaluation targets.

View Hooks overview

Step 1

Create stack

Step 2

Specify stack details

Step 3

Configure stack options

Step 4

Review and create

Create stack

Prerequisite - Prepare template

You can also create a template by scanning your existing resources in the laC generator.

Prepare template

Every stack is based on a template. A template is a JSON or YAML file that contains configuration information about the AWS resources you want to include in the stack.

Choose an existing template

Upload or choose an existing template.

Use a sample template

Choose from our sample template library.

Build from Infrastructure Composer

Create a template using a visual builder.

Specify template Info

A template is a JSON or YAML file that describes your stack's resources and properties.

Template source

Selecting a template generates an Amazon S3 URL where it will be stored.

Amazon S3 URL

Provide an Amazon S3 URL to your template.

Upload a template file

Upload your template directly to the console.

Sync from Git

Sync a template from your Git repository.

Amazon S3 URL

https://s3-external-1.amazonaws.com/cf-templates-1k9tdexsu4qp-us-east-1/2024332ymD-new.templatei04aibkxrm

Amazon S3 template URL

S3 URL: https://s3-external-1.amazonaws.com/cf-templates-1k9tdexsu4qp-us-east-1/2024332ymD-new.templatei04aibkxrm

View in Infrastructure Composer

Cancel

Next

CloudFormation > Stacks > Create stack

CloudFormation

Stacks

StackSets

Exports

Infrastructure Composer

laC generator

Hooks overview

Hooks

Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

Introducing the new Hooks experience and capabilities

The Hooks' new console workflow simplifies how you author your Hooks by using Lambda functions or Guard domain-specific language (DSL). You can also learn more about the expanded evaluation targets.

View Hooks overview

Step 1

Create stack

Step 2

Specify stack details

Step 3

Configure stack options

Step 4

Review and create

Specify stack details

Provide a stack name

Stack name

mann0908

Stack name must be 1 to 128 characters, start with a letter, and only contain alphanumeric characters. Character count: 8/128.

Parameters

Parameters are defined in your template and allow you to input custom values when you create or update a stack.

No parameters

There are no parameters defined in your template

Cancel

Previous

Next

aws

Q Search

[Alt+S]

N. Virginia

man

CloudFormation

Stacks

Create stack

CloudFormation

Stacks

StackSets

Exports

Infrastructure Composer

laC generator

Hooks overview

Hooks

Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

Behavior on provisioning failure

Specify the roll back behavior for a stack failure. [Learn more](#)

☒ Roll back all stack resources

Roll back the stack to the last known stable state.

☐ Preserve successfully provisioned resources

Preserves the state of successfully provisioned resources, while rolling back failed resources to the last known stable state. Resources without a last known stable state will be deleted upon the next stack operation.

Delete newly created resources during a rollback

Specify whether resources that were created during a failed operation should be deleted regardless of their deletion policy. [Learn more](#)

☒ Use deletion policy

Retains or deletes created resources according to their attached deletion policy.

☐ Delete all newly created resources

Deletes created resources during a rollback regardless of their attached deletion policy.

Advanced options

You can set additional options for your stack, like notification options and a stack policy. [Learn more](#)

► Stack policy - optional

Defines the resources that you want to protect from unintentional updates during a stack update.

► Rollback configuration - optional

Specify alarms for CloudFormation to monitor when creating and updating the stack. If the operation breaches an alarm threshold, CloudFormation rolls it back.

► Notification options - optional

Specify a new or existing Amazon Simple Notification Service topic where notifications about stack events are sent.

► Stack creation options - optional

Specify the timeout and termination protection options for stack creation.

Cancel

Previous

Next

WS

Q Search

[Alt+S]

N. Virginia

mann

CloudFormation

Stacks

Create stack

CloudFormation

Stacks

StackSets

Exports

Infrastructure Composer

IaC generator

Hooks overview

Hooks

Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

Monitoring time

-

CloudWatch alarm ARN

-

Notification options

SNS topic ARN

No notification options

There are no notification options defined

Stack creation options

Timeout

-

Termination protection

Deactivated

Quick-create link

Use quick-create links to get stacks up and running quickly from the AWS CloudFormation console with the same basic configuration as this stack. Copy the URL on the link to share. [Learn more](#)

Open quick-create link

Create change set

Cancel

Previous

Submit

CloudFormation

Stacks

Stack details

Drifts

StackSets

Exports

Infrastructure Composer

AC generator

Stacks overview

Stacks

Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

mann0908

mann0908

Introducing the new Hooks experience and capabilities

The Hooks' new console workflow simplifies how you author your Hooks by using Lambda functions or Guard domain-specific language (DSL). You can also learn more about the expanded evaluation targets.

View Hooks overview

Stacks (1)

Filter by stack name

Filter status

Active

View nested

Stacks

mann0908

2024-11-27 21:48:58 UTC+0530

CREATE_IN_PROGRESS

mann0908

Delete

Update

Stack actions

Create stack

Stack info

Events - updated

Resources

Outputs

Parameters

Template

Change sets

Git sync

Table view

Timeline view - new

Events (1)

Search events

Timestamp	Logical ID	Status	Detailed status	Status reason
2024-11-27 21:48:58 UTC+0530	mann0908	CREATE_IN_PROGRESS	-	User Initiated

CloudFormation

Stacks

mann0908

CloudFormation

Stacks details

Drifts

StackSets

Exports

Infrastructure Composer

laC generator

Hooks overview

Hooks

Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

Introducing the new Hooks experience and capabilities

The Hooks' new console workflow simplifies how you author your Hooks by using Lambda functions or Guard domain-specific language (DSL). You can also learn more about the expanded evaluation targets.

View Hooks overview

Stacks (1)

Filter by stack name

Filter status

Active

View nested

Stacks

mann0908

2024-11-27 21:48:58 UTC+0530

CREATE_COMPLETE

mann0908

Stack info

Events - updated

Resources

Outputs

Parameters

Template

Change sets

Git sync

Resources (1)

Search resources

Logical ID

Physical ID

Type

Status

Module

S3B2URS346

mann0908-s3b2urs346-6jpbhiii2hbxr

AWS::S3::Bucket

CREATE_COMPLETE

-

Amazon S3

Account snapshot - updated every 24 hours

View Storage Lens dashboard

General purpose buckets

Directory buckets

General purpose buckets (2)

Info

All AWS Regions

Copy ARN

Empty

Delete

Create bucket

Find buckets by name

Name	AWS Region	IAM Access Analyzer	Creation date
cf-templates-1k9tdexrsu4qp-us-east-1	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 27, 2024, 21:43:53 (UTC+05:30)
mann0908-s3b2urs346-6jbhiii2hbxr	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 27, 2024, 21:49:05 (UTC+05:30)

Amazon S3

Account snapshot - updated every 24 hours

View Storage Lens dashboard

General purpose buckets

Directory buckets

General purpose buckets (2)

Info

All AWS Regions

Copy ARN

Empty

Delete

Create bucket

Find buckets by name

Name	AWS Region	IAM Access Analyzer	Creation date
cf-templates-1k9tdexrsu4qp-us-east-1	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 27, 2024, 21:43:53 (UTC+05:30)
mann0908-s3b2urs346-6jbhiii2hbxr	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 27, 2024, 21:49:05 (UTC+05:30)

CloudFormation

Stacks

mann0908

CloudFormation

Stack details

Drifts

StackSets

Exports

Infrastructure Composer

laC generator

Hooks overview

Hooks

Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

Introducing the new Hooks experience and capabilities

The Hooks' new console workflow simplifies how you author your Hooks by using Lambda functions or Guard domain-specific language (DSL). You can also learn more about the expanded evaluation targets.

View Hooks overview

Stacks (1)

Filter status

Filter by stack name

Active

View nested

Stacks

mann0908

2024-11-27 21:48:58 UTC+0530

CREATE_COMPLETE

mann0908

Delete

Update

Stack actions

Create stack

Stack info

Events - updated

Resources

Outputs

Parameters

Template

Change sets

Git sync

Table view

Timeline view - new

Events (5)

Search events

Timestamp	Logical ID	Status	Detailed status	Status reason
2024-11-27 21:49:15 UTC+0530	mann0908	CREATE_COMPLETE	-	-
2024-11-27 21:49:14 UTC+0530	S3B2URS346	CREATE_COMPLETE	-	-
2024-11-27 21:49:02 UTC+0530	S3B2URS346	CREATE_IN_PROGRESS	-	Resource creation Initiated
2024-11-27 21:49:01 UTC+0530	S3B2URS346	CREATE_IN_PROGRESS	-	-
2024-11-27 21:48:58 UTC+0530	mann0908	CREATE_IN_PROGRESS	-	User Initiated

CloudFormation

Stacks

Stacks

StackSets

Exports

Infrastructure Composer

laC generator

Hooks overview

Hooks

Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

Introducing the new Hooks experience and capabilities

The Hooks' new console workflow simplifies how you author your Hooks by using Lambda functions or Guard domain-specific language (DSL). You can also learn more about the expanded evaluation targets.

View Hooks overview

Stacks (1)

Filter by stack name

Filter status

Active

View nested

With new resources (standard)

With existing resources (import resources)

Stack name	Status	Created time	Description
mann0908	CREATE_COMPLETE	2024-11-27 21:48:58 UTC+0530	-

CloudFormation

Stacks

Create stack

CloudFormation

Stacks

StackSets

Exports

Infrastructure Composer

laC generator

Hooks overview

Hooks

Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

Introducing the new Hooks experience and capabilities

The Hooks' new console workflow simplifies how you author your Hooks by using Lambda functions or Guard domain-specific language (DSL). You can also learn more about the expanded evaluation targets.

View Hooks overview

Step 1

Create stack

Step 2

Specify stack details

Step 3

Configure stack options

Step 4

Review and create

Create stack

Prerequisite - Prepare template

You can also create a template by scanning your existing resources in the laC generator.

Prepare template

Every stack is based on a template. A template is a JSON or YAML file that contains configuration information about the AWS resources you want to include in the stack.

Choose an existing template

Upload or choose an existing template.

Use a sample template

Choose from our sample template library.

Build from Infrastructure Composer

Create a template using a visual builder.

Select a sample template

View more sample templates

Sample templates

This collection of sample templates will help you get started with AWS CloudFormation and quickly build your own templates

LAMP Stack

S3 URL: https://cloudformation-templates-us-east-1.s3.us-east-1.amazonaws.com/LAMP_Single_Instance.template

View in Infrastructure Composer

Cancel

Next

CloudFormation > Stacks > Create stack

CloudFormation

<

Stacks

Templates

Artifacts

Infrastructure Composer

Generators

Stacks overview New

Stacks New

Registry

Public extensions

Private extensions

Publisher

Spotlight

Feedback

Monitoring time

-

CloudWatch alarm ARN

-

Notification options

SNS topic ARN

No notification options

There are no notification options defined

Stack creation options

Timeout

-

Termination protection

Deactivated

Quick-create link

Use quick-create links to get stacks up and running quickly from the AWS CloudFormation console with the same basic configuration as this stack. Copy the URL on the link to share. [Learn more](#)

Open quick-create link

Create change set

Cancel

Previous

Submit

Dashboard

EC2 Global View

Events

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

Load Balancing

Load Balancers

Target Groups

CloudShell

Feedback

Search

[Alt+5]

N. Virginia

manr5

Instances (1/1) Info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Find Instance by attribute or tag (case-sensitive)

All states

Instance state = running

Clear filters

Name

Instance ID

Instance state

Instance type

Status check

Alarm status

Availability Zone

Public IPv4 DNS

Public IPv4 ...

Elastic IP

i-0b0c622801620150f

Running

t2.micro

Initializing

View alarms +

us-east-1d

ec2-3-84-199-171.com...

3.84.199.171

-

i-0b0c622801620150f

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

Instance summary Info

Instance ID

i-0b0c622801620150f

IPv6 address

-

Hostname type

IP name: ip-172-31-88-91.ec2.internal

Answer private resource DNS name

-

Auto-assigned IP address

3.84.199.171 [Public IP]

IAM Role

-

IMDSv2

Optional

EC2 recommends setting IMDSv2 to required | Learn more

Operator

-

Public IPv4 address

3.84.199.171 | open address

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-88-91.ec2.internal

Instance type

t2.micro

VPC ID

vpc-068d0a9ce1ab6bb84

Subnet ID

subnet-0ba060507fab061e6

Instance ARN

arn:aws:ec2:us-east-1:891612564889:instance/i-0b0c622801620150f

Private IPv4 addresses

172.31.88.91

Public IPv4 DNS

ec2-3-84-199-171.compute-1.amazonaws.com | open address

Elastic IP addresses

-

AWS Compute Optimizer finding

Opt-in to AWS Compute Optimizer for recommendations. | Learn more

Auto Scaling Group name

-

Managed

false

© 2024 Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie pref

Dashboard

EC2 Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

IMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

Load Balancing

Load Balancers

Search

[Alt+S]

N. Virginia

mann9776

Instances (1/1) Info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Find Instance by attribute or tag (case-sensitive)

All states

Instance state = running

Clear filters

Name

Instance ID

Instance state

Instance type

Status check

Alarm status

Availability Zone

Public IPv4 DNS

Public IPv4 ...

Elastic I...

i-0b0c622801620150f

Running

t2.micro

2/2 checks passed

View alarms +

us-east-1d

ec2-3-84-199-171.com...

3.84.199.171

-

i-0b0c622801620150f

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Instance summary Info

Instance ID

i-0b0c622801620150f

IPv6 address

-

Hostname type

IP name: ip-172-31-88-91.ec2.internal

Answer private resource DNS name

-

Auto-assigned IP address

3.84.199.171 [Public IP]

IAM Role

-

IMDSv2

Optional

EC2 recommends setting IMDSv2 to required | Learn more

Public IPv4 address

3.84.199.171 | open address

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-88-91.ec2.internal

Instance type

t2.micro

VPC ID

vpc-068d0a9ce1ab6bb84

Subnet ID

subnet-0ba060507fab061e6

Instance ARN

arn:aws:ec2:us-east-1:891612564889:instance/i-0b0c622801620150f

Private IPv4 addresses

172.31.88.91

Public IPv4 DNS

ec2-3-84-199-171.compute-1.amazonaws.com | open address

Elastic IP addresses

-

AWS Compute Optimizer finding

Opt-in to AWS Compute Optimizer for recommendations. | Learn more

Auto Scaling Group name

-

Managed

false

Welcome to the AWS CloudFormation PHP Sample

The Current Date and Time is:
1:49 PM Wednesday, November 27 2024.

Server = ec2-3-84-199-171.compute-1.amazonaws.com
EC2 instance-id = i-0b0c622801620150f
Database = localhost
Connected to localhost successfully

PHP Information

PHP Version 5.3.29	
	
System	Linux ip-172-31-88-91 4.14.322-170.538.amzn1.x86_64 #1 SMP Tue Aug 29 21:22:56 UTC 2023 x86_64
Build Date	May 12 2015 22:42:47
Configure Command	./configure '--build=x86_64-redhat-linux-gnu' '--host=x86_64-redhat-linux-gnu' '--target=x86_64-amazon-linux-gnu' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib64' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/var/lib' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=/config.cache' '--with-libdir=lib64' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-rpath' '--without-pear' '--with-bz2' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr' '--enable-gd-native-ttf' '--with-t1lib=/usr' '--without-gdcm' '--with-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--with-kerberos' '--enable-ucd-snmp-hack' '--enable-shmop' '--enable-calendar' '--without-sqlite' '--with-libxml-dir=/usr' '--enable-xml' '--with-system-ldap' '--with-mhash' '--with-apxs2=/usr/sbin/apxs' '--libdir=/usr/lib64/php' '--enable-pdo=shared' '--with-mysql=shared,/usr' '--with-mysql=shared,/usr/lib64/mysql/mysql_config' '--with-pdo-mysql=shared,/usr/lib64/mysql/mysql_config' '--with-pdo-sqlite=shared,/usr' '--without-gd' '--disable-dom' '--disable-dba' '--without-unixODBC' '--disable-xmlreader' '--disable-xmlwriter' '--without-sqlite3' '--disable-phar' '--disable-fileinfo' '--disable-json' '--without-pspell' '--disable-wddx' '--without-curl' '--disable-postix' '--disable-sysvmsg' '--disable-sysvshm' '--disable-sysvsem'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional	/etc/php.d



```

Documents and Settings/
27/11/2024 22:26.23 /drives/c cd Documents\ and\ Settings
27/11/2024 22:26.23 /drives/c cd Documents\ and\ Settings
27/11/2024 22:26.28 /drives/c cd Users\singman/Downloads/
27/11/2024 22:26.34 /drives/c/Users/singman/Downloads ssh -i "demo.pem" ec2-user@ec2-3-84-199-171.compute-1.amazonaws.com
Warning: Permanently added 'ec2-3-84-199-171.compute-1.amazonaws.com' (ED25519) to the list of known hosts.
X11 forwarding request failed on channel 0
~# Amazon Linux 1 (AL AMI 2018.03)
## AL1 has been in Maintenance Support since 2020-12-31.
### On 2023-12-31, AL1 will reach End of Life.
####
##### Newer Amazon Linux versions are:
##### - Amazon Linux 2023, supported until 2028-03-15
##### https://aws.amazon.com/linux/amazon-linux-2023/
##### - Amazon Linux 2, supported until 2025-06-30
##### https://aws.amazon.com/amazon-linux-2/

Thanks for using https://aws.amazon.com/amazon-linux-ami/
11 package(s) needed for security, out of 14 available
Run "sudo yum update" to apply all updates.
[ec2-user@ip-172-31-88-91 ~]$ sudo su root
[root@ip-172-31-88-91 ec2-user]# mysql -h localhost -P 3306 -u admin -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 7
Server version: 5.5.62 MySQL Community Server (GPL)

Copyright (c) 2000, 2018, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| MyDatabase |
| test |
+-----+
3 rows in set (0.00 sec)

mysql>
```