




Services

Search

[Alt+S]

eg: My web server

new instance

▼ Application and OS Images (Amazon Machine Image) Info

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below

Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Amazon Linux

aws

macOS

Mac

Ubuntu

ubuntu

Windows

Microsoft

Red Hat

Red Hat

SUSE Li

SUSE

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Amazon Linux 2023 AMI

ami-012967cc5a8c9f891 (64-bit (x86), uefi-preferred) / ami-055e62b4ea2fe95fd (64-bit (Arm), uefi)

Virtualization: hvm ENA enabled: true Root device type: ebs

Free tier eligible

Description

Amazon Linux 2023 is a modern, general purpose Linux-based OS that comes with 5 years of long term support. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to

▼ Summary

Number of instances Info

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.6.2...read more

ami-012967cc5a8c9f891

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance

Cancel

Launch instance

Preview code

Services

Search

[Alerts]

openvpn

Quick Start AMIs (0)
Commonly used AMIs

My AMIs (0)
Created by me

AWS Marketplace AMIs (166)
AWS & trusted third-party AMIs

Community AMIs (40)
Published by anyone

IoT (25)
Business Applications (5)
Cloud Operations (5)
Industries (1)

Publisher

☐ Gigabits (71)

☐ Art Group (15)

☐ Askforcloud LLC (10)

☐ ADEO Imaging (8)

☐ OpenVPN Inc. (8)

☐ Tidal Media Inc (7)

☐ TrueStack (4)

☐ Cohesive Networks (4)

☐ Netgate (2)

☐ Voleatech GmbH (2)

Show All

Pricing model

☐ Usage Based (151)

☐ Upfront Commitment (103)

☐ Free (8)

By [OpenVPN Inc.](#) | Ver 2.13.1

★★★★★49 AWS reviews | [224 external reviews](#)

Access Server for AWS delivers the best-of-breed VPN solution for secure remote access, site-to-site VPN and secure SaaS access for organizations of all sizes. Our award-winning open-source protocol is the industry standard for accessing private information securely, ensuring safe access to...

 OPENVPN

[OpenVPN Access Server \(10 Connected Devices\) / Self-Hosted VPN](#)

By [OpenVPN Inc.](#) | Ver 2.13.1

★★★★★4 AWS reviews | [224 external reviews](#)

Starting from \$0.12/hr or from \$840.00/yr (22% savings) for software + AWS usage fees

Access Server for AWS delivers the best-of-breed VPN solution for secure remote access, site-to-site VPN and secure SaaS access for organizations of all sizes. Our award-winning open-source protocol is the industry standard for accessing private information securely, ensuring safe access to...

Select

 OPENVPN

[OpenVPN Access Server \(5 Connected Devices\) / Self-Hosted VPN](#)

By [OpenVPN Inc.](#) | Ver 2.13.1

★★★★★2 AWS reviews | [224 external reviews](#)

[Free Trial](#)

Starting from \$0.10/hr or from \$660.00/yr (22% savings) for software + AWS usage fees

Select

© 2021 Amazon Web Services, Inc. or its affiliates. All rights reserved.

Qopenvpn

Quick Start AMIs

Commonly used AMIs

☐ ADEO Image

☐ OpenVPN

☐ Tidal Media

☐ TrueStack

☐ Cohesive File

☐ Netgate (Pfsense)

☐ Voleatech

Show All

▼ Pricing model

☐ Usage Based

☐ Upfront

☐ Commitment

☐ Free (8)

☐ Bring Your Own License (7)

▼ Pricing unit

☐ Custom Unit

Operating system

☐ ► All Linux

☐ ► All Windows

OpenVPN Access Server (5 Connected Devices) / Self-Hosted VPN

OpenVPN Inc. [OpenVPN Inc.](#)

★★★★★ 2 AWS reviews [2 AWS reviews](#) | 224 external reviews [224 external reviews](#)

Free Tier | [Free Trial](#)

Overview

Product details

Pricing

Usage

Support

OpenVPN Access Server is an enterprise-grade business software VPN solution that provides a securely encrypted connection to private networks over an unsecured network such as the internet.

Typical total price	Latest version	Video
\$0.119/Hr	2.13.1	Product Video
Total pricing per instance for services hosted on t2.small in us-east-1.	Delivery methods	Categories
See additional pricing information.	Amazon Machine Image ⓘ	Security
	Operating systems	Network Infrastructure
	Ubuntu 22.04.4 LTS	Device Connectivity
	Ubuntu 22.04.3 LTS	

A subscription to this AMI is required before you can launch an instance. Check the pricing details in the pricing tab before continuing.
You can subscribe to this AMI now or we will automatically subscribe for you when you launch this instance. We recommend that you 'Subscribe now' if you are sure this is the AMI you want to use to launch as it will reduce wait time on launch. Choose 'Subscribe on instance launch' if you are still choosing an AMI and don't want to commit to a subscription yet. By subscribing to this AMI you agree that your use of this software is subject to the pricing terms and the seller's [End User License Agreement](#)

Cancel

Subscribe on instance launch

Subscribe now

Starting from \$0.51/hr or from \$4,100.00/yr (4.2% savings) for software + AWS usage fees

Instances (1/3) [Info](#)

Last updated
less than a minute ago



Connect

Instance state ▼

Actions ▼

Launch instances ▼

Find Instance by attribute or tag (case-sensitive)

All states ▼

< 1 >



☒	Name	Instance ID	Instance state	Instance type	Status check	Alarm status
☒	my_vpn_1711	i-062d8db1dd236199a	Running	t2.small	2/2 checks passed	View alarms +
☐	my_windows	i-062eb293b90e07eca	Running	t3.micro	Initializing	View alarms +
☐	public_instanc...	i-06067fca61c5a4466	Stopped	t2.micro	-	View alarms +

i-062d8db1dd236199a (my_vpn_1711)



[Details](#) | [Status and alarms](#) | [Monitoring](#) | [Security](#) | [Networking](#) | [Storage](#) | [Tags](#)

▼ Instance summary [Info](#)

Instance ID
 i-062d8db1dd236199a

IPv6 address
-

Hostname type
IP name: ip-10.0.0.14.ec2.internal

Public IPv4 address
 3.227.231.101 | [open address](#)

Instance state
 Running

Private IP DNS name (IPv4 only)
 ip-10.0.0.14.ec2.internal

Private IPv4 addresses
 10.0.0.14

Public IPv4 DNS
-

EC2 Instance Connect

Session Manager

SSH client

EC2 serial console

Instance ID

i-062d8db1dd236199a (my_vpn_1711)

Connection Type

☒ Connect using EC2 Instance Connect

Connect using the EC2 Instance Connect browser-based client, with a public IPv4 or IPv6 address.

☐ Connect using EC2 Instance Connect Endpoint

Connect using the EC2 Instance Connect browser-based client, with a private IPv4 address and a VPC endpoint.

☒ Public IPv4 address

3.227.231.101

☐ IPv6 address

-

Username

Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, root.

root

X

Note: In most cases, the default username, root, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

Cancel

Connect

udShell

Feedback

© 2024, Amazon Web Services, Inc. or its affiliates.

Pri

activation key(s). You can then access the support ticket system through our website and submit a support ticket. Tickets filed in the ticketing system are answered on a best-effort basis. OpenVPN Inc. staff reserve the right to limit responses to users of our demo / expired licenses, as well as requests that substantively deviate from the OpenVPN Access Server product line. Tickets related to the open source version of OpenVPN may not be handled here.

11. Purchasing an activation key does not entitle you to any special rights or privileges, except the ones explicitly outlined in this user agreement. Unless otherwise arranged prior to your purchase with OpenVPN Inc., software maintenance costs and terms are subject to change after your initial purchase without notice. In case of price decreases or special promotions, OpenVPN Inc. will not retrospectively apply credits or price adjustments toward any licenses that have already been issued. Furthermore, no discounts will be given for license maintenance renewals unless this is specified in your contract with OpenVPN Inc.

Please enter 'yes' to indicate your agreement [no]: yes

Once you provide a few initial configuration settings, OpenVPN Access Server can be configured by accessing its Admin Web UI using your Web browser.

Will this be the primary Access Server node?

(enter 'no' to configure as a backup or standby node)

> Press ENTER for default [yes]:

i-062d8db1dd236199a (my_vpn_1711)



Please enter 'yes' to indicate your agreement [no]: yes

Once you provide a few initial configuration settings,
OpenVPN Access Server can be configured by accessing
its Admin Web UI using your Web browser.

Will this be the primary Access Server node?
(enter 'no' to configure as a backup or standby node)
> Press ENTER for default [yes]:

Please specify the network interface and IP address to be
used by the Admin Web UI:

(1) all interfaces: 0.0.0.0

(2) eth0: 10.0.0.14

Please enter the option number from the list above (1- 2).

> Press Enter for default [1]:

What public/private type/algorithms do you want to use for the OpenVPN CA?

Recommended choices:

rsa - maximum compatibility

secp384r1 - elliptic curve, higher security than rsa, allows faster connection setup and smaller user profile files

showall - shows all options including non-recommended algorithms.

> Press ENTER for default [secp384r1]:

i-062d8db1dd236199a (my_vpn_1711)

PublicIPs: 3.227.231.101 PrivateIPs: 10.0.0.14

X

What public/private type/algorithms do you want to use for the self-signed web certificate?

Recommended choices:

rsa - maximum compatibility
secp384r1 - elliptic curve, higher security than rsa, allows faster connection setup and smaller user profile files
showall - shows all options including non-recommended algorithms.
> Press ENTER for default [secp384r1]:

Please specify the port number for the Admin Web UI.

> Press ENTER for default [943]:

Please specify the TCP port number for the OpenVPN Daemon

> Press ENTER for default [443]:

Should client traffic be routed by default through the VPN?

> Press ENTER for default [no]:

Should client DNS traffic be routed by default through the VPN?

> Press ENTER for default [no]:

Admin user authentication will be local

Private subnets detected: ['10.0.0.0/16']

Should private subnets be accessible to clients by default?

> Press ENTER for EC2 default [yes]:

i-062d8db1dd236199a (my_vpn_1711)

PublicIPs: 3.227.231.101 PrivateIPs: 10.0.0.14

username and password that successfully authenticates you with the host UNIX system (you can later modify the settings so that RADIUS or LDAP is used for authentication instead).

You can login to the Admin Web UI as "openvpn" or specify a different user account to use for this purpose.

Do you wish to login to the Admin UI as "openvpn"?

> Press ENTER for default [yes]:

Type a password for the 'openvpn' account (if left blank, a random password will be generated):

Error: Password must contain a digit, an Uppercase letter, and a symbol from !@#\$%&'()*+,-/[\\]^_`{|}~<>

Type a password for the 'openvpn' account (if left blank, a random password will be generated):

Please, remember this password 0JJXqSWBclal

> Please specify your Activation key (or leave blank to specify later):

Initializing OpenVPN...

Removing Cluster Admin user login...

userdel: user 'admin_c' does not exist

Writing as configuration file...

Perform sa init...

Wiping any previous userdb...

Creating default profile...

Modifying default profile...

Adding new user to userdb...

Modifying new user as superuser in userdb...

Auto-generated pass = "0JJXqSWBclal". Setting in db...

Getting hostname...

Hostname: 3.227.231.101

Preparing web certificates...

Getting web user account...

```
Setting hostname...
Hostname: 3.227.231.101
Preparing web certificates...
Getting web user account...
Adding web group account...
Adding web group...
groupadd: group 'openvpn_as' already exists
Adjusting license directory ownership...
Initializing confdb...
Initial version is not set. Setting it to 2.13.1...
Generating PAM config for openvpnas ...
Enabling service
Created symlink /etc/systemd/system/multi-user.target.wants/openvpnas.service → /lib/systemd/system/openvpnas.service.
Starting openvpnas...

NOTE: Your system clock must be correct for OpenVPN Access Server
to perform correctly. Please ensure that your time and date
are correct on this system.

Initial Configuration Complete!

You can now continue configuring OpenVPN Access Server by
directing your Web browser to this URL:

https://3.227.231.101:943/admin

During normal operation, OpenVPN AS can be accessed via these URLs:
Admin UI: https://3.227.231.101:943/admin
Client UI: https://3.227.231.101:943/
To login please use the "openvpn" account with "0JJXqSWBclal" password.

See the Release Notes for this release at:
https://openvpn.net/vpn-server-resources/release-notes/

root@ip-10-0-0-14:~#
```



Your connection isn't private

Attackers might be trying to steal your information from **3.227.231.101** (for example, passwords, messages, or credit cards). [Learn more about this warning](#)

NET::ERR_CERT_AUTHORITY_INVALID

Hide advanced

Go back

This server couldn't prove that it's **3.227.231.101**; its security certificate is not trusted by your computer's operating system. This may be caused by a misconfiguration or an attacker intercepting your connection.

[Continue to 3.227.231.101 \(unsafe\)](#)





User Login







OpenVPN Connect Recommended for your device



OpenVPN Connect for all Platforms:



Available Connection Profiles:

[Yourself \(user-locked profile\)](#)

Downloads

openvpn-connect-3.4.3.3337_signed.msi

820 KB/s - 6.4 MB of 89.8 MB, 2 mins left

windows_key_pair.pem

[Open file](#)

open_vpn_key.pem

[Open file](#)

public_key_1711.pem

[Open file](#)

[See more](#)



031	28-10-2024 23:03	JPG File	863 KB
ir.pem	27-10-2024 12:19	PEM File	2 KB
...	...	...	...



openvpn-connect-3.4.3.3337_signed

 Share

Details

Type	Windows Installer Package
Size	89.8 MB
File location	C:\Users\Revat\Downloads
Date modified	17-11-2024 22:02

 Properties

OpenVPN Inc. Data Collection, Use And Retention

OpenVPN Inc. presents our updated policies to transparently show how we collect, use, or retain your data. By clearly and openly presenting the terms of our policies we hope to maintain the trust and confidence of all our valued customers. Our priority is to educate and make it easy for customers to understand what data we collect, why we collect it, and how we use it.

APP DATA USAGE

OpenVPN Connect is used to create VPN tunnels that connect to Access Servers, Community OpenVPN Servers, and any other third-party service that works with the OpenVPN protocol. OpenVPN Inc. does not have control over these servers, and the data policy of each of these servers are

AGREE





Profiles



DISCONNECTED



OpenVPN Profile

openvpn@3.227.231.101
[bundled]

Enter password

Profile: openvpn@3.227.231.101 [bundled]

Password

••••••••••



OK



CANCEL





Profiles



CONNECTED



OpenVPN Profile

openvpn@3.227.231.101
[bundled]

CONNECTION STATS

5.3KB/s

0B/s

BYTES IN
687 B/SBYTES OUT
4.32 KB/SDURATION
00:00:09PACKET RECEIVED
6 sec ago

YOU

openvpn



instance.

▼ Network settings [Info](#)

VPC - required [Info](#)

vpc-0355b928abfcbccfd (vpc-a)
10.0.0.0/16



Subnet [Info](#)

subnet-0c64d8fe083af34ec private-subnet-1711
VPC: vpc-0355b928abfcbccfd Owner: 779846817687 Availability Zone: us-east-1a
Zone type: Availability Zone IP addresses available: 251 CIDR: 10.0.1.0/24



[Create new subnet](#)

Auto-assign public IP [Info](#)

Disable

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.



Create security group



Select existing security group

Security group name - required

launch-wizard-2

This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and . _ - / () # , @ [] + = & ; ! \$ *

Connection Type

☒ Connect using RDP client

Download a file to use with your RDP client and retrieve your password.

☐ Connect using Fleet Manager

To connect to the instance using Fleet Manager Remote Desktop, the SSM Agent must be installed and running on the instance. For more information, see [Working with SSM Agent](#) 

You can connect to your Windows instance using a remote desktop client of your choice, and by downloading and running the RDP shortcut file below:

 [Download remote desktop file](#)

When prompted, connect to your instance using the following username and password:

Private IP

 10.0.1.11

Username [Info](#)

 Administrator ▼

Password

[Get password](#)

 If you've joined your instance to a directory, you can use your directory credentials to connect to your instance.

Cancel

Use your private key to retrieve and decrypt the initial Windows administrator password for this instance.

Instance ID

 i-062eb293b90e07eca (my_windows)

Key pair associated with this instance

 windows_key_pair

Private key

Either upload your private key file or copy and paste its contents into the field below.

 Upload private key file

 windows_key_pair.pem
1.678KB

Private key contents - *optional*

```
-----BEGIN RSA PRIVATE KEY-----  
MIIEpAIBAAKCAQEAulGEf8BsPTl0jNUsQiKHP4rjdRBGbsqOc6AyyXhdFbnJDuOk  
TuADI9Diw341Vilvx01IsKWwLglO1ht7jl/L224asLIOb6n6YnD2bEzKwjFyuEAL  
RhM6Ru9+Eg4aoUdz5Qq+wQ/Z/l1Xkp3kGY4qO5nIS0TthK7T0Gx9gouAU5BXk9Dc  
3TVzBgcsF49z7KRflvJjleqV0oAuM3w4reYHER2dBilQZ0SPz0lpJb+X2KgtcRP  
vVBXWXayYLwTJSHzJb/R99nyGCKNBObcrqCkuaYlix6MZkQkbt/aDkKLUV2v0i  
EuekY1la3+xKNdiJzq6/9ugt7dzCS2TV6y2FDwIDAQABAoIBAQCgno+VnnqWYgUM  
HJo1zqzaBlgD9RZuxnvWn1EKBQV8xRe4Yli9iy25mxu9FFuFOH49CmlTACQjnyYP
```

Cancel

Decrypt password

openvpn-cor
windows_key
open_vpn_ke
public_key_1
Yesterday
AWSCLIV2 (1
s3_version
Last week
Grade 3 Spell
Grade 3 Spell
Last month

Remote Desktop Connection

 **The publisher of this remote connection can't be identified. Do you want to connect anyway?**

This remote connection could harm your local or remote computer. Do not connect unless you know where this connection came from or have used it before.

	Publisher:	Unknown publisher
	Type:	Remote Desktop Connection
	Remote computer:	10.0.1.11

☐ Don't ask me again for connections to this computer

 Show Details

Connect Cancel

all

10.0.1.11

— □ ×




Administrator



Welcome





Profiles



CONNECTED



OpenVPN Profile

openvpn@3.227.231.101
[bundled]

Disconnect VPN

You will be disconnected from:

openvpn@3.227.231.101 [bundled]

☐ Don't show again

CONFIRM

CANCEL

KB/S

BYTES IN
107 B/SBYTES OUT
644 B/SDURATION
00:04:42PACKET RECEIVED
2 sec ago

YOU

openvpn



Reconnecting



The connection has been lost. Attempting to reconnect to your session...

Connection attempt: 1 of 5

Cancel