


chat — starting a chat and giving it room AI GENERATED

We see the chat home screen with no chats on it yet, and "new chat in chat →" offered at the top. Next, we will click "new chat in chat →". This will open a new chat rooted in the folder we launched from.



We see a chat with nothing in it: a back arrow, the line "Welcome to minimal chat. Start a chat below", and an input taking all the room below it. Next, we will type a question about this project into the input. This will leave the question sitting in the input, still unsent.

chat ^

Welcome to minimal chat. Start a chat below

enter chat or add files here

type here

We see the question in the input, which still fills the page, and no title in the header. **Next, we will press Enter.** This will send it, set the agent working, and make the input give up its room to the conversation.



chat ^

Welcome to minimal chat. Start a chat below

How many tests are in test/store.test.ts, and what is the largest file in src/lib?

press Enter

We see the question as a pink field, the agent answering in green below it, and the input shrunk to three rows with a drag handle above it. **Next, we will drag that handle upward.** This will make the input taller and take the room back from the conversation.

←

chat ^

05:37 PM #2


Two quick lookups — running them directly rather than dispatching an agent.
agent is running... — List files in src/lib by line count
05:37 PM · 580ms
Count test cases in store test file
05:37 PM · 290ms
List files in src/lib by line count

enter chat or add files here


drag up

stop the agent

We see the input much taller than it was, and the conversation squeezed into what is left. **Next, we will drag the bottom-right corner of the first message downward.** This will make that one message area taller and leave every other one alone.



We see the first message area now much taller, taking up the conversation on its own. Next, we will click the "▼" toggle on that message's header row. This will collapse the message to its header row alone.



We see the first message collapsed to one row, still carrying its time, its number and its summary. **Next, we will click the back arrow at the top left.** This will take us home, where this chat now has a card of its own.

 Code metrics and file analysis

chat ^

click 7 PM #1 Count tests and find largest file

05:37 PM · 3.6s #2 Test counts and source file rankings

Two quick lookups — running them directly rather than dispatching an agent.

**

``test/store.test.ts`: 24 tests** (counting `it`/`test` declarations, including `.only`/`.skip` variants).`

`**Largest file in `src/lib` · `session.ts` at 452 lines** — more than double the next largest Full ranking.`

enter chat or add files here

We see the home screen again, now carrying a card for the chat we just had: the title and description it wrote for itself, its message count, how long the agent worked, and the folder it was rooted in. Page one had no cards at all.

