

Adobe Experience Platform

Terminology Glossary

Generated on 5/9/2025

© Adobe Experience Platform Lexicon

Table of Contents


Letters included: A, D, F

A

Adobe Analytics source connector (AASC)

Ø=Ý Connect AA report suites + classifications into .0AEP.0 for unified profile + analysis
What Is It? .0AASC.0 streams hit-level data and classifications from .0Adobe Analytics.0 into .0AEP.0 via the .0Sources.0 interface. Supports both real-time and historical data flow (up to 13 months back). Use Case : Unified Ingestion Ø<ß¯ Bring in AA + SAINT data for activation in .0RTCDP.0 and analysis in .0CJA.0. Ø<ß¯ Stream current activity + enrich with historical classifications (e.g. campaign, product). Behavior Notes Ø=ÜÅ Backfill is limited to 13 months from setup — even if AA stores 25 + months. Ø=ÝR Classification changes (SAINT) take ~4–6 hours to reflect in AEP. Ø=Þ« If disabled, no new data ingests , but existing data remains in .0datasets.0 + .0profiles.0. Ø=Ý Re-enabling after > 13 months triggers fresh 13mo backfill , not resume. Ø=ÜÉ Changing schemas or remapping fields may trigger duplicates or errors . Best Practice Ø=Üi ' Set it up once and don't mess with it. Avoid disabling/re-enabling unless strictly necessary. Treat as a production-grade pipeline , not a testbed.

Image:



Categories: AA (Adobe Analytics), CJA

Adobe-supplied lookups

See <https://lexicon.aep.com/term/standard-lookups>

Categories: [New Term Dropzone]

Algorithmic Pruning

Algorithmic Pruning (CJA) Ø>Ýà Automated removal of low-value dimensions or metrics in .0CJA.0 to enhance query performance
What Is Algorithmic Pruning? .0Algorithmic pruning.0 is a behind-the-scenes performance optimization used in .0Customer Journey Analytics (CJA).0. Adobe's query engine automatically excludes unused or irrelevant data fields during query execution — especially in wide schemas with high cardinality. Use Case : Large Schema Optimization When a dataset has : Ø=Ý" 100 + dimensions or metrics Ø=ÜÉ High-cardinality fields not used in current report Ø=ÜÊ Sparse

data with low impact on output .OCJA.0 prunes unused fields to reduce processing time and memory usage. Old AA Anology ; an advancement on how it would put big rocks of data in bucjkerfts when > 2m customers (big In USA, UK not so much as not many companies have > 2m customers)

Categories: CJA

Analytics Inventory

New in May 2025

Categories: [New Term Dropzone]

Average number of daily events

On the connection create dialog Ø=ÜÊ Reflects the typical volume of event records ingested per day into .OCJA.0 from linked event datasets. Ø=Ý Used for performance planning, billing awareness, and system scaling. What Is It? This is the calculated average of all ingested rows from .0event datasets.0, measured daily. It gives Adobe and users a sense of how large the dataset is — not in GB, but in record count. UC : Monitoring Data Scale If your connection shows 2.4M daily events , it likely includes web tracking, app events, and backend signals. That insight helps you anticipate Workspace speed, retention windows, and cost thresholds. Why It Matters ' Forecasts ingestion volume ' Identifies heavy datasets ' Supports retention and windowing decisions Gives a rough health check on whether you need to optimize event granularity or schema usage.

Categories: CJA

D

Data Collection Center

Data Collection Center

Categories: [New Term Dropzone]

data retention (CJA)

In the CJA context Rolling Retention Windows (CJA) Ø=ÜÆ Defines how long .0datasets.0 are retained and available for query. Ø=Ý Automatically enforces retention based on time of data ingest . What Are Rolling Retention Windows? In .0Customer Journey Analytics.0, each .0dataset.0 has a rolling retention period (e.g. 13 months). This means data older than the retention window is automatically deleted from the dataset — not from the source system, just from CJA access. UC : 13-Month Retention You set a rolling window of 13 months. .0CJA.0 will only retain and analyze events ingested in the most recent 13 months . On day 395, day 1's data is dropped automatically. Snag ; Ø=ßã Correct — .0CJA.0 data retention runs in fixed blocks : ' 3 months ' 6 months ' 13 months (default) ' 25 months ' 37 months Ø=Ý4 7 months is not possible You must choose one of the supported rolling windows — no custom durations. Yeah, 37 months is oddly specific — but intentional. Ø=ßã Why 37 months? Ø=ÜÅ 3 years + 1 month Useful for brands needing : Fiscal YTD + prior 3 years Compliance with 3-year lookbacks Long-term attribution / CLTV analysis Ø=ÜÏ Adobe reasoning : “Many enterprise clients asked for a 3-year view, but needed a buffer for delays in ingestion, late-arriving data, or fiscal year alignment.” Ø>Ýà It's the maximum rolling window in .0CJA.0. &Ô Anything longer = not supported ' Example 1 : Rolling Window Checked (6 months) .0CJA Connection Setting.0 = 6-month rolling window .0Platform data availability.0 = 25 months .0Result.0 : CJA only ingests last 6 months .0Older data (19 months).0 is excluded, even if present in Platform ' p Use Case : Keep reports light, focused on recent behavior, control costs ' Example 2 : Rolling Window Unchecked (default) .0CJA.0 uses whatever data exists in .0AEP.0 .0Platform has.0 13 months of event data .0Result.0 : CJA backfills and shows full 13 months If Platform deletes 5 months !' CJA auto-shrinks to 8 months ' p Use Case : Trust .0AEP.0 to control retention centrally

Categories: CJA

Data sources

In the context of CJA Web data Mobile App data POS data CRM data Survey data Call Center data Product data Accounts data Transaction data Customer Feedback data Other

Categories: [New Term Dropzone]

Data Usage Policy

&—p Enforces rules on how labeled data can be used What Are Data Usage Policies? Data Usage Policies are rules in Adobe Experience Platform that enforce restrictions based on labels like .0C8.0 or .0C12.0. Labels mark the data ; policies define what actions (e.g. export, analysis) are allowed or blocked. Adding a label eg c8 , C12 does not actually create the enforcement. Use Case : Blocking Export of Sensitive Fields If a field is labeled .0C12.0, a policy can block it from being exported through CJA reports, APIs, or BI tools — while still allowing it to be used inside

Workspace. Why They Matter Without a policy, labels do nothing. Policies activate enforcement, ensuring compliance with privacy, legal, and data-sharing requirements.

Categories: Data Governance

Datastreams

datastreams

Image:

[Image available online: 1746734029996-539921893.webp]

Categories: AEP, [New Term Dropzone]

denormalized

Denormalized Data ð=Üæ Flattened structure optimized for speed, not storage. Ø=Ý Reduces joins by repeating data across rows. What Is Denormalized Data? In .0AEP.0 and .0CJA.0, denormalized data means storing all relevant attributes together in a single record, even if it causes redundancy. This is the opposite of a normalized database where data is split across relational tables. UC : Product Catalog Instead of storing product_id and joining later to fetch product_name , a denormalized structure stores product_name , price , category directly within every event — simplifying processing and lookup. Why It Matters ' Faster query performance (no joins needed) ' Easier ingestion and export 'L Increased data volume and redundancy Ideal for analytics platforms like CJA where read speed outweighs storage cost. AEP is not an RDBMS!! Presto!


Categories: General Data Term

Device Co-op

Device Co-op.0 was a shared identity graph that allowed participating Adobe clients to link devices across brands using hashed login data and .0ECIDs.0. It enabled the “People” metric in .0Adobe Analytics.0 and cross-device targeting in .0Audience Manager.0. Use Case : Cross-Brand Identity Resolution Ø=Ý Stitch devices across brands using shared login signals Ø=ÜÊ Enable “People” metric in Analytics Ø<ß Power cross-device targeting in Audience Manager Behavior Notes &Ô As of August 31, 2022, .0Device Co-op.0 was officially deprecated. Ø=ÜÉ The “People” metric tied to Device Co-op was removed from Adobe Analytics on May 8, 2023. Ø=Ý Existing segments using Device Co-op may have experienced a decrease in size. Ø=Ý Users were advised to update their profile merge rules to alternative options. Best Practice Ø=Üj ' Transition to .0Private Device Graph.0 for identity stitching within your own data. ' For cross-device analytics, consider using .0Cross-Device Analytics (CDA).0 with field-based stitching. ' Update any legacy segments or merge rules that relied on Device

Co-op.

Image:



Categories: [New Term Dropzone]

F

Field Groups

Field Groups (formerly Mixins) Reusable sets of XDM fields used to extend schemas in Adobe Experience Platform. What Is It? Field Groups are modular groups of pre-defined fields used to build or extend XDM Schemas. They were previously called Mixins but renamed for clarity. Use Case : Schema Modelling Add Profile Person Details to bring in person.name , person.gender , etc. Add Commerce Order to ingest order.id , order.total , productListItems Behavior Notes "Mixin" = legacy term , replaced across UI + docs A schema is built by combining 1 + field groups Includes identity fields, timestamps, and nested objects Some are standard (Adobe-defined), others custom (org-defined) Best Practice Choose field groups based on business context (e.g. profile, event, product) Avoid creating redundant custom groups unless necessary Review field group structure before enabling for Profile stitching

Categories: AEP

Foundation & Select

Use Case : CJA Licensing Strategy Use Foundation for entry-level B2C analysis with basic Adobe source data (e.g. AA + AEP) Use Select to unlock cross-channel data ingestion (e.g. CRM, call center), advanced connections, and more workspaces Behavior Notes Foundation : Includes AA + RTCDP connections, limited data views, basic schema access Select : Includes 10 + workspaces, 25 +

data views, advanced dashboarding, more API bandwidth
Your entitlements define what shows in the CJA UI (e.g. Connections, Data View creation) Upgrade unlocks hidden features — no UI change needed Best Practice ' Confirm which package your org is on before planning CJA implementation ' Use Adobe licensing portal or Admin Console to check entitlements ' Ask Adobe rep to activate features like CRM connector if available in your tier

Categories: AEP, [New Term Dropzone]

FuzzyWuzzy library

for matching strings, adobe recommmneded.

Categories: [New Term Dropzone]

