

Gen'C Ads Console

Internal campaign reporting and AI-assisted campaign automation tool
for Gen'C Beauty's own Google Ads account

Company	Gen'C Beauty (online retailer of beauty, personal-care and salon-professional products)
Website	gencbeauty.com
Tool type	Internal tool - used exclusively by Gen'C Beauty employees
Access requested	Basic Access for Gen'C Beauty's own Google Ads account, applied for from our Google Cloud project
API contact	Manne Tsang, Head of Digital Transformation - manne@superhairpieces.com
Document	Version 2.0, 15 September 2026 (supersedes version 1.0 of 2 September 2026)

This document is submitted in support of Gen'C Beauty's Google Ads API Basic Access application. It describes what the tool does, who uses it, which API services it calls, how data is handled, and includes interface mockups. The tool is not offered to any third party.

1. Executive summary

Gen'C Beauty is a Canadian online retailer and authorised reseller of beauty and personal-care products: Korean skincare, hair care and textured-hair products, cosmetics, and salon-professional supplies and equipment. We sell through our own BigCommerce storefront, **gencbeauty.com**, and on the Amazon and Walmart Canada marketplaces, shipping from our warehouses in the Greater Toronto Area. Google Ads is the primary paid acquisition channel for gencbeauty.com. It is not used for the marketplaces, which have their own advertising platforms.

We are building **Gen'C Ads Console**, a module of our existing internal operations dashboard, with two functions:

- **Campaign reporting.** Fetch key performance data (cost, clicks, conversions, conversion value, impression share, search terms, product-level Shopping performance) from our own Google Ads account on a schedule and store it alongside the order, margin and inventory data the dashboard already holds from Amazon, Walmart and our inventory system, so staff see one consolidated view.
- **AI-assisted campaign management.** An automation layer that analyses that data, proposes changes (budget adjustments, pausing under-performing or out-of-stock campaigns and ad groups, negative keywords, bid-strategy target changes, ad-copy drafts) and, only after a staff member approves, applies the change through the API.

Audience: internal staff only. The tool is used by Gen'C Beauty's e-commerce team to manage Gen'C Beauty's own advertising. It is not sold, licensed, white-labelled or exposed to any external advertiser, agency or client, and it only accesses the Google Ads account we own.

Document history. Version 1.0 (2 September 2026) described this tool in the context of Superhairpieces, our sister company, which shares our e-commerce team and the internal platform described here. This version describes the same tool for the Gen'C Beauty Google Ads account to which this application relates. The API services, guardrails and data handling are unchanged.

2. Company background

Gen'C Beauty is a first-party retailer and authorised reseller of beauty and personal-care products and the owner of the Gen'C Beauty brand. The range covers Korean skincare (Beauty of Joseon, Anua, SOME BY MI, TIRTIR, SKIN1004, Round Lab, Torriden and others), hair care and textured-hair products (Mielle, Adore, Luster's, ORS, Shea Moisture), cosmetics, and salon-professional supplies and equipment such as wax, disposables, nail equipment, tools and massage tables. Our inventory system tracks roughly 10,600 products and 2,800 kits across our warehouses in the Greater Toronto Area. Customers are retail consumers in Canada and the United States, and salon, spa and nail professionals buying for their businesses.

Channel	Platform	Advertising
gencbeauty.com	Own BigCommerce storefront	Google Ads: Search, Shopping (Merchant Center 670525760), Performance Max, Remarketing. The subject of this application.
Amazon (amazon.ca, amazon.com)	Marketplace; about 5,100 SKUs, mostly Fulfilled by Amazon	Amazon Ads (not Google Ads)
Walmart Canada	Marketplace; Walmart Fulfillment Services	Walmart Connect (not Google Ads)

Today Google Ads performance is exported from the Google Ads interface into spreadsheets and matched to gencbeauty.com orders by hand. With a catalogue of more than 10,000 low-unit-price SKUs, that cannot tell us which products are profitable to advertise, which are being advertised while out of stock, or how the storefront's return compares with the marketplaces, whose data is already in the dashboard. The API lets us bring Google Ads into the same system and standardise the optimisation process.

3. Tool overview

3.1 Module A - Campaign reporting and data sync

A scheduled job queries our Google Ads account with GAQL (Google Ads Query Language) through **GoogleAdsService.SearchStream** and writes the results to our internal Postgres database, the same database that holds our Amazon, Walmart and inventory data. The staff dashboard reads from that database, not from the API directly, so dashboard traffic never generates API calls.

Report	Resources / fields	Frequency
Account and campaign performance	customer, campaign, campaign_budget; metrics.cost_micros, impressions, clicks, conversions, conversions_value, ctr, search_impression_share, search_budget_lost_impression_share	Every 6 hours
Ad group and keyword performance	ad_group, ad_group_criterion (keywords), keyword_view; metrics as above plus quality_score components	Daily
Search terms	search_term_view; metrics.clicks, cost_micros, conversions	Daily
Shopping / product performance	shopping_performance_view; segments.product_item_id (joined to our SKU records), product_title; core metrics	Daily
Ads and assets	ad_group_ad, asset, asset_group (PMax); approval status, performance labels	Daily
Change history	change_event; who/what changed, for the audit log	Daily
Recommendations	recommendation; Google's own suggestions, shown next to AI suggestions	Daily

3.2 Module B - AI-assisted campaign automation

The recommendation engine combines deterministic rules (thresholds set by our team, plus stock and margin data from our own systems) with a large language model used to explain and rank suggestions and to draft ad copy. It never writes to Google Ads on its own. Every proposed change lands in an **Approval queue** (Figure 3); a staff member reviews the reason and the before/after values and approves or dismisses it. Approved changes are executed as single, targeted mutate operations.

Automation	API service / operation	Guardrail
Adjust campaign daily budget	CampaignBudgetService.MutateCampaignBudgets	Max +/-20% per day per campaign; account-level monthly cap
Pause / enable campaign or ad group	CampaignService.MutateCampaigns, AdGroupService.MutateAdGroups	Pause only after N days below ROAS floor; always reversible
Pause ad group while its products are out of stock	AdGroupService.MutateAdGroups (PAUSED); re-enable proposed on receipt	Only when every SKU in the group shows zero on hand and zero inbound; reversible
Add negative keywords	CampaignCriterionService.MutateCampaignCriteria	Only from search terms with clicks and zero conversions; staff review list
Adjust target ROAS / target CPA	CampaignService.MutateCampaigns (bidding strategy fields)	Step changes of at most 10%; minimum 7 days between changes
Pause under-performing keywords	AdGroupCriterionService.MutateAdGroupCriteria	Threshold-based; never removes, only pauses
Draft responsive search ad copy	AdGroupAdService.MutateAdGroupAds (create as PAUSED)	Created paused; staff enable manually after review in Google Ads

Roll-out is staged. Phase 1 (first 60 days) is read-only reporting. Phase 2 adds recommendations with mandatory approval. Only after Phase 2 has run cleanly will we consider allowing narrowly scoped, low-risk rules (for example, negative keywords below a fixed click threshold) to apply automatically, still with full audit logging and a daily summary to the team.

4. Intended users

Role	Who	What they do in the tool
Head of Digital Transformation	1 person (API contact)	Owns the tool, sets rules and caps, approves high-impact changes
E-commerce / marketing	2-3 staff	Review dashboards, approve or dismiss recommendations, request ad-copy drafts
Procurement / catalogue	1-2 staff	Read-only view of product-level ad performance next to stock and margin
Engineering	1-2 staff	Maintain the sync job and executor; no day-to-day campaign actions

All users are Gen'C Beauty employees signing in with company Google Workspace accounts. There is no public sign-up, no customer-facing surface, and no mechanism for anyone outside the company to connect their own Google Ads account. Because the tool is internal and we are applying for Basic Access, the Required Minimum Functionality (RMF) for third-party tools does not apply; we nevertheless follow its spirit by exposing Google's own recommendations and change history to users.

5. Architecture and data flow




Figure 1. High-level data flow. All API traffic originates from one private service; no external party has access.

Component	Technology	Notes
Reporting sync job	Node.js on Google Cloud Run Jobs, Cloud Scheduler	Read-only GAQL queries; incremental by date segment

Component	Technology	Notes
Recommendation engine	Node.js service; rules engine + LLM for ranking and copy	Reads only from our database; produces proposals, never calls Google Ads
Change executor	Node.js on Cloud Run (private ingress)	Only path that calls mutate services; one operation per approved proposal
Operations database	Postgres (Supabase), private network	Existing database holding Amazon, Walmart and inventory data; adds campaign metrics, proposals, approvals, audit log
Operations dashboard	Next.js, Google Workspace SSO	Existing internal dashboard; reads the database, never calls the Google Ads API directly
Secrets	Google Cloud Secret Manager	OAuth client credentials and refresh token

6. API usage details

Item	Detail
Accounts accessed	Only Gen'C Beauty's own Google Ads account for gencbeauty.com, accessed through our Google Cloud project
Authentication	OAuth 2.0 with a single refresh token belonging to a company user with Standard access on the account; login-customer-id set to our manager account where one is used
Client library	Official Google Ads API client library, kept on the current API version; migrated before each version sunset
Estimated volume	Reporting: about 8 queries x 4 runs/day, roughly 30-70 operations/day. Mutates: fewer than 50/day in Phase 2. Far below the Basic Access limit
Rate limiting / errors	Exponential backoff with jitter on RESOURCE_EXHAUSTED and transient errors; partial_failure on batched mutates; all GoogleAdsFailure details logged
Environment	Developed and tested against a Google Ads test account first, then the production account
Not in scope	Customer Match / user-list uploads, offline conversion uploads, account creation, billing setup, and any access to accounts we do not own

7. Data handling, security and privacy

- **Data collected from the API** is aggregate campaign, ad group, keyword, search-term and product performance data. We do not retrieve or store end-user personal data from Google Ads.
- **Storage.** Data is stored in our private Postgres database, encrypted at rest, accessible only from our own services and by staff through the SSO-protected dashboard.
- **Retention.** Daily metrics are retained for 24 months for year-over-year comparison; search-term data for 13 months; audit logs for 5 years.

- **Credentials.** The OAuth client secret and refresh token live in Secret Manager and are never committed to source control or shown in the UI.
- **Access control.** Dashboard roles (viewer / approver / admin) are enforced server-side. Only approvers can approve changes; only admins can edit rules and caps.
- **Audit.** Every API mutate is logged with approver identity, timestamp, resource name, before and after values, and the request ID returned by the API.
- **Sharing.** Google Ads data is not shared with, sold to, or made available to any third party. The LLM receives only aggregate metrics and existing ad text, never credentials or personal data.

8. Compliance with Google Ads API policies

- We have read and will comply with the Google Ads API Terms and Conditions and the Google Ads API policies, including the Required Minimum Functionality where applicable.
- The tool is an internal tool for our own account. It is not offered to external users, so no demo access is required, and no third-party advertiser data flows through it.
- This application is made through our Google Cloud project under Google's Cloud-managed access process, including brand verification of the project.
- We will keep the API contact email monitored, keep the project's contact and brand information current, and respond promptly to any compliance request from Google.
- We will not use the API to scrape, cache for resale, or redistribute Google Ads data, nor to circumvent Google Ads UI policies or account limits.
- Automation is deliberately conservative: human approval, hard caps on change magnitude, reversibility, and full logging, so that API use is predictable and low-volume.
- We will apply for Standard Access only if our operation volume approaches the Basic limit, and will provide updated documentation at that time.

9. Interface mockups

The following mockups show the two primary screens. Both are pages of the existing internal dashboard, behind company single sign-on. Figures are illustrative.




Figure 2. Campaign overview (mockup). Data is read via GAQL and refreshed on a schedule; visible only to signed-in staff.




Figure 3. Approval queue (mockup). Each card maps to one mutate operation and is logged with approver, time and before/after values.

10. Implementation timeline

Phase	Scope	API services used	Target
0 - Test	Build against a test account; validate GAQL queries and mutate flows	GoogleAdsService, mutate services (test account only)	Weeks 1-3
1 - Reporting	Production read-only sync; Google Ads tab live in the operations dashboard	GoogleAdsService.SearchStream	Weeks 4-8
2 - Assisted automation	Recommendation engine and approval queue; approved changes executed via API	Campaign, CampaignBudget, CampaignCriterion, AdGroup, AdGroupCriterion, AdGroupAd services	Weeks 9-16
3 - Review	Evaluate results, tune rules; consider narrow auto-apply for lowest-risk rules	As above	Month 5+

11. Contact

Manne Tsang, Head of Digital Transformation, Gen'C Beauty
manne@superhairpieces.com (API contact email, monitored daily)
gencbeauty.com

We are happy to provide further detail, a walkthrough of the tool, or additional screenshots on request.