

# SHP Ads Console

Internal campaign reporting and AI-assisted campaign automation tool for Superhairpieces' own Google Ads accounts

|                         |                                                                              |
|-------------------------|------------------------------------------------------------------------------|
| <b>Company</b>          | Superhairpieces (e-commerce seller of beauty and hair-replacement products)  |
| <b>Website</b>          | superhairpieces.com   superhairpieces.ca   .nl   .fr   .es   .de             |
| <b>Tool type</b>        | Internal tool - used exclusively by Superhairpieces employees                |
| <b>Access requested</b> | Basic Access (15,000 operations/day), own accounts under our manager account |
| <b>API contact</b>      | Manne Tsang, Head of Digital Transformation - manne@superhairpieces.com      |
| <b>Document</b>         | Version 1.0, 2 September 2026                                                |

This document is submitted in support of our Google Ads API developer token application. It describes what the tool does, who uses it, which API services it calls, how data is handled, and includes interface mockups. The tool is not offered to any third party.

## 1. Executive summary

Superhairpieces is a Canadian e-commerce company selling beauty products, specifically non-surgical hairpieces (wigs, toupees, hair toppers) and hairpiece care supplies, through six storefronts serving Canada, the United States, the Netherlands, France, Spain and Germany. Google Ads is our primary paid acquisition channel across all six markets.

We are building **SHP Ads Console**, an internal tool with two functions:

- **Campaign reporting.** Fetch key performance data (cost, clicks, conversions, conversion value, impression share, search terms) from our own Google Ads accounts on a schedule and store it alongside our sales, inventory and CRM data so staff see one consolidated view.
- **AI-assisted campaign management.** An automation layer that analyses that data, proposes changes (budget adjustments, pausing under-performing campaigns, negative keywords, bid-strategy target changes, ad-copy drafts) and, only after a staff member approves, applies the change through the API.

**Audience: internal staff only.** The tool is used by Superhairpieces' marketing and e-commerce team to manage Superhairpieces' own advertising. It is not sold, licensed, white-labelled or exposed to any external advertiser, agency or client, and it only accesses accounts linked under our own manager account.

## 2. Company background

Superhairpieces designs and sells hairpieces and related beauty supplies (adhesives, tapes, solvents, hair care) online and through six salons in the Greater Toronto Area. We sell both retail and wholesale (to salons and stylists). Our marketing team runs Search, Shopping, Performance Max, Display and YouTube campaigns in English, Dutch, French, Spanish and German.

| Storefront          | Market        | Google Ads account use                                     |
|---------------------|---------------|------------------------------------------------------------|
| superhairpieces.com | United States | Search, Shopping, PMax, Remarketing                        |
| superhairpieces.ca  | Canada        | Search, Shopping, PMax, Remarketing, local salon campaigns |
| superhairpieces.nl  | Netherlands   | Search, Shopping, PMax                                     |
| superhairpieces.fr  | France        | Search, Shopping, PMax                                     |
| superhairpieces.es  | Spain         | Search, Shopping, PMax                                     |
| superhairpieces.de  | Germany       | Search, Shopping, PMax                                     |

Today this data is pulled manually from the Google Ads UI and exported to spreadsheets. Managing six accounts by hand leads to slow reactions to performance changes and inconsistent optimisation across markets. The API lets us centralise reporting and standardise the optimisation process.

## 3. Tool overview

### 3.1 Module A - Campaign reporting and data sync

A scheduled job queries each of our Google Ads accounts with GAQL (Google Ads Query Language) through **GoogleAdsService.SearchStream** and writes the results to our internal Postgres database. The staff dashboard reads from that database, not from the API directly, so dashboard traffic never generates API calls.

| Report                           | Resources / fields                                                                                                                                                               | Frequency     |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Account and campaign performance | customer, campaign, campaign_budget; metrics.cost_micros, impressions, clicks, conversions, conversions_value, ctr, search_impression_share, search_budget_lost_impression_share | Every 6 hours |
| Ad group and keyword performance | ad_group, ad_group_criterion (keywords), keyword_view; metrics as above plus quality_score components                                                                            | Daily         |
| Search terms                     | search_term_view; metrics.clicks, cost_micros, conversions                                                                                                                       | Daily         |
| Shopping / product performance   | shopping_performance_view; segments.product_item_id, product_title; core metrics                                                                                                 | Daily         |
| Ads and assets                   | ad_group_ad, asset, asset_group (PMax); approval status, performance labels                                                                                                      | Daily         |
| Change history                   | change_event; who/what changed, for the audit log                                                                                                                                | Daily         |
| Recommendations                  | recommendation; Google's own suggestions, shown next to AI suggestions                                                                                                           | Daily         |

### 3.2 Module B - AI-assisted campaign automation

The recommendation engine combines deterministic rules (thresholds set by our team) with a large language model used to explain and rank suggestions and to draft ad copy. It never writes to Google Ads on its own. Every proposed change lands in an **Approval queue** (Figure 3); a staff member reviews the reason and the before/after values and approves or dismisses it. Approved changes are executed as single, targeted mutate operations.

| Automation                          | API service / operation                                        | Guardrail                                                                  |
|-------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------------------|
| Adjust campaign daily budget        | CampaignBudgetService.MutateCampaignBudgets                    | Max +/-20% per day per campaign; account-level monthly cap                 |
| Pause / enable campaign or ad group | CampaignService.MutateCampaigns, AdGroupService.MutateAdGroups | Pause only after N days below ROAS floor; always reversible                |
| Add negative keywords               | CampaignCriterionService.MutateCampaignCriteria                | Only from search terms with clicks and zero conversions; staff review list |
| Adjust target ROAS / target CPA     | CampaignService.MutateCampaigns (bidding strategy fields)      | Step changes of at most 10%; minimum 7 days between changes                |

| Automation                      | API service / operation                              | Guardrail                                                        |
|---------------------------------|------------------------------------------------------|------------------------------------------------------------------|
| Pause under-performing keywords | AdGroupCriterionService.MutateAdGroupCriteria        | Threshold-based; never removes, only pauses                      |
| Draft responsive search ad copy | AdGroupAdService.MutateAdGroupAds (create as PAUSED) | Created paused; staff enable manually after review in Google Ads |

Roll-out is staged. Phase 1 (first 60 days) is read-only reporting. Phase 2 adds recommendations with mandatory approval. Only after Phase 2 has run cleanly will we consider allowing narrowly scoped, low-risk rules (for example, negative keywords below a fixed click threshold) to apply automatically, still with full audit logging and a daily summary to the team.

## 4. Intended users

| Role                             | Who                    | What they do in the tool                                                      |
|----------------------------------|------------------------|-------------------------------------------------------------------------------|
| Head of Digital Transformation   | 1 person (API contact) | Owns the tool, sets rules and caps, approves high-impact changes              |
| Marketing / paid media           | 2-3 staff              | Review dashboards, approve or dismiss recommendations, request ad-copy drafts |
| E-commerce managers (per market) | Up to 6 staff          | Read-only view of their market's campaigns alongside sales data               |
| Engineering                      | 1-2 staff              | Maintain the sync job and executor; no day-to-day campaign actions            |

All users are Superhairpieces employees signing in with company Google Workspace accounts. There is no public sign-up, no customer-facing surface, and no mechanism for anyone outside the company to connect their own Google Ads account. Because the tool is internal and we are applying for Basic Access, the Required Minimum Functionality (RMF) for third-party tools does not apply; we nevertheless follow its spirit by exposing Google's own recommendations and change history to users.

## 5. Architecture and data flow




Figure 1. High-level data flow. All API traffic originates from one private service; no external party has access.

| Component             | Technology                                               | Notes                                                                     |
|-----------------------|----------------------------------------------------------|---------------------------------------------------------------------------|
| Reporting sync job    | Node.js on Google Cloud Run Jobs, Cloud Scheduler        | Read-only GAQL queries; incremental by date segment                       |
| Recommendation engine | Node.js service; rules engine + LLM for ranking and copy | Reads only from our database; produces proposals, never calls Google Ads  |
| Change executor       | Node.js on Cloud Run (private ingress)                   | Only path that calls mutate services; one operation per approved proposal |
| Internal database     | Postgres (Supabase), private network                     | Campaign metrics, proposals, approvals, audit log                         |
| Staff dashboard       | Next.js, Google Workspace SSO                            | Reads the database; never calls the Google Ads API directly               |
| Secrets               | Google Cloud Secret Manager                              | Developer token, OAuth client credentials and refresh token               |

## 6. API usage details

| Item                   | Detail                                                                                                                                                                                       |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Accounts accessed      | Only Superhairpieces' own Google Ads accounts (one per storefront), all linked under our single manager account that holds the developer token                                               |
| Authentication         | OAuth 2.0 (installed-app flow) with a single refresh token belonging to a company service user that has Standard access on the manager account; login-customer-id set to our manager account |
| Client library         | Official Google Ads API client library, kept on the current API version; migrated before each version sunset                                                                                 |
| Estimated volume       | Reporting: roughly 6 accounts x 8 queries x 4 runs/day = about 200 operations/day. Mutates: fewer than 50/day in Phase 2. Total well below the 15,000/day Basic limit                        |
| Rate limiting / errors | Exponential backoff with jitter on RESOURCE_EXHAUSTED and transient errors; partial_failure on batched mutates; all GoogleAdsFailure details logged                                          |
| Environment            | Developed and tested against a Google Ads test manager account first, then production accounts                                                                                               |
| Not in scope           | Customer Match / user-list uploads, offline conversion uploads, account creation, billing setup, and any access to accounts we do not own                                                    |

## 7. Data handling, security and privacy

- **Data collected from the API** is aggregate campaign, ad group, keyword, search-term and product performance data. We do not retrieve or store end-user personal data from Google Ads.
- **Storage.** Data is stored in our private Postgres database in Google Cloud, encrypted at rest, accessible only from our own services and by staff through the SSO-protected dashboard.
- **Retention.** Daily metrics are retained for 24 months for year-over-year comparison; search-term data for 13 months; audit logs for 5 years.
- **Credentials.** The developer token, OAuth client secret and refresh token live in Secret Manager and are never committed to source control or shown in the UI.
- **Access control.** Dashboard roles (viewer / approver / admin) are enforced server-side. Only approvers can approve changes; only admins can edit rules and caps.
- **Audit.** Every API mutate is logged with approver identity, timestamp, resource name, before and after values, and the request ID returned by the API.
- **Sharing.** Google Ads data is not shared with, sold to, or made available to any third party. The LLM receives only aggregate metrics and existing ad text, never credentials or personal data.

## 8. Compliance with Google Ads API policies

- We have read and will comply with the Google Ads API Terms and Conditions and the Google Ads API policies, including the Required Minimum Functionality where applicable.
- The tool is an internal tool for our own accounts. It is not offered to external users, so no demo access is required, and no third-party advertiser data flows through it.
- We will keep the API contact email monitored, keep all active accounts linked to the manager account, and respond promptly to any compliance request from Google.
- We will not use the API to scrape, cache for resale, or redistribute Google Ads data, nor to circumvent Google Ads UI policies or account limits.
- Automation is deliberately conservative: human approval, hard caps on change magnitude, reversibility, and full logging, so that API use is predictable and low-volume.
- We will apply for Standard Access only if our operation volume approaches the Basic limit, and will provide updated documentation at that time.

## 9. Interface mockups

The following mockups show the two primary screens. Both are internal pages behind company single sign-on.




Figure 2. Campaign overview (mockup). Data is read via GAQL and refreshed on a schedule; visible only to signed-in staff.




Figure 3. Approval queue (mockup). Each card maps to one mutate operation and is logged with approver, time and before/after values.



## 10. Implementation timeline

| Phase                   | Scope                                                                          | API services used                                                                          | Target     |
|-------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------|
| 0 - Test                | Build against test manager account; validate GAQL queries and mutate flows     | GoogleAdsService, mutate services (test account only)                                      | Weeks 1-3  |
| 1 - Reporting           | Production read-only sync for all six accounts; staff dashboard live           | GoogleAdsService.SearchStream                                                              | Weeks 4-8  |
| 2 - Assisted automation | Recommendation engine and approval queue; approved changes executed via API    | Campaign, CampaignBudget, CampaignCriterion, AdGroup, AdGroupCriterion, AdGroupAd services | Weeks 9-16 |
| 3 - Review              | Evaluate results, tune rules; consider narrow auto-apply for lowest-risk rules | As above                                                                                   | Month 5+   |

## 11. Contact

Manne Tsang, Head of Digital Transformation, Superhairpieces  
manne@superhairpieces.com (API contact email, monitored daily)  
superhairpieces.com

We are happy to provide further detail, a walkthrough of the tool, or additional screenshots on request.