



CSCloudSolutions

User Manual

FinOps SaaS · CSCloudSolutions

Version 2.0 · August 2026

© 2026 CSCloudSolutions. All rights reserved.

User Manual — FinOps SaaS (CSCloudSolutions)

Version: 2.0 (detailed) **Language:** English **Last updated:** August 2026 **Audience:** technical users (Cloud Admin, DevOps, FinOps Analyst) and non-technical users (finance, management, product owners)

Recent updates (August 2026)

- **New Azure Integration Services (iPaaS) module:** the hub `Intelligence → Azure Integration Services` is now available with tabs for Logic Apps, APIM, Service Bus, Event Grid, Event Hubs, and ADF.
- **Enterprise Connectors in Logic Apps:** a dedicated section now separates Standard vs Enterprise connectors and their operational/cost impact.
- **Enterprise AI (Azure IA):** global AI configuration now supports **endpoint URL** + deployment for Azure IA instead of relying only on resource name.
- **FinOps/CMP table standard (SaaS):** all standardized tables now include base filters (**Resource, Region, Type, Resource Group**), sorting (A-Z/Z-A/cost), **15/30/45/60** pagination, responsive full-width layout, and resizable columns.
- **Monitoring and Security aligned:** Monitoring and Security views now follow the same visual and operational pattern as Databases and Compute for faster FinOps decision-making.
- **AI Cost Analytics fixes:** Microsoft Foundry/Azure OpenAI analytics now prioritizes real consumption, keeps MTD trend from day 1, and fixes cache/source inconsistencies.
- **New Security prewarm cron:** `GET /api/cron/prewarm-security-finops` now prewarms Defender + Security families for faster load in staging and production.
- **Database Intelligence hardening:** Redis, MySQL, PostgreSQL, Cosmos DB, MongoDB, and SQL/Managed Instance now expose status and metrics with per-metric fallback, avoiding `N/A/unknown` when Azure telemetry is partial.
- **FinOps visual refresh:** key cards in Intelligence, Consumption, Governance, Cleanup, Overview, and Copilot M365 now use Tabler icons and no blue icon backgrounds for cleaner scanning.

How to use this manual

Each section explains **what** the feature is, **who** can use it (role and subscription tier), and the **step-by-step usage flow** — concrete buttons, URL paths, form fields, and expected results. If you're a non-technical user, feel free to jump straight to the section you need: each one is self-contained.

Table of Contents

1. [Getting Started](#)
2. [Roles and Permissions](#)
3. [Main Navigation](#)
4. [Visibility Section](#)
5. [Financial Intelligence Section](#)
6. [Cloud Cleanup Section](#)
7. [Governance Section](#)
8. [Administration Section](#)

- 9. [FinOps Copilot \(AI Assistant\)](#)
- 10. [Account Security \(MFA\)](#)
- 11. [Advanced Features and Integrations](#)
- 12. [Best Practices](#)

1. Getting Started

1.1. Access and login

The platform is a B2B SaaS. Authentication is integrated with **Microsoft Entra ID** (Azure Active Directory):

- 1. Go to the platform URL.
- 2. Click **"Sign in with Microsoft"**.
- 3. Authenticate with your corporate account. The platform automatically recognizes your Azure tenant and identity.
- 4. **Demo Mode:** if you want to try the platform without connecting your real environment, choose one of the preconfigured demo profiles from the main screen — they come with realistic simulated data and metrics, so you can explore every module risk-free. Demo credentials are [demo](#) / [demo](#) .

1.2. The onboarding wizard (first time)

If you're an administrator and this is your organization's first time using the platform, upon login the **Setup Wizard** ([/onboarding](#)) automatically opens — a 5-step linear wizard with a progress bar:

Step	What you do	Result
1. Welcome & Company Info	Confirm company name, primary cloud provider (Azure), display currency (USD/EUR/GBP), and timezone	Your initial preferences are saved
2. Connect Azure Subscription	Paste Client ID , Client Secret , and Azure Tenant ID from the Service Principal (generated with the PowerShell script provided by CSCloudSolutions) and click "Validate"	The system checks live whether the Service Principal has the minimum required roles; if any is missing, it shows exactly which one in red
3. Run First Data Sync	Click "Run Sync"	Fetches your first set of cost data from Azure (can take up to 60 seconds)
4. Create Your First Budget	Fill in name, monthly limit (\$), and alert threshold (%)	Your first active budget is created
5. Set Up Notifications	Click "Configure" (opens /admin/notifications in a new tab)	Add at least one channel (email, Slack, or Teams) to receive alerts

You can **skip** any step and return later — the wizard keeps appearing until you complete or skip all 5. Progress (%) is calculated as $(\text{completed} + \text{skipped}) / 5 \times 100$. If you prefer the advanced setup form instead of the wizard, [/admin/onboarding](#) remains available in parallel.

1.3. Verifying your Azure connection

When you connect your Azure subscription (step 2 of the onboarding wizard, or from [/admin/onboarding](#)), the Service Principal needs certain Azure roles assigned so the platform can read your cost data. This section helps you verify and troubleshoot that connection.

Azure roles required, by contracted tier:

Tier	Built-in roles	Custom role
Professional (platform floor)	Reader, Cost Management Reader, Monitoring Reader, Billing Reader	—
Business	Professional + Tag Contributor	VM Start/Stop/Restart/Deallocate + tags
Enterprise	Business + Tag Contributor	Business + delete disk/snapshot/NIC/Public IP/NSG

⚠ **The 4 base Professional roles are the absolute minimum** for the Real Consumption page to show data. If `Cost Management Reader` or `Billing Reader` is missing, Azure silently returns 0 rows.

ℹ **AI Cost Analytics (Microsoft Foundry / Azure OpenAI)** uses the same base roles (`Reader` , `Cost Management Reader` , `Monitoring Reader` , `Billing Reader`): **no extra role is required**.

⚠ **EA/MCA subscriptions** (Enterprise Agreement / Microsoft Customer Agreement) additionally require the customer's Billing Admin to assign `Enrollment Reader` or `Billing Account Reader` to the Service Principal at the billing account scope — the script can't do this automatically, it must be coordinated with the customer.

Verifying permissions were correctly assigned, after the customer runs the script:

- **Quick option (recommended):** `GET /api/admin/check-sp-roles?tenantId=<tenant-id>` — returns how many subscriptions have all required roles ✅, which are partial ⚠, and which have none ❌, with the exact detail of what's missing in each.
- **Manual option:** in Azure Portal → Subscription → **Access control (IAM)** → **Role assignments** → filter by the App Registration `CSCloudSolutions-FinOps-Agent` and confirm the tier's roles appear.

Troubleshooting — "Real Consumption shows no data":

Error message	Cause	Fix
<code>NO_COST_PERMISSION</code>	Missing <code>Cost Management Reader</code>	Assign the role to the SP on that subscription
<code>NO_SUBSCRIPTION_ACCESS</code>	Missing <code>Reader</code>	Assign <code>Reader</code> or re-run the script
<code>SUBSCRIPTION_INACTIVE</code>	The subscription has no spend in the current month or the last 30 days	Verify it's the correct subscription
<code>NO_SUBSCRIPTIONS</code>	The SP sees no subscriptions	Assign <code>Reader</code> on at least one
<code>NO_CONSUMPTION</code>	Everything OK but no spend in the current cycle	Wait for the billing cycle to close or check another subscription

1.4. Operational note

Commercial and partner-association management (PAL/CPOR) is handled internally by CSCloudSolutions and does not require tenant end-user actions.

2. Roles and Permissions

The platform separates **two independent concepts** that combine but don't replace each other:

2.1. Role (what you can DO)

Role	Capability
Owner	Tenant owner. Full access, including plan changes and billing.
Admin	Complete financial visibility, configuration changes, corrective actions (shutting down VMs, deleting resources).
Colaborador (Collaborator)	Sees financial intelligence and visibility; can suggest changes but doesn't manage billing or users.
Reader	Read-only in dashboards and reports. Cannot apply changes or view sensitive configuration.

2.2. Domain permissions (which pages you SEE)

Beyond the role, each user can be assigned one or more **domain permissions**, which determine which sidebar sections they see — independent of their role:

Permission	Who benefits	What it enables to view
FinOps	FinOps Analyst	Cost and recommendation pages
CloudAdmin	Cloud Administrator	Infrastructure execution/write pages
Security	Security Auditor	Compliance auditing, credentials, governance
ProductOwner	Project/product lead	Visibility by Cost Center or application

How they combine: a user with the **Reader** role and the **FinOps** permission can view FinOps pages, but can't modify or delete anything in them — the role still governs actions. Permission filtering is opt-in: if a user has no permission assigned, they see everything their role and tier allow (default behavior, no domain restriction). **Admin/Owner** roles always see everything their tier allows, regardless of assigned permissions. The **Dashboard** (/) and **Support** (/support) are always visible to everyone.

How to assign permissions: go to `/admin/users` → select the user → toggle the permission switches in the table, or assign them when manually creating a new user. (Note: users bulk-imported from Entra ID have no permissions assigned by default — assign them afterward from the main table.)

⚠ Domain permissions **do not** enable write actions on the backend — that remains exclusively controlled by the role. A user with the **CloudAdmin** permission but **Reader** role can view those pages, but any write action will return a 403 error if their role doesn't authorize it.

3. Main Navigation

The left sidebar groups everything into 5 pillars (collapsible sections — the active page's section auto-expands):

- **Visibility** — dashboards, academy, FinOps maturity
- **Financial Intelligence** — billing, budgets, optimization
- **Cloud Cleanup** — zombie resources, TTL
- **Governance** — tags, policies, approvals
- **Administration** — users, configuration, billing, API

A **search bar** at the top of the sidebar lets you find pages by name or content without manually navigating categories.

3.1. "History" button — time evolution of any metric

On Dashboard, Commitment Discounts, Rightsizing, Anomalies, Budgets, and High Availability you'll find a **History** button in the top right corner. When opened:

1. Choose a date range (up to **1 year back**).
2. See the daily evolution of that page's metrics as a **line chart** and **table**.

The platform automatically saves a daily snapshot of every page (retention ~13 months) — you don't need to enable anything, it's already running in the background.

3.2. Your profile

Click your **avatar** (circle with your initial, top right) to open:

- **Full name** — editable via the pencil icon.
- **Email and role** within the tenant (read-only).
- **Display currency** — currency selector.
- **Appearance** — Light / Dark / Automatic (follows the OS theme).
- **Sign out**.

4. Visibility Section

4.1. Dashboard (White Board)

Your executive landing panel. It combines Current MTD Cost, forecast, Zombie Resources, Potential Savings and Environmental Impact with budgets, dominant services, governance, Advisor and Quick Wins.

How to use it:

1. Review the synchronization bar and use **Refresh** to bypass the cache and query the current cycle.
2. Compare MTD spend against cost-center budgets and adjust the 12-month forecast growth rate.
3. Pin/unpin widgets with the pin icon to add them to **My Dashboard**.
4. Under **Top Quick Wins**, choose **Optimize** to open the remediation modal with CLI, PowerShell and Terraform scripts.

4.2. Costs and Projection (</intelligence/cost-projection> , Professional+ tier)

Combines two tools in one page:

- **Cost Histogram:** daily spending distribution, with a range selector from the last month up to **13 months back** (everything Azure Cost Management allows querying), cached in Redis for instant response.
- **Cost Projection:** calculate how much you'll spend in the future.
 1. The system takes the monthly average of the last 12 months as a base.
 2. You enter an **expected annual growth %** (negative values allowed to simulate an optimization/savings scenario).
 3. Choose the horizon: 3, 6, 12, or 24 months.
 4. The result shows: base average, equivalent monthly rate, and projected total, with a real vs. projected line chart.

There's a summary card of this on the Dashboard with a **"See full detail"** link.

4.3. Azure Advisor

Direct sync with Microsoft's native recommendations, classified into Cost, Security, Reliability, Performance, and Operational Excellence. Recommendations display in the language you have active on the platform (not Azure's original language).

How to use it: filter by category, review each recommendation's potential savings impact, execute remediation commands, or manage lifecycle states:

- **Snooze for 30 or 90 days:** If the optimization requires prior team validation or a future maintenance window. The recommendation disappears from active views and does not count towards pending open balances in the **Optimization Index (COIN)** or potential savings. When the time expires, the platform automatically reopens it if it remains unresolved.
- **Dismiss (Permanent):** If the recommendation does not apply to your architecture. It transitions to the *Dismissed* state indefinitely and is excluded from active views.

Scope clarification regarding Azure Portal vs. FinOps Platform:

- **Azure → Platform Sync:** If you suppress a recommendation directly in the Microsoft Azure Portal, our platform automatically detects it and hides it from the UI.
- **Platform → Azure Governance:** When suppressing or dismissing from the FinOps platform, the action is recorded and governed in the tenant database under the principle of least privilege (without requiring write permissions on Azure). Therefore, the recommendation **may still appear in the native Azure Portal**, while in the FinOps platform it remains formally suppressed, audited, and excluded from cost savings totals.

4.3.1. Azure AI Document Intelligence

Under **Financial Intelligence → Azure AI → Document Intelligence**, review MTD cost, processed pages, Prebuilt/Custom usage and training hours. Select MTD/30D/90D, filter the table by model, Resource Group or subscription, and open **Optimize** to evaluate Commitment Tier, F0 or Custom→Prebuilt migration. A real tenant without accounts shows an empty state and never demo data.

4.4. FinOps Maturity

Interactive assessment that places your organization at Crawl / Walk / Run across 5 pillars (visibility, optimization, governance, intelligence, operations). Answer the questionnaire to get a score per pillar plus a personalized improvement roadmap.

4.5. FinOps Academy

Interactive learning center on FinOps and Azure cost optimization — structured courses, videos, glossary, and downloadable resources.

 **Mandatory gate:** new users must complete the Academy before accessing the rest of the platform (with a disclaimer explaining why). Progress is tracked **per user**, not per organization — every new person on the tenant has to complete it, and once completed it can't be re-run.

4.6-4.10. Historical Progress, TOP Expenses, Resources, Green FinOps, Captured Savings, Financial Leaks (Professional/Business+)

- **Historical Progress:** monthly trend charts, savings milestones reached, month-over-month and year-over-year comparisons. You can add manual annotations explaining a change (e.g., "migrated to reservations").

- **TOP Expenses:** ranking of your largest spending sources by service, subscription, or resource group, with drilldown to individual resource level.
- **Resources** (Business+): complete inventory — advanced filtering and search, bulk tagging, export.
- **Green FinOps** (Professional+): carbon footprint estimate by service, comparison of most efficient regions, sustainability recommendations.
- **Captured Savings** (Professional+): tracking of real savings already achieved via RIs, Savings Plans, and Hybrid Benefit, with ROI calculation.
- **Financial Leaks** (Professional+): identifies wasted money (abandoned resources, over-sizing, unnecessary redundancy) with a remediation calendar.

5. Financial Intelligence Section

5.1. Real Consumption (</intelligence/billing> , Professional+)

The real-time, detailed billing dashboard, straight from Azure.

How to use it:

1. Filter by period, subscription, and resource group.
2. Zoom into a specific service to see its breakdown.
3. Download the invoice or export data to Excel from the corresponding button.
4. Create threshold alerts from the same page (takes you to the Self-Service Alerts form with context pre-filled).

5.2. Budgets (</intelligence/budgets> , Professional+)

1. **Create a budget:** name, period (monthly/quarterly/annual), limit in \$.
2. **Alert threshold:** define at what % of the budget you want to be notified (e.g., 75%).
3. The system tracks automatically — see real consumption vs. budget in real time, with history of previous periods.

5.3. Cost Groups (</intelligence/cost-groups> , Business+)

Custom cost grouping according to your own business logic (by project, line of business, application, or environment).

1. Create a group with naming rules (what resources belong, by name pattern or tag).
2. Manually assign resources if adjustment is needed.
3. Clicking a group opens a modal with tabs: **Costs**, **Actions**, **Resources**, **Governance** — each with detail specific to that group.
4. Compare groups against each other from the list view.

5.4. Active Reservations — Commitment Discounts (</intelligence/commitments> , Enterprise+)

Besides overall coverage and utilization, the **Active Reservations** table replicates Azure's *Reservations* blade: Name, Status, Expiration, Scope, Type, Product, Region, Renewal, Quantity, and last-day and last-7-day utilization.

- Click the **Renewal** button → modal to **enable/disable auto-renewal** for that reservation. The change applies directly in Azure — requires tenant Admin/Owner role **and** [Reservations Contributor/Owner](#) permissions in Azure.
- Click any **utilization percentage** → modal with last-day / 7-day / 30-day detail and daily trend.

5.5. Savings Plan vs Reservation (</intelligence/commitment-simulator> , Professional+)

Simulate both purchase options with your real numbers and compare 1-year and 3-year savings before committing.

5.6. What-If Simulator (</intelligence/simulator> , Enterprise tier for save/compare)

Simulate the impact of scaling compute/storage, varying network traffic, or enabling Azure Hybrid Benefit on your current cost — **before applying the real change**.

Full flow:

1. Move the sliders: compute scale, storage scale, network traffic increase %, enable/disable AHB.
2. Click **"Run Simulation"** — see the breakdown: base cost, projected cost, delta, and % change.
3. **Save the scenario:** click **"Save current"** → give it a name and optional notes. The scenario is frozen with those numbers (it won't recalculate later even if your real base cost changes over time — this lets you compare saved scenarios from different moments consistently).
4. Repeat 2-3 times with different sliders to have several saved scenarios.
5. **Compare:** check 2 to 4 scenarios with the checkboxes → click **"Compare"** → a side-by-side modal opens with each scenario as a card, marking which is the baseline.
6. **Export:** choose the format (CSV, PDF, or Markdown) next to the download buttons — you can export a single scenario, all saved ones, or the full comparison with each one's delta against the baseline.
7. **Delete:** trash icon on each row (only the creator or an Admin/Owner can delete it).

The assumed cost mix is Azure-first: 60% of cost is compute, 25% storage, 15% network; AHB applies a flat 18% discount on the total if enabled.

5.7-5.29. Other Financial Intelligence modules

Module	Tier	What it's for and how to use it
Cost Center Budget	Enterprise	Define cost centers, assign resources (manual or bulk), and the system automatically allocates spending to generate internal departmental chargeback.
Network Analysis	Business	Bandwidth, gateway, load balancer, and public IP costs; identifies transfer spikes and idle IPs to decommission.
Hybrid Benefit (AHB)	Business	Shows which VMs could use Software Assurance licenses and how much you'd save by enabling it; tracks what's already using it.
AKS Control	Enterprise	Active nodes, real utilization vs. over-provisioning, cost per pod, auto-scaling recommendations.
AKS Chargeback	Enterprise	Assign namespaces to teams and the system calculates how much each team spends on the cluster, for internal billing.
Container Apps	Business	Azure Container Apps cost control: monthly cost per app, environment, CPU/memory and replicas. Detects <i>scale-to-zero</i> opportunities (apps with a minimum replica ≥ 1 that could shut down when idle) and estimates the potential savings. Also available as a White Board card.
Log Analytics	Business	Log Analytics Workspaces cost control: monthly cost, retention and estimated ingestion per workspace. Detects unnecessary bulk ingestion (workspaces without a daily cap), excessive retention and <i>Commitment Tier</i> opportunities, with estimated potential savings. Also available as a White Board card.
Unit Economics	Enterprise	Define your own unit metric (cost per transaction, per user, per MB processed) and the system automatically calculates unit cost from your Azure data.
Users and Licenses (merged with "Licenses")	Professional	3 tabs: Dashboard (M365/Entra ID KPIs), User Activity (filterable table), License Optimization (resources without Hybrid Benefit via Resource Graph + per-SKU metrics via Microsoft Graph).
CSV Ingestion	Business	Upload a CSV with third-party billing under the FOCUS standard to analyze alongside your Azure data.
Self-Service Alerts	Business/Professional	Create budget or anomaly alert rules yourself, without asking support — condition + notification channel.
Scorecard	Business	0-100 score of your financial health with individual indicators (savings, reserve coverage, efficiency); you can set targets.
Tenant Health	Business	Overall status — detected issues, billing consistency, reservation coverage, policy compliance.
Rightsizing (+ VMSS/App Service/SQL/Storage verticals)	Enterprise	Analyzes 30 days of real usage and recommends the optimal SKU; shows estimated savings before approving the change. Dedicated verticals at /intelligence/rightsizing/{vmss,appservice,sqladb,storage} .
Storage Efficiency	Business	Simulates the savings from moving blobs between Hot/Cool/Archive tiers before applying it.
Compute \$/Core	Professional	Cost-per-vCPU breakdown to compare VM families against each other. In the By SKU & Architecture table, the <i>vCPU/VM</i> and <i>RAM/VM</i> columns are the spec of one instance of that SKU and <i>Instances</i> tells you how many

Module	Tier	What it's for and how to use it
		you have; the $\$/\text{Core}$ and $\$/\text{GiB}$ ratios divide total cost by that SKU's whole fleet.
Compute FinOps Cockpits (VMs, VMSS, App Services, Function Apps)	Business/Enterprise	Granular optimization and governance modules: Virtual Machines (<code>/intelligence/computo/avm</code>) with active compute vs. persistent storage cost separation (deallocated waste detection), AHUB licensing, B-series rightsizing, 8x5 schedules, and abandoned VM disposal; Function Apps (<code>/intelligence/computo/fapps</code>) with invocation telemetry, GB-seconds, log audits, and sampling/downgrade playbooks; App Services (<code>/intelligence/computo/waas</code>) with app density and packing; and VMSS (<code>/intelligence/computo/vmss</code>) with autoscale and Spot instances.
Anomaly Detection	Enterprise	Automatically identifies abnormal spending spikes or drops and lets you create alerts by adjusting sensitivity.
Optimization Index (COIN)	Enterprise	Composite 0-100 score, comparable against industry benchmarks.
Compute Efficiency	Enterprise	Real CPU/memory/disk utilization per VM, with resize recommendation and calculated savings.
Rate Optimization	Enterprise	Compares your current rates against market benchmarks to prepare a negotiation with Microsoft.
Zero Cost	Everyone	Which resources are free in your subscription (free tier, credits) to maximize their use.
Allocation	Enterprise	Rules for distributing shared costs across multiple areas (by real usage, proportional, or fixed).
MACC Tracking	Enterprise	Tracking of the minimum annual commitment (EA/MCA) — consumed vs. committed, with compliance projection.
AI Cost Analytics	Enterprise	Cost per AI model and token consumption in Microsoft Foundry / Azure OpenAI, with call optimization recommendations.
Databases	Business	Visibility, real-time metrics, and performance diagnostics for CosmosDB, Azure SQL, PostgreSQL, MySQL, MongoDB, and Redis. Includes the special acfr tab for detailed monitoring of 12 critical Azure Cache for Redis metrics via area charts with average aggregation.

6. Cloud Cleanup Section

6.1. Zombie Resources (`/cleanup/zombies` , Professional+; remediation Business+)

Detects orphaned resources generating unnecessary spend: unattached disks, unused public IPs, empty App Service Plans, VMs disconnected for 30+ days.

Usage flow:

1. List with filter by resource type.
2. Review each resource's last recorded use.
3. Optional: take a snapshot of the resource before touching anything (in case you need to recover it later).
4. **Delete** — requires Business+ role and Azure deletion permissions (see the script's role table in section 1.3).

5. You can create an **auto-cleanup policy** so zombie resources of a certain type get flagged or deleted automatically going forward.

6.2. Networking Zombies ([/cleanup/zombies/networking](#) , Professional+; remediation Business+)

Same as above but focused on network resources: empty Load Balancers, unassociated NSGs, orphaned Public IPs, VPN gateways with no active connections.

6.3. TTL Expirations (Business+)

Control of ephemeral environments (sandboxes, test environments) with an expiration date.

1. Create a TTL policy: what resource type, how many days of life.
2. Tag affected resources with the expiration date (manually or automatically by rule).
3. The system alerts you before automatic deletion.
4. Check the history of what was deleted and when.

7. Governance Section

7.1. Tag Governance — Azure Tag Governance Engine ([/governance/tags](#) , Professional+)

Comprehensive audit, AI suggestion, and metadata propagation panel in Azure.

Key capabilities:

- **Dual Compliance Audit:** Dedicated views to audit both **Individual Resources** and **Resource Groups (RGs)**.
- **4 Mandatory Policies:** Real-time compliance tracking for the 4 core FinOps tags:
 - **Environment** (prod, staging, dev, qa, test, sandbox)
 - **Role** (architectural or operational role)
 - **CostCenter** (accounting cost centre)
 - **Department** (owning business unit)
- **AI-Powered Tag Suggestions (1-click):** Engine analyzing resource type, name conventions, and subscription context to draft recommended missing tags instantly.
- **Bulk RG Tag Inheritance (Safe Merge):** Propagate tags from the parent Resource Group to child resources without overwriting or deleting pre-existing tags.
- **Optimistic Editing & Local Cache:** In-line editing with immediate persistence in local cache and asynchronous background sync to Azure Resource Manager.
- **CMP Table Standard & Customization:** Resizable column headers ([col-resize](#) , 100px - 600px), column visibility popover in [z-\[100\]](#) , and automatic tenant persistence in [localStorage](#) .

7.2. Governance Reporting ([/governance/reporting](#) , Enterprise+)

Unified executive dashboard. At its centre sits the **Financial Security Score**, a 0-100 index weighing four pillars: Azure Policy compliance (40%), mandatory tag hygiene (30%), RBAC assignment hygiene (20%) and zombie resource control (10%).

When a pillar cannot be measured —because the Service Principal lacks permissions, or because no policies are assigned— it counts as neither 0 nor 100: it is flagged "not measurable" and its weight is redistributed across the rest. "View pillar breakdown" shows each pillar's nominal and effective weight.

What else you get:

- Azure Policy compliance with an expandable detail of non-compliant resources.

- Resource inventory by type and by region, with everything outside the top grouped under "Other" so the bars add up to the headline total.
- RBAC assignments by principal type, including an **orphaned SID audit**: assignments whose user or application no longer exists in the directory. They grant nobody access today, but if Azure reuses that identifier the permission comes back to life on a different principal.
- Export to **executive PDF** and to **CSV** with the full dataset.

7.3. Virtual Machine Control — Power Schedules ([/governance/power](#) , Business+)

Automated VM start/stop routines outside business hours, plus live manual control.

Two scheduling modes:

- **One-time**: runs the action (start / stop / restart) once, at an exact date and time.
- **Recurring**: you pick the time and the weekdays. A "from-to" window is built from two rules: one to start and one to stop, over the same days.

Smart Shutdown. Before every scheduled shutdown the system checks the VM's actual CPU over the last 30 minutes. If it sits above the threshold (5% by default, adjustable), it **postpones the shutdown** and records it as skipped rather than taking down a machine that is working. Tune the threshold with "Calibrate Threshold": too high shuts down machines mid-job, too low lets OS background noise cancel every shutdown and the savings never materialise.

Off-hours savings. The first KPI shows the monthly spend you already recover through active schedules, and how much more is available on running VMs with no schedule. The calculation uses each VM's real window —from its shutdown to its next start— rather than a constant: a weekend with no scheduled start extends Friday's shutdown all the way to Monday.

Live control. The lower table lists every VM with its state, size, current CPU and spend. Select several and apply Stop / Start / Restart in bulk. The state badge changes immediately while Azure processes the operation, and corrects itself if something fails or if Smart Shutdown skipped the shutdown.

Operational details:

- The time zone is stored as an IANA name, so a schedule keeps firing at the correct local time across daylight-saving changes.
- The system checks pending schedules every few minutes, plus an immediate check on save.
- If Azure Monitor returns no metrics for a VM, the CPU column shows **"n/a"** instead of 0%: a zero would read as "idle" and could lead you to shut down a machine with no telemetry.

7.4. High Availability Recommendations ([/governance/ha](#) , Business+)

Detects virtual machines, databases and cloud resources without zonal or geographic redundancy, or without backup.

Every gap tells you the SLA you have today and the one you would reach, translated into minutes of monthly downtime — because "99.9%" means nothing until you turn it into 43.2 minutes a month, and 99.99% into 4.3. The "View Architecture" drawer shows the topology, the SLA comparison and the estimated additional cost before you decide.

What is detected: VMs with no zone or Availability Set, resources with no backup, databases without a failover group or geo-redundancy, single-instance App Service Plans, and Basic SKU public IPs.

About Basic IPs: they show an SLA of 0, not 99.9. Microsoft publishes no SLA for that SKU — it is not that it is low, it is that there is none.

About backups: a backup does not improve availability, it improves RPO (how much data you lose if something breaks). That is why current and projected SLA match on those rows: we do not promise an improvement that does not happen.

What can be remediated from here: only the public IP SKU upgrade and attaching a backup policy, both idempotent Azure operations. Spreading across zones or enabling geo-redundancy requires recreating the resource or choosing a secondary region — for those, "Remediate" hands you the change blueprint with the exact command so your infrastructure team can plan it.

Exemptions. If a non-production workload does not warrant redundancy, exempt it with a justification. It stops counting towards the KPIs but stays visible under the history button, and the justification is recorded against your user — somebody will have to defend it at the next audit.

7.5. Expiring Credentials — Entra ID ([/governance/credentials](#) , Business+)

Inventory of App Registration and Service Principal secrets and certificates, across two tabs.

Credentials tab. Each row shows the status —**Healthy** (more than 30 days), **Expiring Soon** (30 days or fewer) or **Expired**—, the expiry date, the exact days remaining and the App ID with a copy button. Days are recalculated on every query: a credential moves from healthy to expiring without anyone touching it.

Secret rotation. The "Rotate" button generates a new secret through Microsoft Graph with the validity you choose (6, 12 or 24 months).

Important: rotation **does not revoke the previous secret**, and that is deliberate. Revoking in the same step would take down everything still using it — precisely the incident this module prevents. The correct order is: rotate, migrate the consumers to the new secret, and only then delete the old one from the Entra ID portal.

The secret value **is shown only once**. Microsoft Graph never returns it again and the platform stores it nowhere. Copy it there and then, and keep it in Azure Key Vault.

Certificates are not rotated here: they are renewed by uploading the public key, a different procedure.

Configured Alerts tab. Advance-warning rules. Each rule accepts **several thresholds** (60, 30 and 7 days, for example), and each one fires an independent notice — a single reminder at 7 days rarely leaves enough time to coordinate a rotation across every consuming team. Pick the channels (Email, Teams, Slack, Webhook) and the recipients, and enable or disable each rule with a switch.

7.6. Auto-Block Policies ([/governance/policies](#) , Enterprise+)

Cost prevention at provisioning time through Azure Policy: constraints that stop unwanted spend from coming into existence.

What you see: your environment's overall compliance, the breakdown by resource category, the status of each governance initiative, and the table of active policies with their effect ([Deny](#) , [Modify](#) , [Audit](#) , [DeployIfNotExists](#)), their scope and how many resources each one is breaching.

Everything comes from live Azure Policy. **If your environment has no policies assigned you will see 0 evaluations** and a message explaining why — not an estimated percentage.

Deploying a policy. The wizard lets you pick the scope (management group or subscription) and one of the predefined templates: restrict VM sizes, block public IPs in sandbox, inherit tags, require CostCenter, restrict regions, or audit storage without HTTPS. Each template explains the cost it prevents.

A [Deny](#) policy **blocks new deployments but does not revert what already exists**. Resources created before the assignment will show as non-compliant until you fix them by hand or with a [Modify](#) policy. Azure takes up to 30 minutes to complete the first evaluation.

Remediate. The remediation button creates an Azure Policy task that fixes existing resources. It only appears on [Modify](#) and [DeployIfNotExists](#) policies: those are the only effects Azure can apply retroactively. It is not offered on [Deny](#) or [Audit](#) , where the task would finish with zero resources fixed.

View non-compliant resources opens a side panel with each breach and its reason.

7.7. Remediation Approvals (</governance/approvals> , Business+)

Control flow over the infrastructure changes proposed by the optimisation engines. It runs on the **four-eyes principle**: whoever requests a change cannot approve it.

Pending requests. Each card shows the resource, the proposed action, who requested it, the monthly savings it releases and any relevant warnings — whether the VM will reboot, whether the action is irreversible.

Approving executes the change in Azure immediately. It is not a status change in a list: the platform calls Azure Resource Manager and the real outcome lands in the history. If Azure rejects the operation, the request shows as **Failed** with the literal error, not as approved.

Safety controls:

- **Pre-deletion snapshot.** When deleting a disk you can request a backup snapshot. If the snapshot fails the deletion **does not run**: you asked for a safety net, and without it the action does not proceed.
- **"Approve everything safe"** only covers non-destructive actions that do not restart a service. Deleting a disk or resizing a production VM requires a conscious decision, not a bulk click.
- **Rejecting requires a reason**, which is sent to the requester. Without one, the same request comes back next week.

Decision history. Full audit trail: who resolved it, when, what Azure replied and —if one was created— the backup snapshot identifier. The "Released Savings" KPI counts **only what Azure confirmed**: an approval that failed released nothing and is not counted.

8. Administration Section

8.1. Support (</support> , all plans from Professional)

Any tenant user can open tickets to CSCloudSolutions and follow the conversation within the platform.

How to create a ticket:

1. Fill in subject, category (Technical / Billing / Inquiry / Feature Request), priority, and initial message.
2. You can attach screenshots or files ([jpg](#) , [jpeg](#) , [png](#) , [txt](#) , [json](#) ; max 5 MB per file, 10 per ticket) — kept for 60 days and then auto-deleted.
3. Support team replies appear marked with 🛟 in the thread. You can reply while it's open, and close/reopen it yourself.
4. **Quick access:** the lifebuoy icon next to your username in the header opens Support from any page. When your ticket gets a reply, you'll see a notification in the bell 🔔.

Quotas by plan:

Plan	Tickets/month	First-response SLA
Professional	20	24 h
Business	Unlimited	8 h
Enterprise	Unlimited	4 h

What you see on screen:

- **Four indicators at the top:** open tickets (including those waiting on your reply), in progress, resolved, and your plan's first-response SLA.

- **Troubleshooting:** a collapsible section with FAQs and a search box. Many questions are answered here without opening a ticket.
- **Your ticket table** with number, subject, category, priority, status, last update and **SLA remaining** as a live countdown. Drag the right edge of any header to resize the column, pick which columns to show with *Customize columns*, and page 15 at a time (or 30/45/60). Those preferences are saved in your browser.
- **Conversation in a side panel:** *View conversation* opens the thread on the right without losing the table. You can attach several files at once by dragging them; images show an expandable preview in the thread and logs download.

About SLA remaining: the counter measures the time until the team's **first response**. Once we reply it stops, even if the ticket stays open. If the ticket is waiting on your reply it does not run either — the ball is on your side.

Affected module (optional): when creating the ticket you can state which module it concerns (Defender, Zombie resources, Cost allocation, Alerts, Power schedules, Tag governance). It is not required, but it speeds up routing to the right team.

8.2. Users and Permissions (</admin/users>)

See section 2 for details on role vs. permissions. From here you add users, edit their role, adjust their module scope, or remove their access. Only tenant Admins and Owners can open this screen.

Four indicators at the top: registered users (and how many your plan allows), admins and owners, readers, and your team's **2FA compliance**.

Adding a user — no more copying GUIDs. Type the person's name or email: the platform searches your Entra ID directory and shows the matches. Pick one and the *Entra ID (OID)* field fills in by itself, marked with a green check. Then choose the base role and the page scope (*Full module access*, *Visibility & FinOps only*, or *Cleanup & Governance only*).

Suggestions flag people who are **already added** to the tenant and accounts that are **disabled** in Entra ID.

Sync from Entra ID opens a panel with two ways to onboard in bulk:

1. **By users:** the directory listing, with multi-select and a role per person.
2. **By security group:** pick a group (for example [FinOps-Engineers](#)) and a default role, and all its members are provisioned at once. The **Owner role cannot be assigned by group**: ownership transfer is done user by user, deliberately. If the group has more members than your plan allows, the excess is skipped and reported.

The user table shows the name with initials, email, the abbreviated OID with a copy button, the role (editable in one click from the cell), page scope, 2FA status and last sign-in. Like every other table: resizable columns, a visible-columns selector, 15/30/45/60 paging, and preferences saved in your browser.

2FA status — three values, not two:

Badge	What it means
2FA active	The person has a second factor registered in Entra ID.
Pending	Entra ID confirmed they have no second factor registered.
No data	Entra ID has not answered for that user yet. It does not mean 2FA is missing.

The compliance indicator is computed only over users whose status is known, and it tells you how many have no data. If the platform lacks the Graph permission to read the authentication-methods report, the column shows "No data" for everyone — not 0% compliance. The *Refresh 2FA* button queries Entra ID again whenever you need it.

Granular permissions (the *Permissions* button on each row) opens a side panel with one switch per module: Visibility, Financial intelligence, Cloud cleanup, Governance, Security, and Administration & support. Turning a module off removes it from that user's menu **and** blocks access if they try to reach it by typing the URL. Below that you can restrict which Azure subscriptions they can see: with none selected, they see every subscription in the tenant.

8.3. Configuration (</admin/config>)

General tenant profile administration: name, logo, default language for new users, timezone for reports, billing cycle.

8.4. Billing — Plan Change (</admin/billing> , Professional+, Owner role)

Plan Limits:

Plan	Allowed Azure Subscriptions	Users per Tenant	Support / SLA
Professional	Up to 2 subscriptions	Up to 3 users	20 tickets/mo (24 h)
Business	Up to 3 subscriptions	Up to 5 users	Priority (12 h)
Enterprise	Unlimited	Unlimited	Dedicated 24/7 (99.9% SLA)

Change procedure:

1. Choose the new plan (Professional / Business / Enterprise).
2. Choose frequency (monthly/annual) and proration mode.
3. The system shows a **preview summary** with the real amount calculated by the payment gateway before confirming: "You'll be charged \$X now" (upgrade) or "You'll receive a \$X credit" (downgrade), the new recurring total, and the next billing date.
4. The change **only applies** when you click **Confirm change** — until then you can cancel at no cost.

8.4.1. Azure Subscription Quota Enforcement & Upgrade Modal

The platform automatically verifies connected Azure subscriptions:

- **Professional:** Up to 2 Azure subscriptions.
- **Business:** Up to 3 Azure subscriptions.
- **Enterprise:** Unlimited subscriptions with multi-account support.

If you attempt to link a subscription exceeding your quota, the **Dynamic Upgrade Modal** opens automatically to seamlessly upgrade your plan via Paddle.

8.4.2. Expanding capacity without changing plans (add-ons)

If you need more Azure subscriptions or more tenants but don't want to jump to a higher plan, go to **Administration** → **Billing** and look for the **Expand capacity** card.

At the top you'll see your current usage: "You are using 3 of 3 Azure subscriptions".

How to purchase:

1. Enter the **total** quantity you want (not how many to add). If you already have 2 and want 5, enter **5**.
2. Press **Purchase**. If you enter a lower number, the button reads **Reduce**.
3. The change is automatically prorated on your next invoice.

Capacity is not enabled instantly: it activates a few seconds later, once the payment gateway confirms. If you don't see it right away, wait and refresh.

Unit prices, by plan:

Add-on	Professional	Business
Additional Azure subscription	\$50/mo	\$40/mo
Additional tenant	\$90/mo	\$240/mo

Enterprise does not use this card: your capacity is adjusted contractually. Contact your account executive.

If the card shows *"Online purchase is not available"*, your account has no active paid subscription (for example, you're on a trial or your plan is managed commercially). Reach out and we'll sort it out.

8.5. Notification Configuration (`/admin/notifications` , Professional+)

Three supported channels: **Slack**, **Microsoft Teams**, **Email (SMTP)**.

8.5.1. Global Notification Center (Navbar Bell)

- **Interactive Bell:** `IconBell` icon with corporate blue badge (`#0078D4`) indicating unread notifications.
- **Dynamic Filters:** Filter by *All*, *Unread*, *Info*, *Warning*, and *Critical*.
- **Quick Actions:** *"Mark all as read"* and direct deep-links to associated anomalies, reports, or support tickets.

Configure Slack:

1. Go to `https://api.slack.com/apps` → create or select an app → **Incoming Webhooks**.
2. **"Add New Webhook to Workspace"** → choose the destination channel.
3. Copy the webhook URL (starts with `https://hooks.slack.com/services/...`).
4. In the platform: **Notifications** → **Add Channel** → **Slack** → paste the URL → save.

Configure Microsoft Teams:

1. In the Teams channel → ... → **Connectors** → search for "Incoming Webhook".
2. Configure the webhook and give it a name.
3. Copy the generated URL.
4. In the platform: **Notifications** → **Add Channel** → **Microsoft Teams** → paste the URL → save.

Configure Email:

- Uses SMTP. If your organization doesn't specify its own server, the platform's default SMTP configuration is used.
- You can define multiple recipients and, optionally, override host/port/user/password per channel.

Severity filter: each channel can filter what it receives — `info` , `warning` , `error` , or combinations (e.g., `warning,error` to skip informational messages).

Test the channel: a test button on each configured channel — sends a test notification before you rely on it in production.

Tier availability: Professional allows 2+ channels; Enterprise allows unlimited channels + per-channel SMTP overrides.

If notifications aren't arriving, check in this order: channel enabled (`enabled = true`) → severity filter matches the alert level → you tested the channel from the UI → there's at least one channel configured for the tenant. The send log (with errors) is available for diagnosis.

8.6. Executive Report (Business+)

Automated generation of high-level periodic reports, designed for presenting to leadership — downloadable executive summary.

8.7-8.17. Other Administration modules

Module	Tier	Usage
Azure Lighthouse Onboarding	Enterprise	Generation of ARM template for cross-tenant delegation, at /admin/onboarding/lighthouse .
AI Configuration	Professional	Enable/disable AI features, choose model, adjust detection sensitivity and what data is shared.
Invoicing Report	Enterprise	JSON/CSV/PBIT stub export with detail by billing profile, invoice section, and customer, at /admin/report .
Workbooks	Enterprise	Custom reports: own layout, charts, data tables, exportable to PDF and shareable via link.
Audit Trail	Professional	Complete log of who changed what and when, filterable by user/action/date, exportable for compliance.
MCP API Keys	Enterprise	API keys for MCP-style integrations — generate, rotate, and revoke.
Public API	Enterprise	Documented REST API (OpenAPI/Swagger), with rate limits and usage monitoring.
Power BI Templates	Enterprise	Downloadable .pbit templates, pre-connected to your SaaS data.
FOCUS 1.1 Export	Professional	Export your data in the standard FOCUS format, schedulable for automatic daily generation.
SSO SAML	Enterprise	Configure your Identity Provider, map attributes (roles, emails), test, and activate for the whole organization.
Partner Markup (CSP)	Enterprise	Configurable margins per service for CSP partners, automatically applied in billing.
M365 Copilot	Enterprise	Tenant configuration + assisted chat over your own FinOps data, at /admin/copilot-m365 .

9. FinOps Copilot (AI Assistant)

Floating icon in the bottom corner of the screen, available on Professional+.

- **Automatic context awareness:** the Copilot reads the content of the page you're on — you don't need to tell it which module you're in. When you open it, without typing anything, it generates an **executive report** of what's being shown: module context, key findings, savings opportunities prioritized by impact, risks, and a 7-day action plan.
- **Targeted questions:** besides the automatic report, you can ask it directly. E.g., in Budgets: *"Summarize the current state of our budgets"*.
- **Strategic suggestions and information:** the Copilot provides exclusively analytical recommendations, cost optimization suggestions, and informative insights to support decision-making — it does not perform corrective actions or direct modifications on your infrastructure.

10. Account Security (MFA)

TOTP-based two-factor authentication (Google Authenticator, Microsoft Authenticator, Authy, etc.), optional per user, required only for **sensitive operations** (deleting a tenant, canceling a subscription, changing billing configuration).

How to enable it:

1. Go to your profile → **Security Settings** → **"Enable 2FA"**.
2. The system shows you a QR code — scan it with your authenticator app.
3. Enter the 6-digit code shown by the app to confirm.
4. You receive **10 recovery codes** — download and store them somewhere safe. They're shown only once.

When it's requested: when you attempt an operation marked as sensitive, a modal appears asking for your 6-digit code (or a recovery code if you've lost access to the authenticator). Each recovery code is single-use; if you use up all 10, you must disable and re-enable 2FA to generate a new set.

If you lose access to your authenticator: use any of your 10 recovery codes to log in and reconfigure 2FA from scratch. If you've also lost the recovery codes, an Admin can force-disable your MFA (logged in the audit trail).

11. Advanced Features and Integrations

This section is for technical users (Cloud Admin, DevOps) who need to integrate the platform with other tools or configure advanced access.

11.1. SSO SAML (`/admin/sso` , Enterprise, via WorkOS)

Lets Enterprise customer users log in with their own Identity Provider (Okta, Auth0, AD FS) instead of — or alongside — Microsoft Entra ID.

Configuration per customer:

1. Go to **Admin** → **SSO SAML** (only visible on Enterprise tier).
2. Get the `workos_org_id` and `workos_connection_id` from the WorkOS dashboard (CSCloudSolutions creates the Organization/Connection there if they don't exist).
3. Fill in the form: **Domain** (e.g., `acme.com`), **WorkOS Organization ID**, **WorkOS Connection ID** → enable the **Enable SSO** toggle → save.
4. **"Generate Admin Portal"** button → opens a WorkOS link in a new tab; the customer's IT admin receives an email to configure their own IdP.
5. (Optional) **"Test SSO"** button → redirects you to the IdP to validate the login works before announcing it to end users.

How the end user logs in: on the login screen, they choose "Login with SSO" instead of "Sign in with Microsoft" → the system redirects them to their own IdP → after authenticating, they're automatically returned to the dashboard.

⚠ Only **one IdP connection per tenant** is supported by current design. SSO coexists with Microsoft Entra ID login (MSAL) without replacing it — both methods work simultaneously, so you don't lose existing access when enabling SSO. The SSO session lasts 12 hours.

Common errors: "SSO not configured" (platform credentials missing), "SSO not enabled for this tenant" (the toggle is off), "Missing workos_connection_id" (the portal hasn't been generated yet, or the customer hasn't configured their IdP).

11.2. Audit Trail — advanced usage ([/admin/audit](#) , Professional+)

Beyond the filterable log (by email, action type, status, and date range, 10 rows per page), you have 4 export formats: **CSV (current page)**, **Full filtered CSV (streaming)**, **JSON**, **NDJSON**.

Typical use cases:

- **Compliance audit (SOC2):** export the full quarterly range with the filtered export button.
- **Investigate an incident:** filter by the suspicious user's email + **FAILURE** status.
- **Operational monitoring:** filter by action type **DELETE** + a recent date range to see what was deleted.

⚠ The full export has a **100,000-row cap** — for larger datasets, narrow the date range and export in parts. Log retention is currently indefinite (no automatic purge yet).

11.3. Public REST API v1 ([/admin/api-keys](#) , Enterprise)

Read-only programmatic access to your data (costs, budgets, recommendations, anomalies) to connect BI tools or your own scripts.

How to generate and use it:

1. **Admin → Public API** → generate a new key, choosing only the **scopes** you need (**read:cost** , **read:resources** , **read:budgets** , **read:recommendations** , **read:anomalies**) — request the minimum necessary, e.g., **read:cost** if it's only to feed a BI dashboard.
2. Authenticate each request with the header **X-API-Key: pak_live_xxx** (or **Authorization: Bearer pak_live_xxx**).
3. Example endpoints: **GET /cost/summary?from=...&to=...&groupBy=service** , **GET /cost/timeseries?granularity=daily|monthly** , **GET /resources?type=...&limit=100** , **GET /budgets** , **GET /recommendations** , **GET /anomalies?severity=low|medium|high** .
4. Interactive documentation (Swagger) available at [/api/v1/docs](#) .

⚠ Default limit: **60 requests/minute** per key (**X-RateLimit-*** headers show your remaining quota; hitting the limit returns a 429 error). If you need more for a batch job, request it from Admin → Public API or via support (up to 1000 req/min). Monetary values always travel as **strings** (e.g., **"1234.56"**), not numbers — parse them as text to avoid losing precision.

11.4. Showback/Chargeback PDF Export ([/admin/report](#) , Business+)

Generate and email showback/chargeback invoices to each customer or internal cost center.

- **Download a single invoice:** from the billing report, select the customer/center and period → the PDF downloads directly.
- **Download all at once:** same flow without selecting a specific customer → a ZIP with all the period's invoices downloads.
- **Send via email:** fill in the recipient's email and name → it's automatically sent with the PDF attached via Microsoft 365 (requires CSCloudSolutions to have email sending configured for your tenant — if unavailable you'll see a clear error asking you to contact support).

Every send and download is logged in the audit trail.

11.5. FOCUS 1.1 Export — advanced usage

Beyond manual download from [/admin/focus-export](#) (see section 8.7), you can automate extraction with your own MCP API Key (generated at [/admin/mcp-keys](#)):

```
curl -H "Authorization: Bearer mcp_xxx" \
  ".../api/exports/focus?tenantId=...&format=ndjson"
```

Available formats: CSV, JSON, NDJSON. Cap of **500,000 rows** per export (default 100,000). Useful for automatically feeding external FinOps tools (Power BI, CloudHealth, etc.) without manual intervention.

11.6. Status Page

A public page (no login required) where you and your users can check at any time whether the platform is operational: </es/status> (or </en/status>, </status>). Shows the status of API, database, Azure sync, AI provider, and billing, plus an incident history. Useful to share with your team if something seems broken — before opening a ticket, check whether an incident is already reported there.

11.7. Paddle Billing — technical detail

The plan change (see section 8.4) has 3 possible proration modes when upgrading/downgrading:

- **Immediate proration:** the difference is charged or credited right now.
- **Next-cycle proration:** the full price change is charged only at the next renewal.
- **No immediate charge:** the plan change applies without generating any charge until the next cycle.

From </admin/billing> you also access the **payment management portal** (update card) and the **downloadable invoice history**.

11.8. 7-day free trial (self-service)

If you signed up yourself from the pricing page (not through an onboarding assisted by the CSCloudSolutions team), your account starts with a **7-day trial** on the plan you chose. You'll see a trial status banner at the top of the platform:

-  Blue: 5 or more days remaining.
-  Yellow: between 3 and 4 days remaining.
-  Red: 2 days or fewer — this one can't be dismissed.

You can upgrade to a paid plan at any time from **Billing** — the trial immediately converts to an active subscription. If the trial expires without an upgrade, the account switches to limited access until you activate a paid plan.

11.9. Infrastructure and data residency

- **Active physical region:** Azure West US 2.
- **Production Redis:** Azure Managed Redis with HA enabled.
- **Edge/CDN:** Cloudflare is used in front of the Azure origin.

12. Best Practices

- **Weekly review:** check the **Dashboard** and **Zombie Resources** at least once a week to catch financial leaks before they pile up.
- **Automate early:** enable **Power Schedules** on your Development/Testing environments as a first step — it's common to see 60% savings in idle compute hours with no other change.
- **Enforce tag compliance:** without consistent tags, the chargeback/showback module can't fairly distribute the monthly bill across teams — it's the foundation everything else relies on.

- **Use the What-If Simulator before committing:** before purchasing a Reservation or Savings Plan, simulate the scenario and save it — it gives you a concrete number to justify the decision to finance.
- **Set up at least one notification channel from day one** (Slack/Teams if your team already lives there, or email if you prefer simplicity) — budget alerts are useless if nobody sees them in time.

Support and Contact

For any additional assistance, open a ticket from **Support** ([/support](#)) within the platform, or write to soporte@cscloudsolutions.com.ar.

User Manual — FinOps SaaS Version 2.0 | English | July 2026

13. Platform notices

From time to time you'll see messages from us inside the platform. There are two kinds:

Top banner. A colored strip at the top of the screen. The color indicates severity:

Color	Meaning
Blue	Informational
Amber	Scheduled maintenance or warning
Red	Critical incident

You can close it with the **X**, but it **reappears in your next session** while the notice is still in effect. That's intentional: during real maintenance it shouldn't slip out of sight.

Pop-up window. For notices that need your attention. Pressing **Got it** dismisses it for good: that dismissal is recorded for your user, so it won't come back even on another device.

Notices **disappear on their own** when their validity window ends — you don't need to do anything.

If a notice includes a **More information** link, it takes you to the status page or the relevant detail.

Notices appear in your active language. If a particular notice wasn't translated into your language, you'll see it in Spanish, the base language — we'd rather show it to you than hide it.

14. Spend anomalies: who handles them

When the platform detects unusual spend, it no longer stops at the alert.

14.1 The owner

Each anomaly shows **who is responsible** and where that assignment came from. The platform derives it from your own governance model, in this order:

1. If the Resource Group is manually assigned to a Cost Group, that group's owner wins.
2. If it matches a Cost Group's name pattern rule.
3. If it carries the tag that defines that group.
4. If the resource has an **Owner** tag with an email address.

If none of those resolve, you'll see **"Unassigned"** — deliberately. We'd rather tell you an owner is missing than assign it to the wrong person: they'd learn to ignore the alerts. That "unassigned" count is, in practice, your list of what still needs tagging.

It's recalculated on every scan. If you assign the Resource Group to a Cost Group **after** the anomaly fired, it finds its owner on its own.

14.2 Follow-up

Each anomaly has a status that **is saved**, along with who changed it and when:

Status	When to use it
New	Nobody has looked at it yet
Investigating	Someone picked it up
Resolved	Acted on and spend corrected
False positive	The detection was wrong

That last one isn't the same as "dismissed": it's feedback we use to tune detection.

Changes are visible to your whole team, so two people don't work the same item unknowingly.

14.3 The alert

If the anomaly has an owner, the notification **goes to that person**. If it doesn't, it goes to the whole team — an unowned deviation still needs someone to see it.

15. Subscriptions beyond your plan's limit

Configuration → Cloud Accounts lists **every** Azure subscription the platform discovers. If you have more than your plan allows (Professional 2, Business 3, Enterprise unlimited), the ones left outside appear **dimmed** with an amber **"Over plan limit"** badge.

That badge means something specific: **the subscription is visible in this table and feeds no dashboard**. Its spend isn't counted in the totals, its resources don't appear in the inventory, and its anomalies aren't detected.

15.1 Choosing which ones are monitored

The platform can't know which ones matter to you, so it takes the first ones by identifier order — a stable but arbitrary criterion. You have two ways to decide for yourself:

- **Unlink the ones you don't care about.** The *Unlink* button on each row takes a subscription out of the count and **frees up the slot** for another one. It asks you to type the identifier to confirm, because the action affects every dashboard in the tenant.
- **Increase the quota.** The *Increase quota* button in the banner adds subscriptions without changing plans. What you buy is kept even if you switch tiers later.

15.2 Relinking

An unlinked subscription doesn't disappear: it moves to the end of the list, dimmed, with an **"Unlinked"** badge and a **Relink** button.

Unlike unlinking, relinking **doesn't ask for confirmation**: it destroys nothing — it only lifts the exclusion — and unlinking again is one click away.

Relinking doesn't require redoing the onboarding or running any script again. The historical spend of an unlinked subscription **is preserved**: closed months are accounting data and are never deleted.

If you are at your plan's limit, relinking brings the subscription back into this table but the dashboards still leave it out, the same as any other one above the limit. Make room first.

15.3 Adding a new subscription in Azure

You don't need to redo the onboarding. The script assigns the read roles at the root management group of your directory, and Azure inherits them downward: a subscription created later is born with permission already. It shows up on its own with **Sync now**.

The only manual step is if you want to **act on it** — shutting down VMs, power schedules, right-sizing: the remediation role is assigned per subscription and is not inherited. Azure portal → the subscription → Access control (IAM) → Add role assignment, on the same Service Principal.

If the new subscription **doesn't** appear after syncing, the assignment at the root management group never happened when the onboarding was run. In that case the read roles have to be assigned on that subscription.