

TASK1

1. CONDITIONAL STATEMENTS
2. LOOPING STATEMENTS
3. MENU OF OPERATIONS
4. STUDENT DETAILS

1. CONDITIONAL STATEMENTS

Basic Information

- Experiment No: TASK 1
- Date: 13/09/2026
- Title: Implementation of Conditional Statements Using Methods and Switch Case

Objective : To write and implement a Java program using conditional statements, methods, switch case, and a do-while loop to perform the following tasks:

1. Check whether a number is even or odd.
2. Find the largest of three numbers.
3. Display a grade based on percentage.
4. Display the day of the week using switch case.

System Requirements

Hardware

- Standard PC/Laptop
- Intel Core i3/i5 processor or equivalent
- Minimum 4 GB RAM
- Minimum 500 MB free storage

Software

- Operating System: Windows
- Java Development Kit (JDK 17)
- Text Editor or IDE such as IntelliJ IDEA
- Command Prompt / Terminal





Algorithm / Logic Description

1. Start.
2. Import the Scanner class.
3. Define a class Functions.
4. Define the evenOdd() method to check whether a number is even or odd.
5. If the number is 0, display a message that it cannot be determined as even or odd.
6. Else if the number is divisible by 2, display that the number is even.
7. Otherwise, display that the number is odd.
8. Define the findLargest() method with three integer parameters a, b, and c.
9. Compare the three numbers using if-else statements.
10. Return the largest number.
11. Define the displayGrade() method with a double parameter percentage.
12. If percentage is greater than or equal to 90, display Grade A+.

13. Else if percentage is greater than or equal to 80, display Grade A.
14. Else if percentage is greater than or equal to 70, display Grade B.
15. Else if percentage is greater than or equal to 60, display Grade C.
16. Else if percentage is greater than or equal to 50, display Grade D.
17. Otherwise, display Grade F.
18. Define the displayDay() method with an integer parameter day.
19. Use switch case to display the day of the week.
20. If day is 1, display Monday.
21. If day is 2, display Tuesday.
22. If day is 3, display Wednesday.
23. If day is 4, display Thursday.
24. If day is 5, display Friday.
25. If day is 6, display Saturday.
26. If day is 7, display Sunday.
27. Otherwise, display "Invalid day".
28. Define the main() method in class ConditionalStatements.
29. Create a Scanner object sc and a Functions object f.
30. Display the menu containing four tasks and an exit option.
31. Read the user's choice.
32. Use switch case to execute the selected task.
33. If choice is 1, read a number and call f.evenOdd().
34. If choice is 2, read three numbers and call f.findLargest().
35. If choice is 3, read percentage and call f.displayGrade().
36. If choice is 4, display the weekdays menu, read the day, and call f.displayDay().
37. If choice is 5, exit the program.
38. Repeat the menu using a do-while loop until choice is 5.
39. Stop.

UML DIAGRAM :





SOURCE CODE :

```

package task1;

import java.util.Scanner;

class Functions{
    void evenOdd(int num) {
        if(num==0) {
            System.out.println("the entered number'0'cannot be determined
whether it is even or odd");
        }
        else if(num%2==0) {
            // if a number is divisible by 2 it is even number
            System.out.println("the given number"+num+" is even");
        }
    }
}
  
```

```

    }
    else
        // if a number is not divisible by 2 it is odd number
        System.out.println("the given number"+num+" is odd");
}

int findLargest(int a, int b, int c) {
    if (a >= b && a >= c) {
        return a;
    } else if (b >= a && b >= c) {
        return b;
    } else {
        return c;
    }
}

// check the grade with percentage
void displayGrade(double percentage) {
    if (percentage >= 90) {
        System.out.println("Grade: A+");
    } else if (percentage >= 80) {
        System.out.println("Grade: A");
    } else if (percentage >= 70) {
        System.out.println("Grade: B");
    } else if (percentage >= 60) {
        System.out.println("Grade: C");
    } else if (percentage >= 50) {
        System.out.println("Grade: D");
    } else {
        System.out.println("Grade: F");
    }
}

// display the day using switch case
void displayDay(int day) {
    switch (day) {
        case 1:
            System.out.println("Monday");
            break;
        case 2:
            System.out.println("Tuesday");

```

```

        break;
    case 3:
        System.out.println("Wednesday");
        break;
    case 4:
        System.out.println("Thursday");
        break;
    case 5:
        System.out.println("Friday");
        break;
    case 6:
        System.out.println("Saturday");
        break;
    case 7:
        System.out.println("Sunday");
        break;
    default:
        System.out.println("Invalid day! Enter a number between 1 and
7.");
    }
}
}
}

```

//using switch case we all find out the tasks

```

public class ConditionalStatements {
    public static void main(String[] args) {
        int choice;
        Scanner sc=new Scanner(System.in);
        Functions f=new Functions();
        do {
            System.out.println("enter your choce based on the menu");
            System.out.println("====Menu====");
            System.out.println("1.Even or Odd check");
            System.out.println("2.Largest of Three Numbers");
            System.out.println("3.Grade based percentage");
            System.out.println("4.Display Day of the Week");
            System.out.println("5.Exit");
            System.out.println("enter your choce based on the menu");

```

```

choice=sc.nextInt();
switch(choice) {
    case 1:
    {
        int num;
        System.out.println("enter the number which you wanna find out
the even or odd:");
        num=sc.nextInt();
        f.evenOdd(num);
    }
    break;
    case 2:
    {
        int a,b,c;
        System.out.println("enter the three numbers");
        a=sc.nextInt();
        b=sc.nextInt();
        c=sc.nextInt();
        System.out.println("the largest of the three numbers
is:"+f.findLargest(a,b,c));
    }
    break;
    case 3:
    {
        Double percent;
        System.out.println("enter your marks in percentage");
        percent=sc.nextDouble();
        f.displayGrade(percent);
    }
    break;
    case 4:
    {
        int x;
        System.out.println("==== WEEK DAYS MENU =====");
        System.out.println("1. Monday");
        System.out.println("2. Tuesday");
        System.out.println("3. Wednesday");
        System.out.println("4. Thursday");
        System.out.println("5. Friday");
        System.out.println("6. Saturday");
    }
}

```

```

        System.out.println("7. Sunday");
        System.out.println("enter your day based on the menu");
        x=sc.nextInt();
        f.displayDay(x);
    }
    break;
}
} while(choice!=5);
}
}

```

Compile the program

Compile from the directory containing the task1 folder:

```
javac task1/ConditionalStatements.java
```

Run the program

```
java task1.ConditionalStatements
```

```
javac ConditionalStatements.java
```

```
java ConditionalStatements
```

OUTPUT :

```

C:\Program Files\Java\jdk-24\bin\java.exe - -javaagent:C:\Prog
enter your choce based on the menu
====Menu=====
1.Even or Odd check
2.Largest of Three Numbers
3.Grade based percentage
4.Display Day of the Week
5.Exit
enter your choce based on the menu
1
enter the number which you wanna find out the even or odd:
34
the given number34 is even
enter your choce based on the menu
====Menu=====
1.Even or Odd check
2.Largest of Three Numbers
3.Grade based percentage
4.Display Day of the Week
5.Exit
enter your choce based on the menu
3
enter your marks in percentage
78
Grade: B

```

2. LOOPING STATEMENTS

Basic Information

- Experiment No: TASK 1
- Date: 13/09/2026
- Title: Implementation of Looping Statements Using Java

Objective / Aim

To write a Java program that demonstrates the use of looping statements such as for loop and do-while loop to perform the following operations:

1. Print a multiplication table.
2. Display numbers from 1 to N.
3. Find the sum of the first N natural numbers.
4. Generate a Fibonacci series.
5. Display a menu repeatedly until the user selects Exit.

System Requirements

Hardware

- Standard PC/Laptop
- Intel Core i3/i5 processor or equivalent
- Minimum 4 GB RAM
- Minimum 500 MB free storage

Software

- Operating System: Windows
- Java Development Kit (JDK 17)
- Text Editor or IDE such as IntelliJ IDEA
- Command Prompt / Terminal




Algorithm / Logic Description

1. Start the program.
2. Declare a Scanner object to read input from the user.
3. Declare an integer variable choice.
4. Use a do-while loop to display the menu repeatedly.
5. Display the following menu:
 1. Print Multiplication Table
 2. Display Numbers from 1 to N
 3. Sum of First N Natural Numbers
 4. Generate Fibonacci Series
 5. Exit
6. Read the user's choice.
7. Use a switch statement to perform the selected operation.
8. If the user selects option 1:
 - a. Read a number from the user.
 - b. Use a for loop from 1 to 10.
 - c. Multiply the given number by the loop variable.
 - d. Display the multiplication table.

9. If the user selects option 2:
 - a. Read the value of N.
 - b. Use a for loop from 1 to N.
 - c. Display every number from 1 to N.
10. If the user selects option 3:
 - a. Read the value of N.
 - b. Initialize sum to 0.
 - c. Use a for loop from 1 to N.
 - d. Add every number to sum.
 - e. Display the calculated sum.
11. If the user selects option 4:
 - a. Read the number of terms.
 - b. Initialize first to 0 and second to 1.
 - c. Use a for loop to generate the required terms.
 - d. Display the value of first.
 - e. Calculate next as first + second.
 - f. Assign second to first.
 - g. Assign next to second.
 - h. Repeat until the required number of terms is generated.
12. If the user selects option 5:
 - a. Display the termination message.
 - b. Exit the loop.
13. If the user enters any other choice:
 - a. Display an invalid choice message.
14. Continue the do-while loop while choice is not equal to 5.
15. Close the Scanner object.
16. Stop the program.

UML DIAGRAM :



| Displays menu |

| Reads choice |

| Repeats until 5 |

+-----+

|

v

+-----+

| switch |

+-----+

| case 1: for loop |

| case 2: for loop |

| case 3: for loop |

| case 4: for loop |

| case 5: exit |

+-----+

SOURCE CODE:

```
package task1;
```

```
import java.util.Scanner;
```

```
public class LoopingStatements {  
    public static void main(String[] args) {
```

```
        Scanner sc = new Scanner(System.in);
```

```
int choice;

do {
    System.out.println("\n===== MENU =====");
    System.out.println("1. Print Multiplication Table");
    System.out.println("2. Display Numbers from 1 to N");
    System.out.println("3. Sum of First N Natural Numbers");
    System.out.println("4. Generate Fibonacci Series");
    System.out.println("5. Exit");
    System.out.print("Enter your choice: ");

    choice = sc.nextInt();

    switch (choice) {

        case 1:
            System.out.print("\nEnter the number: ");
            int table = sc.nextInt();

            System.out.println("\nMultiplication Table of " + table);

            for (int i = 1; i <= 10; i++) {
                System.out.println(table + " x " + i + " = " + (table * i));
            }
            break;

        case 2:
            System.out.print("\nEnter the value of N: ");
            int n = sc.nextInt();

            System.out.println("\nNumbers from 1 to " + n + " are:");

            for (int i = 1; i <= n; i++) {
                System.out.print(i + " ");
            }
            System.out.println();
            break;

        case 3:
            System.out.print("\nEnter the value of N: ");
```

```

    int num = sc.nextInt();

    int sum = 0;

    for (int i = 1; i <= num; i++) {
        sum += i;
    }

    System.out.println("Sum of first " + num + " natural numbers = "
+ sum);
    break;

case 4:
    System.out.print("\nEnter the number of terms: ");
    int terms = sc.nextInt();

    int first = 0;
    int second = 1;

    System.out.println("\nFibonacci Series:");

    for (int i = 1; i <= terms; i++) {
        System.out.print(first + " ");

        int next = first + second;
        first = second;
        second = next;
    }

    System.out.println();
    break;

case 5:
    System.out.println("\nThank you! Program terminated.");
    break;

default:
    System.out.println("\nInvalid Choice! Please enter a number
between 1 and 5.");
}

```

```
    } while (choice != 5);  
    sc.close();  
  }  
}
```

Compilation & Execution Commands

```
package task1;  
LoopingStatements.java
```

The folder structure should be:

```
ProjectFolder  
|  
+-- task1  
    |  
    +-- LoopingStatements.java
```

Open the terminal in ProjectFolder and execute:

```
javac task1/LoopingStatements.java
```

Run the program using:

```
java task1.LoopStatements
```

OUTPUT :

```

===== MENU =====
1. Print Multiplication Table
2. Display Numbers from 1 to N
3. Sum of First N Natural Numbers
4. Generate Fibonacci Series
5. Exit
Enter your choice: 2

Enter the value of N: 45

Numbers from 1 to 45 are:
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45

===== MENU =====
1. Print Multiplication Table
2. Display Numbers from 1 to N
3. Sum of First N Natural Numbers
4. Generate Fibonacci Series
5. Exit
Enter your choice: 3

Enter the value of N: 10
Sum of first 10 natural numbers = 55

```

3. MENU OF OPERATIONS



Basic Information

- Experiment No: 03
- Date: 13/09/2026
- Title: Implementation of Menu-Driven Operations Using Methods in Java



Objective / Aim

To write a Java program that demonstrates the use of methods, looping statements, conditional statements, and switch-case by creating a menu-driven application to perform the following operations:

1. Find the factorial of a number.

2. Check whether a number is prime.
3. Find the maximum of two numbers.
4. Calculate the area of a circle.



5. Exit the program.

System Requirements

Hardware Requirements

- Computer or laptop
- Minimum 4 GB RAM
- Keyboard and monitor

Software Requirements

- Java Development Kit (JDK)
- IntelliJ IDEA / Eclipse / NetBeans



Windows, Linux, or macOS operating system


Algorithm / Logic Description

1. Start the program.
2. Declare a Scanner object to read input from the user.
3. Declare an integer variable choice.
4. Define a method findFactorial(int number):
 - a. Initialize factorial to 1.
 - b. Use a for loop from 1 to number.
 - c. Multiply factorial by the loop variable.
 - d. Return the factorial value.

5. Define a method `checkPrime(int number)`:
 - a. If number is less than or equal to 1, return false.
 - b. Use a for loop from 2 to number / 2.
 - c. Check whether number is divisible by the loop variable.
 - d. If divisible, return false.
 - e. Otherwise, return true.
6. Define a method `findMaximum(int firstNumber, int secondNumber)`:
 - a. Compare the two numbers.
 - b. If firstNumber is greater than secondNumber, return firstNumber.
 - c. Otherwise, return secondNumber.
7. Define a method `calculateArea(double radius)`:
 - a. Calculate area using the formula:
$$\text{Area} = \pi \times \text{radius} \times \text{radius}$$
 - b. Return the calculated area.
8. Use a do-while loop to display the menu repeatedly.
9. Display the following menu:
 1. Find Factorial
 2. Check Prime Number
 3. Find Maximum of Two Numbers
 4. Calculate Area of Circle
 5. Exit
10. Read the user's choice.
11. Use a switch statement to perform the selected operation.
12. If the user selects option 1:
 - a. Read a number.
 - b. Call `findFactorial(number)`.
 - c. Display the factorial.
13. If the user selects option 2:


- a. Read a number.
 - b. Call `checkPrime(primeNumber)`.
 - c. If the returned value is true, display that it is prime.
 - d. Otherwise, display that it is not prime.
14. If the user selects option 3:
 - a. Read the first number.
 - b. Read the second number.
 - c. Call `findMaximum(first, second)`.
 - d. Display the maximum number.
 15. If the user selects option 4:
 - a. Read the radius.
 - b. Call `calculateArea(radius)`.
 - c. Display the area up to two decimal places.
 16. If the user selects option 5:
 - a. Display "Program Ended."
 - b. Exit the loop.
 17. If the user enters another choice:
 - a. Display an invalid choice message.
 18. Continue the do-while loop while choice is not equal to 5.
 19. Close the Scanner object.
 20. Stop the program.

UML DIAGRAM :



+-----+		
	+ findFactorial(number : int) : long	
	+ checkPrime(number : int) : boolean	
	+ findMaximum(firstNumber : int,	
	secondNumber : int) : int	
	+ calculateArea(radius : double) : double	
	+ main(args : String[]) : void	
+-----+		

uses
v
+-----+
Scanner
+-----+
+ nextInt()
+ nextDouble()
+ close()
+-----+



SOURCE CODE :

```

package task1;

import java.util.Scanner;
public class MenuOfOperations {

```

```
public static long findFactorial(int number) {  
    long factorial = 1;  
  
    for (int i = 1; i <= number; i++) {  
        factorial *= i;  
    }  
  
    return factorial;  
}
```

```
public static boolean checkPrime(int number) {  
  
    if (number <= 1) {  
        return false;  
    }  
  
    for (int i = 2; i <= number / 2; i++) {  
        if (number % i == 0) {  
            return false;  
        }  
    }  
  
    return true;  
}
```

```
public static int findMaximum(int firstNumber, int secondNumber) {  
  
    if (firstNumber > secondNumber) {  
        return firstNumber;  
    } else {  
        return secondNumber;  
    }  
}
```

```
public static double calculateArea(double radius) {  
  
    return Math.PI * radius * radius;  
}
```

```

public static void main(String[] args) {

    Scanner sc = new Scanner(System.in);
    int choice;

    do {

        System.out.println("\n===== MENU =====");
        System.out.println("1. Find Factorial");
        System.out.println("2. Check Prime Number");
        System.out.println("3. Find Maximum of Two Numbers");
        System.out.println("4. Calculate Area of Circle");
        System.out.println("5. Exit");

        System.out.print("Enter your choice: ");
        choice = sc.nextInt();

        switch (choice) {

            case 1:

                System.out.print("Enter a number: ");
                int number = sc.nextInt();

                long factorial = findFactorial(number);

                System.out.println("Factorial of " + number + " = " + factorial);

                break;

            case 2:

                System.out.print("Enter a number: ");
                int primeNumber = sc.nextInt();

                boolean result = checkPrime(primeNumber);

                if (result) {
                    System.out.println(primeNumber + " is a Prime Number.");
                } else {

```

```
        System.out.println(primeNumber + " is not a Prime  
Number.");  
    }
```

```
    break;
```

```
case 3:
```

```
    System.out.print("Enter first number: ");  
    int first = sc.nextInt();
```

```
    System.out.print("Enter second number: ");  
    int second = sc.nextInt();
```

```
    int maximum = findMaximum(first, second);
```

```
    System.out.println("Maximum Number = " + maximum);
```

```
    break;
```

```
case 4:
```

```
    System.out.print("Enter the radius: ");  
    double radius = sc.nextDouble();
```

```
    double area = calculateArea(radius);
```

```
    System.out.printf("Area of Circle = %.2f%n", area);
```

```
    break;
```

```
case 5:
```

```
    System.out.println("Program Ended.");
```

```
    break;
```

```
default:
```

```
    System.out.println("Invalid Choice! Please try again.");
```

```
    }  
    } while (choice != 5);  
    sc.close();  
  }  
}
```

Compilation & Execution Commands

Since the program contains the package statement:

```
package task1;
```

Save the file as:

```
MenuOfOperations.java
```

Folder Structure

```
ProjectFolder  
|  
+-- task1  
    |  
    +-- MenuOfOperations.java
```

Open the terminal in ProjectFolder.

Compile the Program

```
javac task1/MenuOfOperations.java
```

Run the Program

```
java task1.MenuOfOperations
```

OUTPUT :

```
===== MENU =====
1. Find Factorial
2. Check Prime Number
3. Find Maximum of Two Numbers
4. Calculate Area of Circle
5. Exit
Enter your choice: 1
Enter a number: 7
Factorial of 7 = 5040

===== MENU =====
1. Find Factorial
2. Check Prime Number
3. Find Maximum of Two Numbers
4. Calculate Area of Circle
5. Exit
Enter your choice: 2
Enter a number: 4
4 is not a Prime Number.
```

STUDENT DETAILS



Basic Information

- Experiment No: 04
- Date: 14/09/2026
- Title: Student Management System Using Encapsulation and Menu-Driven Operations



Objective / Aim

To write a Java program to implement a simple Student Management System using:

1. Classes and objects.
2. Constructors.

3. Encapsulation using private data members.
4. Methods to display student details and results.



Menu-driven programming using `do-while` and `switch-case`.

System Requirements

Hardware Requirements

- Computer or laptop
- Minimum 4 GB RAM
- Keyboard and monitor

Software Requirements

- Java Development Kit (JDK)
- IntelliJ IDEA / Eclipse / NetBeans



Windows, Linux, or macOS operating system


Algorithm / Logic Description


1. Start the program.
2. Create a Scanner object to read input from the user.
3. Read the student's name.
4. Read the student's roll number.
5. Read the marks of three subjects:
 - a. Subject 1 marks
 - b. Subject 2 marks
 - c. Subject 3 marks

6. Create a Studentx object by passing:
 - a. Student name
 - b. Roll number
 - c. Subject 1 marks
 - d. Subject 2 marks
 - e. Subject 3 marks
7. Inside the Studentx constructor:
 - a. Assign the name to the name variable.
 - b. Assign the roll number to the rollno variable.
 - c. Check whether the marks are within the valid range.
 - d. If the marks are valid, assign them to the private variables.
 - e. Otherwise, display an invalid marks message.
8. Declare an integer variable choice.
9. Use a do-while loop to display the menu repeatedly.
10. Display the following menu:
 1. Display student details
 2. Display Result
 3. Exit
11. Read the user's choice.
12. Use a switch statement to perform the selected operation.
13. If the user selects option 1:
 - a. Call the DisplayDetails() method.
 - b. Display the student's name.
 - c. Display the student's roll number.
 - d. Display the marks of all three subjects.
14. If the user selects option 2:
 - a. Call the DisplayResult() method.
 - b. Calculate the total marks.
 - c. Calculate the percentage.


- d. Display the total marks and percentage.
15. If the user selects option 3:
 - a. Display the exit message.
 - b. Display the thank-you message.
 - c. Terminate the loop.
16. If the user enters any other choice:
 - a. Display "Invalid option".
17. Continue the do-while loop while choice is not equal to 3.
18. Stop the program.

UML Class Diagram





Encapsulation Representation



SOURCE CODE :

```

package task1;

import java.util.Scanner;
class Studentx{
    String name;
    int rollno;
    private int s1marks;
    private int s2marks;
    private int s3marks;
    public Studentx(String n,int x,int y,int z,int e){
        this.name=n;
        this.rollno=x;
        if(s1marks<=100 && s2marks<=100 && s3marks<=100) {
            this.s1marks=y;
            this.s2marks=z;
            this.s3marks=e;
        }
    }
}

```

```

    }
    else{
        System.out.println("invalid marks entered");
    }
}

void DisplayDetails() {
    System.out.println("the name of the student is:"+name);
    System.out.println("the roll no of the student is:"+rollno);
    System.out.println("the s1marks of the student is:"+s1marks);
    System.out.println("the s2marks of the student is:"+s2marks);
    System.out.println("the s3marks of the student is:"+s3marks);
}

void DisplayResult() {
    System.out.println("the total marks of the student
is:"+s1marks+s2marks+s3marks);
    System.out.println("the percentage of marks
is:"+((s1marks+s2marks+s3marks)/3));
}
}

public class StudentManagement {
    public static void main(String[] args) {
        Scanner sc= new Scanner(System.in);
        System.out.println("enter the name of the student:");
        String name=sc.nextLine();
        System.out.println("enter the roll no of the student:");
        int rollno=sc.nextInt();
        System.out.println("enter the s1 marks of the student");
        int s1marks=sc.nextInt();
        System.out.println("enter the s2 marks of the student");
        int s2marks=sc.nextInt();
        System.out.println("enter the s3 marks of the student");
        int s3marks=sc.nextInt();
        Student s=new Student(name,rollno,s1marks,s2marks,s3marks);
        int choice;
        do {
            System.out.println("===Menu===");
            System.out.println("1.Display student details");
            System.out.println("2.Display Result");
            System.out.println("3.Exit");
            System.out.println("enter your choice based on the menu");
            choice =sc.nextInt();
            switch(choice) {
                case 1:
                    s.DisplayDetails();
                    break;
                case 2:
                    s.DisplayResult();

```

```

        break;
    case 3:
        System.out.println("Exiting the Management");
        System.out.println("Thank You");
        break;
    default :
        System.out.println("Invalid option");
    }
} while(choice!=3);
}
}

```

Compilation & Execution Commands

Since the program contains:

```
package task1;
```

Save the file as:

```
StudentManagement.java
```

Folder Structure

```

ProjectFolder
|
+-- task1
|
+-- StudentManagement.java

```

Compile the Program

Open the terminal in ProjectFolder and execute:

```
javac task1/StudentManagement.java
```

Run the Program

```
java task1.StudentManagement
```

OUTPUT :

```
"C:\Program Files\Java\jdk-24\bin\java.exe"
enter the name of the stident:
MANODHARA
enter the roll no of the student:
225
enter the s1 marks of the student
90
enter the s2 marks of the student
98
enter the s3 marks of the student
99
===Menu===
1.Display student details
2.Display Result
3.Exit
enter your choice based on the menu
2
the total maks of the student is:287
the percentage of marks is:95
===Menu===
1.Display student details
2.Display Result
3.Exit
```