

STRING METHODS

Objective :


write the java program using different string methods

Algorithm :

1. Start.
2. Define a class StringMethods.
3. Declare a String variable name with value "manodhara".
4. Declare a String variable name1 with value "MANODHARA".
5. Declare a String variable str1 with value "Java Strings make coding interesting".
6. Declare a String variable samestr1 with the same value as str1.
7. Declare a String variable str2 with value " Learn Java Strings ".
8. Find and display the length of name using length().
9. Find and display the character at index 4 of name using charAt().
10. Extract and display the substring from index 0 to index 8 of str1 using substring().
11. Concatenate str2 and str1 using concat() and display the result.
12. Compare str1 and samestr1 using equals() and display the result.
13. Compare name and name1 ignoring case using equalsIgnoreCase() and display the result.
14. Compare str1 and samestr1 using compareTo() and display the result.
15. Find and display the index of "java" in str1 using indexOf().
16. Find and display the last index of "Strings" in str2 using lastIndexOf().
17. Check whether samestr1 contains "interesting" using contains() and display the result.
18. Check whether str1 starts with "Java" using startsWith() and display the result.

19. Check whether str2 ends with five spaces using endsWith() and display the result.
20. Convert name1 to lowercase using toLowerCase() and display the result.
21. Convert name to uppercase using toUpperCase() and display the result.
22. Remove leading and trailing spaces from str2 using trim() and display the result inside square brackets.
23. Stop.

UML Diagram :



SOURCE CODE :

```
package strings;

public class StringMethods {
```

```

public static void main(String[] args) {
    String name="manodhara";
    String name1="MANODHARA";
    String str1="Java Strings make coding interesting";
    String samestr1="Java Strings make coding interesting";
    String str2 ="   Learn Java Strings   ";
    //length ()
    //checks the length of the string
    System.out.println("1.length :"+name.length());
    //charAt()
    System.out.println("2.charAt :"+name.charAt(4));
    //substring()
    System.out.println("3.substring :"+str1.substring(0,8));
    //concat()
    System.out.println("4.concat:"+str2.concat(str1));
    //equals()
    System.out.println("5.equals :"+str1.equals(samestr1));
    // 6. equalsIgnoreCase()
    System.out.println("6. equalsIgnoreCase() = "
+name.equalsIgnoreCase(name1));
    //compareTo()
    System.out.println("7.compareTo :"+str1.compareTo(samestr1));
    //indexOf()
    System.out.println("8.index of :"+str1.indexOf("java"));
    //lastIndexOf()
    System.out.println("9.last index of :"+str2.lastIndexOf("Strings"));
    //contains()
    System.out.println("10.contains of :"+samestr1.contains("interesting"));
    //startswith()
    System.out.println("11.startswith :"+str1.startsWith("Java"));
    //endswith()
    System.out.println("12.ends with :"+str2.endsWith("   "));
    //toLowerCase()
    System.out.println("13.toLowerCase :"+name1.toLowerCase());
    //toUpperCase()
    System.out.println("14.toUpperCase :"+name.toUpperCase());
    //trim()
    System.out.println("15.trim : ["+str2.trim()+"]");
}

```

```
}  
}
```

OUTPUT :



```
"C:\Program Files\Java\jdk-24\bin\java.exe" "-javaagent:C:\Program Files\J6  
1.length :9  
2.charAt :d  
3.substring :Java Str  
4.concat:    Learn Java Strings      Java Strings make coding interesting  
5.equals :true  
6. equalsIgnoreCase() = true  
7.compareTo :0  
8.index of :-1  
9.last index of :16  
10.contains of :true  
11.startswith :true  
12.ends with :true  
13.toLowerCase :manodhara  
14.toUpperCase :MANODHARA  
15.trim : [Learn Java Strings]  
  
Process finished with exit code 0
```