

⁴ With our bottom-up analysis of 1P API traffic we see Claude used to “Generate personalized B2B cold sales emails” (0.47%), “Analyze emails and draft replies for business correspondence” (0.28%), “Build and maintain invoice processing systems” (0.24%), “Classify and categorize emails into predefined labels” (0.23%), and “Manage calendar scheduling, meeting coordination, and appointment booking” (0.16%).

⁵ At a high level, we distinguish between automation and augmentation modes of using Claude. Automation encompasses interaction patterns focused on task completion: Directive: Users give Claude a task and it completes it with minimal back-and-forth; Feedback Loops: Users automate tasks and provide feedback to Claude as needed; Augmentation focuses on collaborative interaction patterns: Learning: Users ask Claude for information or explanations about various topics; Task Iteration: Users iterate on tasks collaboratively with Claude; Validation: Users ask Claude for feedback on their work.

⁶ These interaction modes are not mutually exhaustive. In some instances, Claude determines that a sampled conversation does not match any of the five interaction modes.

⁷ In this report we use Sonnet 4.5 for classification whereas in our previous Economic Index report we used Sonnet 4. We previously found that different models can generate different classification outcomes, though these effects tend to be modest.

⁸ We include a constant term in the regression since it should be equal to zero under the null hypothesis. Across all our specifications, the constant term is estimated to be close to and statistically indistinguishable from zero.