

APPENDIX

Appendix A. Additional Tables and Figures

Table A.1: GENOE Descriptive Statistics

	1-year horizon	5-year horizon	10-year horizon
mean	0.279	0.379	0.440
p25	0.163	0.241	0.297
p50	0.230	0.314	0.375
p75	0.338	0.466	0.591
min	0.043	0.095	0.112
max	0.919	0.932	0.946

Source: Authors' calculations using data from O*NET and surveys conducted with GPT-4o through OpenAI's API. *Note:* This table shows the descriptive statistics of the GENOE at the SOC-18 occupational level for the one, five, and 10-year horizons.


Table A.2: Differences in the GENOE Index by Model Temperature

	High-temperature mean	Low-temperature mean	P-value of dif.
A. Above vs. below median temperature			
1 year horizon	0.278	0.279	0.873
5 year horizon	0.379	0.380	0.933
10 year horizon	0.440	0.440	0.996
B. Fifth vs. first temperature quintiles			
1 year horizon	0.278	0.279	0.897
5 year horizon	0.379	0.380	0.926
10 year horizon	0.440	0.439	0.959

Source: Authors' calculations using data from O*NET and surveys conducted with GPT-4o through OpenAI's API.

Note: This figure shows the mean GENOE index for iterations with different temperature settings across three time horizons. In Panel A, the low-temperature GENOE is the average of iterations below the median temperature, while the high-temperature GENOE is the average of iterations above the median. In Panel B, the low-temperature GENOE is the average of iterations in the first temperature quintile, and the high-temperature GENOE is the average of iterations in the fifth quintile.


Figure A.1: GENOE Distribution at the Occupational Level



Source: Authors' calculations using data from O*NET and surveys conducted with GPT-4o through OpenAI's API.

Note: This figure plots the GENOE point estimate, averaged over 100 iterations, and the 95% confidence interval for each of the 759 occupations, ordered from lower to higher exposure. Each panel represents a different time horizon, and the bottom-right panel combines all horizons, ordered by the one-year horizon.

Figure A.2: Occupational Exposure by Task Nature Across Various Indexes



Source: Authors' formulation based on data from O*NET, Felten *et al.* (2021); Webb (2019); Frey and Osborne (2017); Pizzinelli *et al.* (2023). *Note:* This figure displays the average values of several indexes of occupational exposure, categorizing occupations into four groups: routine-manual, routine-cognitive, non-routine manual, and non-routine cognitive. These classifications were made following the methodology proposed by Acemoglu and Autor (2011). Indexes were standardized for comparability.