

Create Warranty Claim Custom Objects

FEILD LABEL	FEILD NAME	DATA TYPE	VALUES
AI Confidence	AI_Confidence_ _c	Percent(12, 2)	
AI Description	AI_Description_ _c	Text Area(255)	
AI Recommendation	AI_Recommenda tion__c	Picklist	Approve, Reject, Auto Approve, Auto Reject, Need Review
Claim Amount	Claim_Amount_ _c	Currency(18, 0)	
Claim Number	Name	Auto Number	
Contact	Contact__c	Lookup(Conta ct)	
Created By	CreatedById	Lookup(User)	
Currency	CurrencyIsoCode	Picklist	
Dealer	Dealer__c	Lookup(Acco unt)	
Issue Description	Issue_Descriptio n _c	Long Text Area(32768)	
Last Modified By	LastModifiedByI d	Lookup(User)	
Owner	OwnerId	Lookup(User, Group)	
Part Name	Part_Name__c	Text(255)	
Status	Status__c	Picklist	Approved,Draft,Rejected,Sub mitted,Auto-Approved, Auto- Rejected, Pending Approval
Submission Channel	Submission_Cha nnel _c	Picklist	WhatsApp, Web
Vehicle	Vehicle _c	Lookup(Asset)	
VIN	VIN _c	Text(255)	
Warranty Valid	Warranty_Valid_ _c	Checkbox	

Agent1 (Warranty raise Agent)

Name	Warranty Claim Agent_1
API Name	Warranty_Claim_Agent_1
Description	You are an AI Agent whose job is to help dealers process warranty claims efficiently by automating claim validation, identifying missing information, summarizing claims, and providing recommendations for approvals or rejections.
Role	You are a Warranty Claim Agent who helps dealers submit and validate warranty claims for vehicle repairs and spare parts. You assist approvers by summarizing claims, identifying missing data, and suggesting approval or rejection.
Company	Electra Cars
Subagents	VIN Validation and Warranty Check
Subagent Classification Description	Handles user inquiries related to validating a VIN number and checking its associated warranty status.
Subagent Scope	My job is to collect the VIN number from the user, validate whether the VIN exists.
Instructions	1. Validate the provided VIN to ensure it exists in the system. and pass it to check Warranty action 2. If the VIN exists, check the associated WarrantyEndDate to determine if it is still valid. and

	continue with action Create Warranty Claim action 3. If the VIN does not exist, notify the user and provide guidance on next steps. 4. If the WarrantyEndDate is valid, inform the user that the warranty is active. 5. If the WarrantyEndDate has expired, inform the user after Create Warranty Claim action that the warranty is no longer valid. 6. Do not display the WarrantyEndDate to the user unless explicitly requested. After completing the Create Warranty Claim action, display the warranty status to the user but avoid showing it when they only provide the VIN. 7. Do not ask the user whether they would like to proceed with creating a warranty claim. Instead, directly proceed to create the warranty claim based on the provided information. 8. If the VIN is confirmed to exist in the system, proceed to the Create Warranty Claim action to collect the required details from the user. 9. Proceed to the Create Warranty Claim action only if the VIN is validated to exist in the system. If the VIN does not exist, notify the user and provide guidance on next steps. 10. Collect the VIN, Part Name, Claim Amount, and Issue
--	--

	Description from the user. Ensure all required details are gathered and verified before initiating the Create Warranty Claim action. 11.status field if the WarrantyEndDate is valid and ClaimAmount is less than 5000 make it Auto-Approved. if the WarrantyEndDate is valid and ClaimAmount is more than 5000 make it Pending Approval 12.If the WarrantyEndDate has expired, set the status to Auto-Rejected. If the status is Auto-Approved, set WarrantyValid to True; otherwise, set it to False. Provide a clear description in AIDescription explaining why the claim was either approved or rejected based on the provided data. 13.AI Description to be the brief of the warantry why it should be rejected or approved
Actions	Check Warranty, Create Warranty

Agent Action (Check Warranty)

- Create Apex to take input as vin and check wheather it exists in Vehicle object

Apex Invocable method

```
public class VehicleWarrantyService {  
  
    public class Request {  
        @InvocableVariable(required=true)  
        public String vin;  
    }  
  
    public class Response {  
        @InvocableVariable  
        public String message;  
  
        @InvocableVariable  
        public Date warrantyEndDate;  
    }  
  
    @InvocableMethod(label='Check Vehicle Warranty by VIN')  
    public static List<Response> checkWarranty(List<Request> requests) {  
  
        List<Response> responses = new List<Response>();  
  
        for (Request req : requests) {  
  
            Response res = new Response();
```

```

// Query Vehicle Object
List<Vehicle> vehicles = [
    SELECT Id,
        VehicleIdentificationNumber,
            ManufacturerWarrantyEndDate
    FROM Vehicle
    WHERE VehicleIdentificationNumber = :req.vin
    LIMIT 1
];

if (!vehicles.isEmpty()) {
    res.message = 'Record Found';
    res.warrantyEndDate = vehicles[0].
ManufacturerWarrantyEndDate;
} else {
    res.message = 'Record Not Found';
    res.warrantyEndDate = null;
}

responses.add(res);
}

return responses;

```

```
}  
  
}
```


Flow

- Create Auto launched flow

Variables

Label	Data type	Available for input	Available for output
Vin	text	Yes	
Warranty End Date	date		Yes
message			Yes

- Add the Action element to the flow.
- Search for **Check Vehicle Warranty by VIN** and add it
- Map the variables **Vin** as input to action
- Map the variables **Warranty End Date** as output to action
- Map the variables **message** as output to action



Action

- Go to Agentforce Action

- Create Action

Action Type	Flow
Agent Action Label	check Warranty
Agent Action Description	collect the vin from user and check weather it exist of not.if exists it returns WarrantyEndDate check if the warranty is valied or not

Input

1 *VIN Instructions ⓘ

collect from user

Advanced Settings

Data Type

lightning_textType

Require input ⓘ

☐

Collect data from user ⓘ

☒

Assign a Variable

Search variables...

Outputs

1 *WarrantyEndDate Instructions ⓘ

WarrantyEndDate check if the warranty is valied or not

Advanced Settings

Data Type

lightning_dateType

Filter from agent action ⓘ

☐

Show in conversation ⓘ

☐

Output Rendering

Date

Map to Variable

Unsupported Data Type

2 *message Instructions ⓘ

If record not found

Advanced Settings

Data Type

lightning_textType

Filter from agent action ⓘ

☐

Show in conversation ⓘ

☒

Output Rendering

Text

Map to Variable

Search variables...

Agent Action (Create Warranty)

- Create record on Warranty Claim object

Apex Invocable method

```
public class CreateWarrantyClaimInvocable {
```

```
    public class Request {
        @InvocableVariable(required=true)
        public String vin;
```

```
    }
}
```

```
public String issueDescription;
```

```
@InvocableVariable  
public String partName;
```

```
@InvocableVariable  
public Decimal claimAmount;
```

```
@InvocableVariable  
public String status;
```

```
@InvocableVariable  
public String aiDescription;
```

```
@InvocableVariable  
public Boolean warrantyValid;  
}
```

```
public class Response {  
    @InvocableVariable  
    public Id warrantyClaimId;
```

```
@InvocableVariable  
public String message;  
}
```

```
@InvocableMethod(label='Create Warranty Claim' description='Creates Warranty Claim only if  
Vehicle + Asset exists')  
public static List<Response> createWarrantyClaim(List<Request> requests) {
```

```
    List<Response> responses = new List<Response>();  
    List<Warranty_Claim__c> claimsToInsert = new List<Warranty_Claim__c>();  
    List<Integer> responseIndexMap = new List<Integer>();
```

```
    for (Integer i = 0; i < requests.size(); i++) {
```

```
        Request req = requests[i];  
        Response res = new Response();
```

```
// ◇ Step 1: Find Vehicle by VIN  
List<Vehicle> vehicles = [
```

```
SELECT Id, VehicleIdentificationNumber
FROM Vehicle
WHERE VehicleIdentificationNumber = :req.vin
LIMIT 1
];
```

```
if (vehicles.isEmpty()) {
    res.message = 'No Vehicle found for VIN: ' + req.vin;
    responses.add(res);
    continue;
}
```

```
Vehicle vehicle = vehicles[0];
```

```
// ◇ Step 2: Find Asset from Vehicle
List<Asset> assets = [
    SELECT Id, AccountId, ContactId
    FROM Asset
    WHERE VehicleId = :vehicle.Id
    LIMIT 1
];
```

```
if (assets.isEmpty()) {
    res.message = 'No Asset found for Vehicle VIN: ' + req.vin;
    responses.add(res);
    continue;
}
```

```
Asset assetRec = assets[0];
```

```
// ◇ Step 3: Create Warranty Claim
Warranty_Claim__c claim = new Warranty_Claim__c();
```

```
// ☒ Correct mapping (IMPORTANT FIX)
claim.Vehicle__c = assetRec.Id;
```

```
claim.VIN__c = req.vin;
claim.Submission_Channel__c = 'Web';
claim.Issue_Description__c = req.issueDescription;
claim.Part_Name__c = req.partName;
claim.Claim_Amount__c = req.claimAmount;
```

```

claim.Status__c = req.status;
claim.AI_Description__c = req.aiDescription;
claim.Warranty_Valid__c = req.warrantyValid;

// Dealer + Contact from Asset
claim.Dealer__c = assetRec.AccountId;
claim.Contact__c = assetRec.ContactId;

claimsToInsert.add(claim);
responseIndexMap.add(i);

res.message = 'Warranty Claim ready to create';
responses.add(res);
}

// ◇ Step 4: Insert records
if (!claimsToInsert.isEmpty()) {
insert claimsToInsert;

for (Integer j = 0; j < responseIndexMap.size(); j++) {
Integer originalIndex = responseIndexMap[j];
responses[originalIndex].warrantyClaimId = claimsToInsert[j].Id;
}
}

return responses;
}
}

```

Flow


- Create Auto launched flow

Variables

Label	Data type	Available for input	Available for output
Vin	text	Yes	
AI_Description	date	Yes	
ClaimAmount	Currency	Yes	

IssueDescription	text	Yes	
PartName	text	Yes	
Status	text	Yes	
WarrantyValid	Boolean	Yes	
Message	text		Yes
id	text		Yes

- Add the Action element to the flow.
- Search for **Create Warranty Claim** and add it
- Map the variables **Vin** as input to action
- Map the variables **AIDescription** as input to action
- Map the variables **PartName** as input to action
- Map the variables **Status** as input to action
- Map the variables **WarrantyValid** as input to action
- Map the variables **Id** as output to action
- Map the variables **message** as output to action



Action

- Go to Agentforce Action
- Create Action

Action Type	Flow
Agent Action Label	Create Warranty Claim

Agent Action Description	collect the vin from user and check weather it exist of not.if exists it returns WarrantyEndDate check if the warranty is valied or not
--------------------------	---

1
* AdDescription Instructions
Bases all the data provided give the description why the claim is rejected or approved
Advanced Settings
Data Type lightning_textType
Require Input
☐
Collect data from user
☐

2
* ClaimAmount Instructions
collect from user as number
Advanced Settings
Data Type lightning_currencyType
Require Input
☐
Collect data from user
☐

3
* IssueDescription Instructions
collect it from user
Advanced Settings
Data Type lightning_textType
Require Input
☐
Collect data from user
☐

4
* PartName Instructions
collect from user
Advanced Settings
Data Type lightning_textType
Require Input
☐
Collect data from user
☐

5
* Status Instructions
If the WarrantyEndDate is valid and ClaimAmount is less than 5000 make it Auto-Approved. If the WarrantyEndDate is valid and ClaimAmount is more than 5000 make it Pending Approval. If WarrantyEndDate is expired then make it Auto-Rejected
Advanced Settings
Data Type lightning_textType
Require Input
☐
Collect data from user
☐

6
* VIN Instructions
collect it from user
Advanced Settings
Data Type lightning_textType
Require Input
☐
Collect data from user
☐

7
* WarrantyId Instructions
If Status is Auto-Approved then make it True
Advanced Settings
Data Type lightning_booleanType
Require Input
☐
Collect data from user
☐

1
* Message Instructions
show if created claim raised wait for response
Advanced Settings
Data Type lightning_textType
Filter from agent action
☐
Show in conversation
☐
Output Rendering
Text

2
* Id Instructions
id
Advanced Settings
Data Type lightning_textType
Filter from agent action
☐
Show in conversation
☐
Output Rendering
Text

Agent Website Integration

- Add your website URL to Trusted URLs and CORS
- Create Routing Configurations.

The routing model determines how to distribute work items to your agents. It acts as a tiebreaker if two or more agents qualify to take on the same work item. The Least Active routing model routes work to the agent with the fewest number of open work items. The Most Available routing model routes to the agent with the greatest difference between work item capacity and open work items.

Basic Information

Routing Configuration Name:
Developer Name:
Overflow Assignee:

Routing Settings

The routing priority determines the order in which work items across your Omni-Channel queues get pushed to your agents. Lower-priority items are pushed first.
The routing model determines how to evenly distribute work items to your agents. It acts as a tiebreaker if two or more agents qualify to take on the same work item. Least Active routes to the agent with the fewest number of open work items. Most Available routes to the agent with the most open capacity in proportion to their set capacity.

Routing Priority:
Routing Model:
Push Time-Out (seconds):
Drop Additional Skills Time-Out (seconds):
Capacity Type:

Skills-Based Routing Rules

Run Skills-Based Routing Rules on any work items that are added to the queue associated with this routing configuration. Optionally, add default skills. Work is routed using a combination of rules and default skills.
Note: If you use the Omni-Channel Flow, you'll enable routing rules from the flow instead.

Use with Skills-Based Routing Rules: ☐

Size for In-Progress Work Items

Specify the size of in-progress work items in queues associated with this configuration. The size is valid for tab-based work as well as status-based work. Size items by number of units or percentage of an agent's capacity, but not both.

Units of Capacity for In-Progress Work Items:
Percentage of Capacity for In-Progress Work Items:

Size for Paused Work Items

Specify the size of paused work items in queues associated with this configuration. The size is valid only if the work uses status-based capacity. Size items by number of units or percentage of an agent's capacity, but not both. Default consumption is zero.

Units of Capacity for Paused Work Items:
Percentage of Capacity for Paused Work Items:

- Create Queue

Queue
electraCars

[Help for this Page](#)

Label	electraCars	Queue Name	electraCars
Queue Email		Send Email to Members	☐
Supported Objects	Messaging Session Service Campaign Member Messaging Session		
Queue Description		Routing Configuration	warranty_claim
Created By	OrgFarm EPIC, 4/16/2026, 10:59 PM	Modified By	OrgFarm EPIC, 4/16/2026, 11:01 PM

[View All Users](#)

Name	Type
OrgFarm EPIC	User
EinsteinServiceAgent User	User
Warranty Agent	User
EinsteinServiceAgent User	User

- Create Messaging Settings

SETUP > MESSAGING SETTINGS
electraCars Active

Messaging Settings [Edit](#)

Information

Channel Name electraCars	Developer Name electraCars
Type Embedded Messaging	Messaging Channel ID 04ja000001bPNU3CAM
Messaging Platform Key 4cda56cd-79d2-499f-97a3-71d2a64a0187	Platform Type Enhanced
Channel Address Identifier 4cda56cd-79d2-499f-97a3-71d2a64a0187	Identify preferred language of messaging users ☐


Embedded Service Deployments [View All](#)

Name ↑	Deployment Type	Client Version	Last Modified Date	Last Modified By
1 electraCars	Web	WebV1	4/17/2026, 11:37 AM	OEPIE


Omni-Channel Routing [Edit](#)

Routing Type Agentforce Service Agent	Agentforce Service Agent Warranty Claim Agent_1
Fallback Queue electraCars	


- Create Embedded Service Deployment Settings



- After publishing Click on the code snippet.
- The script generates paste the code on the website.



- The Agent will be available on the website.



Agent WhatsApp Integration

SETUP > MESSAGING SETTINGS
+1 555-917-4921

Refresh Connection

Deactivate Channel

Messaging Settings
Information

Channel Name

+1 555-917-4921

Type

WhatsApp

Messaging Platform Id

1137400466119298

Channel Address Identifier

1d50Dee9-asse-4ca9-8ee-00b1cd09f5cf

Developer Name

WHATSAPP_US_1137400466119298

Messaging Channel ID

0Kj6k0000010vCTCAV

Platform Type

Enhanced

Show business name as sender

☒

Message Templates
To copy message templates from another WhatsApp Business account with the same Meta Business ID, provide the account's ID. After templates are copied, make them available in Salesforce by linking each template to a messaging component.

WhatsApp Business Account ID

Copied Templates

Omni-Channel Routing

Edit

Routing Type

Agentforce Service Agent

Fallback Queue

Warranty_Claim

Agentforce Service Agent

Warranty_Claim_Agent_1

Agent2 (Warranty Approver Helper)

Name	Warranty Approvar Agent
API Name	Warranty_Claim_Agent
Description	You are an AI Agent whose job is to help Approver to verifying information, and assisting with claim approvals.
Role	You are an Automotive Warranty Claim Assistant for Electra Cars. assisting with claim approvals and rejection
Company	Electra Cars
Subagents	Warranty Approval Helper
Subagent Classification Description	you are suggestion giving agent .You read whole warranty record and aswers the questions based on that record and suggest them to Approve or reject the claim
Subagent Scope	you are suggestion giving agent .You read whole warranty record and aswers the questions based on that record and suggest them to Approve or reject the claim
Instructions	1. if asked to summerize read the record or any details of record provide the details 2. the record id is default it is example 576bf4cc7.lightning.force.com/lightning/r/Warranty_Claim__c/a06ak00000QBnKzAAL/view this is id a06ak00000QBnKzAAL
Actions	Get Warranty Claim Details

Agent Action(Get Warranty Claim Details)


Flow

- Create Auto launched flow.

Variables

Label	Data type	Available for input	Available for output
Id	text	Yes	
Warranty Claim	record		Yes

- Add the GET RECORDS element to the flow.
- Select object Warranty claim.
- Condition
Warranty claim record Id equals Id(variable).
- Next Add ASSIGNMENT element.
- Assign Get element entire record to Warranty claim variable.



Action

- Go to Agentforce Action
- Create Action

Action Type	Flow
-------------	------

Agent Action Label	Get Warranty Claim Details
Agent Action Description	take id as input and get all details of Warranty Claim and give suggestions to approve orreject the claim

Input

1

*

Id

Instructions

this is example
576bf4cc7.lightning.force.com/lightning/r/Warranty_Claim__c/a06ak00000QBnKzAAL/view this is id a06ak00000QBnKzAAL

Advanced Settings

Data Type

lightning_textType

Require input

✓

Collect data from user

Output

1

*

Warrantyclaim

Instructions

get all details of Warranty Claim and give suggestions to approve orreject the claim

Advanced Settings

Data Type

lightning_recordInfoType

Filter from agent action

Show in conversation

✓

Output Rendering

Object