

## Master Math for JEE Main & JEE Advanced

Crash Courses designed specifically for students who want to improve their percentile & score in upcoming JEE Main & JEE Advanced exam. **Tap on the banners to know more.**

### For JEE Main 2020 April

**JEE MAIN APRIL CRASH COURSE**  
**TARGET 99+ PERCENTILE IN MATH**

**REGISTER NOW**  
Limited Seats!



### For JEE Advanced 2020

**JEE ADVANCED CRASH COURSE**  
**TARGET YOUR DREAM IIT**

**REGISTER NOW**  
Limited Seats!



## Online Mock Test Series

Take online mock tests for a solid practice for your upcoming JEE Main, JEE Advanced, BITSAT & other competitive exams. All the subjects are included. **Tap on the banner.**

**ONLINE MOCK TEST SERIES**  
**JEE MAIN, JEE ADVANCED, BITSAT, WBEE & OTHER EXAMS**

## Free Study Materials

Download PDF of study materials like notes, formula sheets, practice questions, previous year question papers from our website. Visit [www.mathongo.com](http://www.mathongo.com) now!

## JEE Mains 2020 Jan Chapter wise Question Bank

## Waves and Sound

Q1

Two sources of sound moving with same speed  $v$  and emitting frequency of 1400 Hz are moving such that one source  $s_1$  is moving towards the observer and  $s_2$  is moving away from observer. If observer hears beat frequency of 2 Hz. Then find the speed of source. Given

दो ध्वनि स्रोत एक समान चाल  $v$  से गतिमान है और 1400 Hz की आवृत्ति उत्सर्जित कर रहे है। एक स्रोत  $s_1$  श्रोता की ओर गतिमान है तथा दूसरा स्रोत  $s_2$  श्रोता से विपरीत दिशा में गतिमान है। यदि श्रोत 2 Hz की विस्पंद आवृत्ति सुनता है तो स्रोत की चाल होगी दिया गया है,

$$V_{\text{sound}} \gg V_{\text{Source}}$$

$$V_{\text{sound}} = 350 \text{ m/s}$$

$$(1) \frac{1}{4}$$

$$(2) 4$$

$$(3) 2$$

$$(4) \frac{1}{2}$$

7<sup>th</sup> Jan Evening

Sol

(1)



$$f_0 \left( \frac{C}{C - V} \right) - f_0 \left( \frac{C}{C + V} \right) = 2$$

$$V = \frac{1}{4} \text{ m/s}$$

Q2

An open organ pipe of length 1m contains an ideal gas whose density is twice the density of atmosphere at STP. Find the difference between fundamental and second harmonic frequencies if speed of sound in atmosphere is 300 m/s.

8<sup>th</sup> Jan Morning

Sol

105.75 Hz

$$V = \sqrt{\frac{B}{\rho}}$$

$$\frac{V_{\text{pipe}}}{V_{\text{air}}} = \frac{\sqrt{\frac{B}{2\rho}}}{\sqrt{\frac{B}{\rho}}} = \frac{1}{\sqrt{2}}$$

$$V_{\text{pipe}} = \frac{V_{\text{air}}}{\sqrt{2}}$$

$$f_n = \frac{(n+1)V_{\text{pipe}}}{2\ell}$$

$$f_1 - f_0 = \frac{V_{\text{pipe}}}{2\ell} = \frac{300}{2\sqrt{2}} = 105.75 \text{ Hz (If } \sqrt{2} = 1.41)$$

$$= 106.05 \text{ Hz (If } \sqrt{2} = 1.414)$$

Q3

Velocity of a wave in a wire is  $v$  when tension in it is  $2.06 \times 10^4 \text{ N}$ . Find value of tension in wire when velocity of wave become  $\frac{v}{2}$ .

किसी तार में गतिमान तरंग के वेग का मान  $v$  है, जब इसमें तनाव  $2.06 \times 10^4 \text{ N}$  है। यदि तरंग वेग का मान  $\frac{v}{2}$  हो जाये तो तार में तनाव ज्ञात किजिये।

- (1)  $5.15 \times 10^3 \text{ N}$       (2)  $8.24 \times 10^4 \text{ N}$       (3)  $6 \times 10^4$       (4)  $5.15 \times 10^4 \text{ N}$

8<sup>th</sup> Jan Evening

Sol

(1)

$$v \propto \sqrt{T}$$

$$\Rightarrow \frac{v_1}{v_2} = \sqrt{\frac{T_1}{T_2}} \Rightarrow \frac{v}{(v/2)} = \sqrt{\frac{2.06 \times 10^4}{T}}$$

$$\Rightarrow T = \frac{2.06 \times 10^4}{4} \text{ N} = 0.515 \times 10^4 \text{ N}$$

Q4

A string of mass per unit length  $\mu = 6 \times 10^{-3} \text{ kg/m}$  is fixed at both ends under the tension 540 N. If the string is in resonance with consecutive frequencies 420 Hz and 490 Hz. Then find the length of the string?

एक रस्सी जिसका रेखीय द्रव्यमान घनत्व  $\mu = 6 \times 10^{-3} \text{ kg/m}$  है, तथा तनाव 540 N है, दोनों सिरों पर बंधी हुई है। यदि रस्सी की दो क्रमागत आवृत्तियाँ 420 Hz तथा 490 Hz के साथ अनुनाद में है तो रस्सी की लम्बाई ज्ञात करो—

(1) 2.1 m

(2) 1.1 m

(3) 4.8 m

(4) 4.2 m

9<sup>th</sup> Jan Evening

Sol

(1)


Fundamental frequency मूल आवृत्ति =  $490 - 420 = 70 \text{ Hz}$ 

$$70 = \frac{1}{2l} \sqrt{\frac{T}{\mu}}$$

$$\Rightarrow 70 = \frac{1}{2l} \sqrt{\frac{540}{6 \times 10^{-3}}}$$

$$\Rightarrow l = \frac{1}{2 \times 70} \sqrt{90 \times 10^3} = \frac{300}{140}$$

$$\Rightarrow l \approx 2.14 \text{ m}$$



mathongo

## Master Math for JEE Main & JEE Advanced

Crash Courses designed specifically for students who want to improve their percentile & score in upcoming JEE Main & JEE Advanced exam. **Tap on the banners to know more.**

### For JEE Main 2020 April

**JEE MAIN APRIL CRASH COURSE**  
**TARGET 99+ PERCENTILE IN MATH**

**REGISTER NOW**  
Limited Seats!



### For JEE Advanced 2020

**JEE ADVANCED CRASH COURSE**  
**TARGET YOUR DREAM IIT**

**REGISTER NOW**  
Limited Seats!



## Online Mock Test Series

Take online mock tests for a solid practice for your upcoming JEE Main, JEE Advanced, BITSAT & other competitive exams. All the subjects are included. **Tap on the banner.**

**ONLINE MOCK TEST SERIES**  
**JEE MAIN, JEE ADVANCED, BITSAT, WBEE & OTHER EXAMS**

## Free Study Materials

Download PDF of study materials like notes, formula sheets, practice questions, previous year question papers from our website. Visit [www.mathongo.com](http://www.mathongo.com) now!