

Carboxylic Acid Derivatives



Questions with Answer Keys

JEE Main 2020 Chapterwise

Chemistry

Q1 JEE Main 2020 - 3 September (Evening)

Consider the following molecules and statements related to them




- (a) (B) is more likely to be crystalline than (A)
(b) (B) has higher boiling point than (A)
(c) (B) dissolves more readily than (A) in water
Identify the correct option from below

- (A) (a) and (c) are true
(B) Only (a) is true
(C) (b) and (c) are true
(D) (a) and (b) are true

Q2 JEE Main 2020 - 8 January (Morning)

The most suitable reagent for the given conversion is :



- (A) H_2 , Pd
(B) B_2H_6

#MathBoleTohMathonGo

www.mathongo.com

Carboxylic Acid Derivatives

Questions with Answer Keys

JEE Main 2020 Chapterwise

Chemistry

(C) NaBH_4

(D) LiAlH_4

#MathBoleTohMathonGo

www.mathongo.com

Carboxylic Acid Derivatives

Questions with Answer Keys

JEE Main 2020 Chapterwise

Chemistry

Answer Key

Q1 (C)

Q2 (B)

#MathBoleTohMathonGo

www.mathongo.com


Carboxylic Acid Derivatives

Hints & Solutions


JEE Main 2020 Chapterwise

Chemistry

Q1



Intramolecular hydrogen bonding is present



Intermolecular hydrogen bonding is present

Correct order are

(B) > (A)

(Boiling point)

(B) > (A)

(Solubility)

Because of intermolecular hydrogen bonding.

Boiling point and solubility of (B) is more than (A).

Q2

B_2H_6 is very selective and usually used to reduce acid to alcohol.