





Q1: 16 March (Shift 1) - Single Correct

The functions of antihistamine are :

- (1) Antiallergic and Analgesic
- (2) Antacid and antiallergic
- (3) Analgesic and antacid
- (4) Antiallergic and antidepressant

Q2: 17 March (Shift 1) - Single Correct

Which of the following is correct structure of tyrosine?



Questions with Answer Keys

MathonGo

Q3: 17 March (Shift 2) - Single Correct

Match List-I with List-II :

List-I Chemical Compound	List-II Used as
(a) Sucralose	(i) Synthetic detergent
(b) Glyceryl ester of stearic acid	(ii) Artificial sweetener
(c) Sodium benzoate	(iii) Antiseptic
(d) Bithionol	(iv) Food preservative

Choose the correct match :

- (1) -(i v), (b)-(i i 1), (c)-(i i), (d)-(i)\$
- (2) (a)-(ii), (b)-(i), (c)-(iv), (d)-(iii)
- (3) (a)-(iii), (b)-(ii), (c)-(iv), (d)-(i)
- (4) (a)-(i), (b)-(ii), (c)-(iv), (d)-(iii)

Q4: 18 March (Shift 1) - Single Correct

A non-reducing sugar "A" hydrolyses to give two reducing mono saccharides. Sugar A is-

- (1) Fructose
- (2) Galactose
- (3) Glucose
- (4) Sucrose

Q5: 18 March (Shift 1) - Single Correct

Match the list -I with list - II

List-I (Class of Drug)	List-II (Example)
(a) Antacid	(i) Novestrol
(b) Artificial sweetener	(ii) Cimetidine
(c) Antifertility	(iii) Valium
(d) Tranquilizers	(iv) Alitame

Questions with Answer Keys

MathonGo

(1) (a) – (ii), (b) – (iv), (c) – (i), (d) – (iii)

(2) (a) – (iv), (b) – (i), (c) – (ii), (d) – (iii)

(3) (a) – (iv), (b) – (iii), (c) – (i), (d) – (ii)

(4) (a) – (ii), (b) – (iv), (c) – (iii), (d) – (i)

Q6: 18 March (Shift 2) - Single Correct

Match List - I with List - II :

List - I

List - II

(Class of Chemicals)

(Example)

(a) Antifertility drug

(i) Meprobamate

(b) Antibiotic

(ii) Alitame

(c) Tranquilizer

(iii) Norethindrone

(d) Artificial Sweetener

(iv) Salvarsan

(1) (a)-(i i), (b)-(i i i), (c)-(i v), (d)-(i)

(2) (a) – (iv), (b) – (iii), (c) – (ii), (d) – (i)

(3) (a)-(iii), (b)-(iv), (c)-(i), (d)-(ii)

(4) (a) – (ii), (b) – (iv), (c) – (i), (d) – (iii)

Answer Key**Q1 (2)****Q2 (4)****Q3 (2)****Q4 (4)****Q5 (1)****Q6 (3)**


Hints and Solutions

MathonGo

Q1 (2)

Q2 (4)

The structure of Tyrosine amino acid is




Q3 (2)

Artificial sweetner : Sucralose

Antiseptic: Bithional Preservative : Sodium Benzoate

Glyceryl ester of stearic acid : Sodium steasate

Q4 (4)



Q5 (1)

(a) Antacid : Cimetidine

(b) Artifical Sweetener: Alitame

(c) Antifertility Novestrol

(d) Tranquilizers Valium

Q6 (3)

(A) Antifertility drug $\rightarrow$ (iii) Nor ethindrone(B) Antibiotic $\rightarrow$ (iv) Salvarsan(C) Tranquilizer $\rightarrow$ (i) Meprobamate

Hints and Solutions

MathonGo

(D) Artificial sweetener →

(ii) Alitame

A-iii, B -iv , C – i, D – ii