

**Q1 JEE Main 2020 - 2 September (Evening)**

If you spill a chemical toilet cleaning liquid on your hand, your first aid would be

- (A) aqueous NaOH
- (B) aqueous  $\text{NaHCO}_3$
- (C) aqueous  $\text{NH}_3$
- (D) vinegar

**Q2 JEE Main 2020 - 3 September (Morning)**

The antifertility drug Novestrol" can react with

- (A)  $\text{Br}_2$ / water;  $\text{ZnCl}_2/\text{HCl}$ ;  $\text{FeCl}_3$
- (B)  $\text{ZnCl}_2/\text{HCl}$ ;  $\text{FeCl}_3$ ; Alcoholic HCN
- (C)  $\text{Br}_2$ / water;  $\text{ZnCl}_2/\text{HCl}$ ;  $\text{NaOCl}$
- (D) Alcoholic HCN;  $\text{NaOCl}$ ;  $\text{ZnCl}_2/\text{HCl}$

**Q3 JEE Main 2020 - 3 September (Evening)**

Match the following drugs with their therapeutic actions

(i) Ranitidine

(a) Antidepressant

(ii) Nardil

(b) Antibiotic

(Phenelzine)

(iii) Chloramphenicol

(c) Antihistamine

(iv) Dimetane

(d) Antacid

(Brompheniramine)


(e) Analgesic

- (A) (i) – (d); (ii) – (c); (iii) – (a); (iv) – (e)
- (B) (i) – (d); (ii) – (a); (iii) – (b); (iv) – (c)
- (C) (i) – (e); (ii)-(a); (iii)-(c); (iv)-(d)
- (D) (i) – (a); (ii) – (c); (iii) – (b); (iv) – (e)


Q4 JEE Main 2020 - 3 September (Evening)

An ionic micelle is formed on the addition of

- (A) excess water to liquid



- (B) excess water to liquid



- (C) sodium stearate to pure toluene  
(D) liquid diethyl ether to aqueous NaCl solution

Q5 JEE Main 2020 - 4 September (Evening)

The mechanism of action of Terfenadine" (Seldane) is:

- (A) Activates the histamine receptor  
(B) Helps in the secretion of histamine  
(C) Inhibits the secretion of histamine  
(D) Inhibits the action of histamine receptor


Q6 JEE Main 2020 - 5 September (Morning)

If a person is suffering from the deficiency of nor-adrenaline, what kind of drug can be suggested?

- (A) Analgesic  
(B) Antidepressant  
(C) Anti-inflammatory  
(D) Antihistamine

Q7 JEE Main 2020 - 5 September (Evening)

The following molecule acts as an



- (A) Anti-depressant
- (B) Antiseptic
- (C) Anti-bacterial
- (D) Anti-histamine

## Answer Key

Q1 (D)

Q2 (A)

Q3 (B)

Q4 (A)

Q5 (D)

Q6 (B)


Q7 (D)



Q1

Aqueous  $\text{NaHCO}_3$  is used as the first aid.  $\text{NaHCO}_3$  is basic and not harmful.

Q2



**Ethinylestradiol (novestrol)**

It can react with  $\text{Br}_2/\text{water}$ ,  $\text{ZnCl}_2/\text{HCl}$  and  $\text{FeCl}_3$

Q3

**Drug****Therapeutic action**

(i) Ranitidine

Antacid

(ii) Nardil  
(Phenelzine)

Antidepressant

(iii) Chloramphenicol

Antibiotic

(iv) Dimetane

Antihistamine

Q4

An ionic micelle consists of an aggregate of soap or detergents having a hydrophobic part and a hydrophilic part. This aggregate form a spherical shape with their hydrocarbon chain pointing towards the centre of sphere.

Q5


Seldane is an anti-histamine drug that has inhibitory action on histamine receptor.

Q6

Noradrenaline is an organic chemical that functions in brain and body as hormone and neurotransmitter.

Antidepressant drugs can be suggested for the deficiency of noradrenaline.

Q7



Brompheniramine act as antihistamines.