Standard XML Reporting

Instructions and Specifications

Version 3.0.0

Financial Information Unit

Nepal Rastra Bank

The original document has been downloaded from the official website of UNODC (goaml.unodc.org) and has been revised as per the requirements of FIU Nepal.

Last Updated: August 1, 2019

TABLE OF CONTENTS

1. SUMMARY 1

2. CONVENTIONS USED IN THIS DOCUMENT 1

3. DESCRIPTION OF XML NODES: 2

3.1 NODE REPORT 2
3.1.1 SUBNODE REPORT_INDICATORS 4
3.2 NODE TRANSACTION 5
3.3 NODE ACTIVITY 7
3.4.1 NODE T_FROM_MY_CLIENT 8
3.4.2 NODE T_FROM 9
3.5.1 NODE T_TO_MY_CLIENT 12
3.5.2 NODE T_TO 13
3.6 SUBNODE GOODS_SERVICES 14

4. DESCRIPTION OF COMMON TYPES USED IN THE SCHEMA 16

4.1.1TYPE T_ACCOUNT_MY_CLIENT 16
4.1.2 TYPE T_ACCOUNT 19
4.2.1 TYPE T_ENTITY_MY_CLIENT 22
4.2.2 TYPE T_ENTITY 24
4.3.1 TYPE T_PERSON_MY_CLIENT 25
4.3.2 TYPE T_PERSON 29
4.4 TYPE T_PARTY 32
4.5 TYPE T_ADDRESS 34
4.6 TYPE T_PHONE 35
4.7 TYPE T_FOREIGN_CURRENCY: REQUIRED FOR FOREIGN CURRENCY TRANSACTION 36
4.8 TYPE T_PERSON_IDENTIFICATION 37
4.9 TYPE REPORT_PARTY_TYPE 38
4.10 TYPE DIRECTOR_ID 39

5. LOOKUP VALUES 41

5.1 SUBMISSION TYPE–GOAML ENUMERATION 41
5.2 FUNDS TYPE 41
5.3 ACCOUNT TYPE 41
5.4 ACCOUNT STATUS TYPE 42
5.5 IDENTIFIER TYPE 42
5.6 TRANSACTION MODE TYPE 42
5.7 TRANSACTION ITEM STATUS 43
5.8 REPORT CODE–GOAML ENUMERATION 43
5.9 PHONE ADDRESS TYPE 43
5.10 COMMUNICATION TYPE 43
5.11 ENTITY LEGAL FORM TYPE 44
5.12 TRANSACTION ITEM TYPE 44
5.13 CURRENCIES - ENUMERATION 44
5.14 COUNTRY CODES - ENUMERATION 48
5.15 ACCOUNT_PERSON_ROLE_TYPE 53
5.16 ENTITY_PERSON_ROLE_TYPE 54

1. Summary

The purpose of this specification document is to provide both the reporting entities and reporting persons with the requirements and conditions for creating compatible XML files using the provided XML- Schema for the different supported report types.

A report file contains the following information which can be represented in the goAML Client after uploading and verifying the XML file.

- Basic information about the report.
- Where does the money come from?
- Who conducted the transaction?
- Where does the money go to?
- Was the transaction related to a property transfer?
- Who reported the transaction(s)?
- What was the reason for the report and which actions have been taken?
- In multi-party transactions, list of all involved parties and their respective roles in the transactions.

An XML report is linked to one Reporting Entity but may contain multiple transactions. An uploaded report can be from one report type.

This document will provide a reference to the schema, nodes and types as well as the lookup tables for enumeration values. (e.g. Country Codes)

2. Conventions used in this document

The following conventions are used in this document:

 	Required field Required, 1 to N values
	Optional field
 	Optional sub node Required sub node
	Optional, but one of the two nodes should be provided
Integer	A 32 bit value
Date time	A date and time value in the following format: YYYY-MM-DDTHH:MM:SS
	Sequence to sub nodes

3. Description of XML Nodes:

Basic information about reporting entity, reporting date and type of report. It can contain multiple transactions.

3.1 Node report



Figure 1: Overview node "report"

Name	Description	Length	Req.	Example
rentity_id	Reporting entity number defined by FIU	Integer >= 1	**Y**	15
rentity_branch	Branch of current reporting entity	255	**Y**	Head Office, New Baneshwor
submission_code	Type of submission	Enumeration	**Y**	See 5.1 Submission type
report_code	Type of transaction (STR/TTR)	Enumeration	**Y**	5.8 Report Code– goAML Enumeration
entity_reference	Optional reference to the report, used by reporting entity	255	**Y**	STR-12-2019-05-09-BankName
fiu_ref_number	Optional ref. number to be used as communication channel between the FIU and the Reporting Entity	255	N	STR_20100217. FIU requests more info regarding a report, so RE can use that number in their reply
submission_date	Submission date and time	Datetime	**Y**	2006-03-25T11:55:00
currency_code_local	Local currency code	Type "Currency-type"	**Y**	NPR, USD
reporting_person	Full details of the reporting person (Auto Populated)	Type "t_person"	**Y**	
location	Describes location of the reported report (Auto Populated)	Type "t_address"	**Y**	
reason	Why the report was reported? (Mandatory for STRs) Refer Web Reporting Guide General Rules 1 for more information	10000	**Y**/N	
action	Describes action related to the report(Mandatory for STR)	4000	**Y**/N	
transaction	Transaction information	type transaction	**Y**	See 3.2 Node transaction
activity	Involved subjects and items list linked directly to report		**Y/N**	See 3.3 Node activity
report_indicators	List of indicators for the current reports	Type "indicator"	**Y**/N	See 3.1.1 Subnode report_indicators

Table 1: Details node "report"

3.1.1 Subnode report_indicators



Figure 2: Overview subnode report_indicators

Name	Description	Length	Req.	Example
indicator	Some classification for the report	25	**Y**	Crime, Terror Funding, etc. (FIU predefined list of codes)

Table 2: Details subnode report_indicators

3.2 Node Transaction



Figure 3: Overview node transaction

Name	Description	Length	Req.	Example
transactionnumber	Unique transaction number	50	**Y**	20084711
internal_ref_number	Reporting Entity internal transaction reference number	50	N	WU_BRNCH01_0001
transaction_location	Branch/Location where the transaction took place	255	**Y**	Traffic Chowk, Biratnagar
transaction_description	Information regarding mode of payment of insurance premium	4000	**N**	Payment by Third party
date_transaction	Date and time of the transaction	DateTime	**Y**	2006-03-25T11:55:00
teller	Who conducted the transaction? (Recommended)	50	**Y**/N	Mani Bhandari
authorized	Who authorized the transaction?(Recommended)	50	**Y**/N	Rabindra Majhi
late_deposit and *date_posting* are both optional but when setting *date_posting, late_deposit* becomes mandatory. <u>3 possible combinations</u> 1. none of the nodes is set 2. only *late_deposit* is set 3. *late_deposit* and *date_posting* are set				
late_deposit	Late deposit indicator(radio button)	Boolean	**Y**/N	True
date_posting	Date of posting (if different from date of transaction)	DateTime	N	2006-03-24T19:55:00
value_date	Value date	DateTime	N	2006-03-27T00:00:00
transmode_code	How the transaction was conducted	Enumeration	**Y**	See 5.6 Transaction Mode Type
transmode_comment	Required if 'Other' is selected in transmode_code	50	**Y**/N	
amount_local	The value of the premium amount in local currency	Decimal	**Y**	100000.00
Transaction could be either a bi-party transaction with clear From and To sides, or a multi-party transaction with unlimited list of subjects (Persons,Accounts and Entities) where each has a role in the transaction rather than a clear From or To side. Bi-party is enforced in goAML.				
Bi-Party Transaction				
One of the nodes *t_from_my_client* or *t_from* should be provided. Both CANNOT be present together in a transaction, but one of them should be present.				
t_from_my_client	Specifies where the money came from. If the source is reporting bank's client,then this node should be provided	Subnode	**Y** (one of them)	See t_from_my_client
t_from	Specifies where the money came from	Subnode		See 3.4.2 Node t_from
One of the nodes *t_to_my_client* or *t_to* should be provided. Both CANNOT be present together in a transaction, but one of them should be present.				

Name	Description	Length	Req.	Example
t_to_my_client	Specifies where the money went. If the destination is reporting bank's client, then this node should be provided	Subnode	**Y** (one of them)	See 3.5.1 Node t_to_my_client
t_to	Specifies where the money went.	Subnode		See 3.5.2 Node t_to
Multi-Party Transaction				
It covers transactions with multi-party involvement covering non-banking transactions. Car dealers for example can report such transactions where more than one subject bought/sold a car, while the car dealer is not reported as part of the transaction but only as the reporting entity. If the transaction is reported in this way, then at least one "Party" node should be reported.				
party	Describes the involved party details	Type "t_party"	**Y**	See 4.4 Type t_party
Goods_services	The goods/services linked to the transaction(for non-life insurance transaction)	subnode	N	See 3.5 3.6 Subnode goods_services
Comments	Generic comments field	4000	N	

Table 3: Details node transaction

3.3 Node Activity

Reports can now include an activity node to represent an event where a list of subjects and goods are related directly to the report without the need of a transaction.



Figure 4: Overview node activity

Name	Description	Length	Req.	Example
report_parties	Represents a collection of involved subjects an involved subject with it's details		**Y**	
report_party	Represents a single involved subject with its details. At least one party should be included.	Type report_party_type	**Y**	See 4.9 Node report_party_type
goods_service	The standard goods_services node available in previous schemas	Type t_trans_item	N	-

Table 4: Details node transaction

3.4.1 Node t_from_my_client

This node should be provided if the source side of the transaction is a client of the reporting organization. As on schema 4.0, entity could be a direct party in bi-party transactions.



Figure 5: Overview node t_from_my_client

Name	Description	Length	Req.	Example
from_funds_code	Type of funds used in initiating transaction	Enumeration	**Y**	See 5.2 Funds type
from_funds_comment	Source of Fund (Required for specified cases)	255	**Y**/N	Sale of assets, Borrowing, Loan Transfer, Business

Name	Description	Length	Req.	Example
				Income, Remittance, Business Proceed, Salary etc.
from_foreign_currency	If the transaction is conducted in foreign currency, then specify the foreign currency details	type t_foreign_currency	**Y**/N	See 4.7 Type t_foreign_currency
t_conductor	The person performing the transaction	Type t_person	**Y/N**	See 4.3.1 Type t_person_my_client
from_account	Subnode that holds account information	Type t_account_my_client	**Y** (one of them only)	See 4.1.1Type t_account_my_client
from_person	Subnode that holds "from person" information	Type t_person_my_client		See 4.3.1 Type t_person_my_client
from_entity	Subnode that holds "from entity" information	Type t_entity_my_client		See 4.3.2 Type t_entity_my_client
from_country	Country where transaction was initiated	Enumeration	**Y**	See 5.14 Country Codes

Table 5: Details node t_from_my_client

3.4.2 Node t_from

Source of the transactioncan be either a person, an account or an entity. In case of a person source, as per Schema 3.0, the conductor could be different from the source person. As per schema 4.0,the entity could be a direct party in bi-party transactions.



Figure 6: Overview node t_from

Note: Bi-directional transactions are composed of a source and destination. The source and destination may be either a person, an account or an entity (As per schema 4.0). For premium deposits, the source is a person and the destination is an policy account i.e. on t_from_my_client side we will have t_person_my_client and on the t_to_my_client side we will have t_account_my_client.

Name	Description	Length	Req.	Example
from_funds_code	Type of funds used in initiating transaction	Enumeration	**Y**	See 5.2 Funds type
from_funds_comment	Source of Fund (Required for specified cases)	255	**Y**/N	
from_foreign_currency	If the transaction is conducted in foreign currency, then specify the foreign currency details	Type t_foreign_currency	**Y**/N	See 4.7 Type t_foreign_currency
t_conductor	The person performing the transaction	Type t_person	**Y/N**	See 4.3.2 Type t_person
from_account	Subnode that holds account information	Type t_account	**Y** (one of them)	See 4.1.2 Type t_account
from_person	Subnode that holds "from person" information.	Type t_person		See 4.3.2 Type t_person
from_entity	Subnode that holds "from entity" information	Type t_entity		See 4.2.2 Type t_entity

Table 6: Details node t_from

3.5.1 Node t_to_my_client

This node should be provided if the destination side of the transaction is a client of the reporting organization.



Figure 7: Overview node t_to_my_client

Name	Description	Length	Req.	Example
to_funds_code	Disposition of funds	Enumeration	**Y**	See 5.2 Funds type
to_funds_comment	Purpose of Transaction (Required for Specified Cases)	255	**Y**/N	Insurance Premium, Loan Repayment, Donation, Transfer, Remittance, Savings , Salary/Wages Distribution etc.
to_foreign_currency	If the transaction is conducted in foreign currency, then specify the foreign currency details.	Type t_foreign_currency	**Y**/N	See 4.7 Type t_foreign_currency
to_account	Subnode that holds account information	Type t_account_my_client	**Y** (one of them)	See 4.1.1Type t_account_my_client
to_person	Subnode that holds person information	Type t_person_my_client		See 4.3.1 Type t_person_my_client
to_entity	Subnode that holds entity information	Type t_entity_my_client		See 4.2.1 Type t_entity_my_client

Name	Description	Length	Req.	Example
to_country	Target country of the transaction	Enumeration	**Y**	See 5.14 Country Codes

Table 7: Details node t_to_my_client

3.5.2 Node t_to

Information about the transaction disposition(s) - i.e. where the money went. *t_to* can either point to a person, account or entity.



Figure 8: Overview node t_to

Name	Description	Length	Req.	Example
to_funds_code	Disposition of funds	Enumeration	**Y**	See 5.2 Funds type
to_funds_comment	Purpose of Transaction (Required for specified cases)	255	**Y**/N	
to_foreign_currency	If the transaction is conducted in foreign currency, then specify the foreign currency details.	type t_foreign_currency	**Y**/N	See 4.7 Type t_foreign_currency
to_account	Subnode that holds account information	type t_account	**Y** (one of them)	See 4.1.2 Type t_account
to_person	Subnode that holds person information	type t_person		See 4.3.2 Type t_person
to_entity	Subnode that holds "to_entity" information.	Type t_entity		See 4.2.2 Type t_entity
to_country	Target country of the transaction	Enumeration	**Y**	See 5.14 Country Codes

Table 8: Details node t_to

3.6 Subnode goods_services



Figure 9: Overview subnode goods_services

Name	Description	Length	Req.	Example
item_type	Lookup code describes the item type	Type "trans_item_type"	**Y**	C = Car L = Land
item_make	Item Maker	255	N	In case of Car for example, BMW
description	Text	4000	N	Apartment building
previously_registered_to	Name of previous owner	500	N	John Smith
presently_registered_to	Name of current owner	500	N	Jane Smith
estimated_value	Estimated value of the property – Used Currency is the one specified in node *from_currency*	Decimal	**Y**/N	250000.00
status_code	Status code	Enumeration	**Y**/N	See 5.7 Transaction Item Status
status_comments	Status Comments	500	**Y**/N	
disposed_value	effective value for property transfer – Used Currency is the one specified in node *from_currency*	Decimal	N	500000.00
currency_code	used to report service conducted in foreign currency	Enumeration		See 5.13 Currencies
size	Size of the property – in unit specified in node *size_uom*	Decimal	N	150
size_uom	Unit of measurement	250	N	Square meters
address	Address of the property	type t_address	N	4.5 Type t_address
registration_date	Official registration date	DateTime	N	2001-12-17T09:30:47
registration_number	Official registration number	500	N	Car VIN Number
identification_number	Any number that can identify the item	255	N	Car Plate Number
comments	Additional comments	4000	N	

Table 9: Details subnode goods_services

4. Description of Common Types Used in the Schema

4.1.1Type t_account_my_client

The structure of this type is similar to that of type *t_account*, with some added restrictions i.e. some nodes which are not mandatory in *t_account* may be mandatory in *t_account_my_client*. These restrictions are defined by the local FIU. The logic here is that whenever the involved account or person is the client of the reporting entity, more details may be demanded on the client, and the reporting entity must have the information as part of the adherence to the **"Know Your Customer" (KYC)** philosophy of compliance.



Figure 10: Overview type t_account_my_client

Name	Description	Length	Req.	Example
institution_name	The name of the Insurance Company	255	**Y**	XYZ Insurance Company
institution_code	Institution code or Abbreviation of Company Name	50	**Y** (One of the m)	XYZ
swift	SWIFT code according to ISO 9362	11		TESTNPKAXXX
Non_banking_institution	A flag to cover cases where the account belongs to non-banking institution	Boolean	**N**	Money Changer, Insurance Company are Non banking Institutions
branch	Branch Location	255	**Y**	Sundhara Branch
account	Account number of client	50	**Y**	31032027088
currency_code	Currency code of the account	Enumeration	**Y**	See 5.13 Currencies
account_name	Account Holder's Name	255	**Y**	Ram Thapa
iban	Used for **Client's Risk Grade**	34	N	High Risk, Medium Risk, Low Risk...
client_number	Client number	30	N	31032027088
personal_account_type	Account Type	Enumeration	**Y**	See5.3 Account type
t_entity	Business entity owning the account	type t_entity_my_client	**Y/N**	See 4.2.2 Type t_entity
signatory	Signatory (ies) of the account	Subnode (can repeated to specify multiple signatories). Note that the node t_person is of type t_person_my_client	**Y**	
is_primary	Identifies the primary account holder. Only one signatory may be marked as *is_primary*. Has to be 'true' when node is set.	fixed = 1	**Y**	
t_person	Subnode holding detailed information about the signatory	type t_person_my_client	**Y**	4.3.1 Type t_person_my_client
role	Subnode holding enumeration about the role of current signatory with the account report.	type "account_person_role_type"	**Y**	See 5.15;4.3.1 Type t_person_my_client
opened	Date account opened	DateTime	**Y**	2003-01-25T00:00:00
closed	Date account closed	DateTime	**Y**/N	2006-03-25T00:00:00

Name	Description	Length	Req.	Example
balance	Amount paid till date	Decimal	**Y**	5000.50
date_balance	A date to specify the date of the reported balance. Application will show balance history	Date	**Y**	
status_code	Account status when transaction was initiated	Enumeration	**Y**	See 5.4 Account status type
beneficiary	Ultimate beneficiary of the account	50	**N**	Ravin Dahal
beneficiary_comment	Any special remark on the beneficiary	255	N	
comments	Following information on policy must be provided • Term of Insurance Policy • Nature/Type of insurance policy • Total Insured Amount • Premium Installment Structure (Monthly, Quarterly, Annually or Single Premium)	4000	N	

Table 10: Details type t_account_my_client

Note: t_account_my_client is usually selected after t_to_my_client in case of insurance companies. Since, premium is always deposited into the client policy account, t_to_my_client is always the t_account_my_client of the client's policy account associated with the institution.

4.1.2 Type t_account



Figure 4: Overview type t_account

Name	Description	Length	Req.	Example
institution_name	The name of the Bank	255	**Y**	Bank of …
institution_code	Institution code issued by FIU	50	**Y** (one of them)	
swift	SWIFT code according to ISO 9362	11		TESTUSCAXXX
non_banking_institution	A flag to cover cases where the account belongs to non-banking institution	Boolean	**N**	Investment company
branch	Branch code or name	255	**N**	ABX12
account	Account number	50	**Y**	31032027088
currency_code	Currency code of the account	Enumeration	N	See 5.13 Currencies
account_name	Account Holder's name	255	**Y/N**	Xingxau Electronics Traders
iban	Used for Client's Risk Grade	34	N	High Risk, Low Risk, Medium Risk...
client_number	Client number	30	N	31032027088
personal_account_type	Account Type	Enumeration	N	See5.3 Account type
t_entity	Business entity owning the account	type t_entity	N	See 4.2.2 Type t_entity
signatory	Signatory(ies) of the account	Subnode (can be repeated to specify multiple signatories). Note that the node t_person is of type t_person	N	
is_primary	Identifies the primary account holder. Only one signatory may be marked as *is_primary*. Has to be 'true' when node is set.	fixed = 1	N	
t_person	Subnode holding detailed information about the signatory of the account	type t_person	**N**	See 4.3.2 Type t_person
role	Subnode holding enumeration about the role of current signatory with the account report	type "account_person_role_type"	N	See 5.15 Account_person_role_type 4.3.1 Type t_person_my_client
closed	Date account closed	DateTime	N	2006-03-25T00:00:00
balance	The account balance after the transaction was conducted	Decimal	N	5000.50
date_balance	A date field to specify the date of the reported	Date	N	

Name	Description	Length	Req.	Example
	balance. Application will show balance history			
status_code	Account status when transaction was initiated	Enumeration	N	See 5.4 Account status type
beneficiary	Ultimate beneficiary of the account	50	N	
beneficiary_comment	Any special remark on the beneficiary	255	N	
comments	Generic comments elements	4000	N	

Table 4: Details type t_account

Note: t_account is generally selected after t_from when there is premium deposit by a client through cheque of a Bank and Financial Institution (BFI) for the case of insurance companies. Since, insurance companies do not have details of the BFI account only few details are required to be provided.

4.2.1 Type t_entity_my_client

The structure of this type is similar to that of type *t_entity*, with some added restrictions i.e. some nodes which are not mandatory in *t_entity* may be mandatory in *t_entity_my_client*

These restrictions are defined by the local FIU.



Figure 5: Overview type t_entity_my_client

Name	Description	Length	Req.	Example
name	Name of Entity	255	**Y**	Shree Om Electronics Private Limited
commercial_name	The “traded as” name of the entity	255	N	
incorporation_legal_form	The legal form of the entity	Type “legal_form_type”	**Y**	See 5.11
incorporation_number	The registration number of the entity/"company" in the relevant authority (e.g. Chamber of Commerce)	50	**Y**	
business	Specific Business area of the entity	255	**Y**	Free text describing business e.g. IT Services, Imports and Export etc.
phones	A Holder node for a 1..many Phones		**Y**	
phone	One occurrence of phone node	Type “t_phone”	**Y**	See 4.6 Type t_phone
addresses	A Holder node for a 1..many Addresses		**Y**	
address	One occurrence of address node	Type “t_address”	**Y**	4.5 Type t_address
email	Email address	email_address (255)	N	test@mail.com
url	Entity web address	255	N	www.entity.com
incorporation_state	Registering Authority	255	**Y**	Chamber of Commerce, Kathmandu
incorporation_country_code	Country	Enumeration	**Y**	See 5.14 Country Codes
director_id This node has a element **“role”** to describe the role of the subject in the entity from type entity_person_role_type	Directors, Shareholders, CEO, Managing Directors, Chairman etc of the Entity (May be multiple)	type t_person_my_client	**N**	See 4.3.1 Type t_person_my_client
incorporation_date	Incorporation registration date	Date	**Y**	
business_closed	Boolean to indicate if the company is closed down	Boolean	Y/N	
date_business_closed	If entity is closed then specify close date if any.	Date	Y/N	
tax_number	The entity PAN/VAT Number	100	**Y**	602448639
tax_reg_number	PAN/VAT Reg.date of the entity	100	**N**	
comments	Generic comments field	4000	N	

Table 5: Details type t_entity_my_client

4.2.2 Type t_entity



Figure 6: Overview type t_entity

Name	Description	Length	Req.	Example
name	Name of Entity	255	**Y**	Shree Ganesh Suppliers
commercial_name	The “traded as” name of the entity	255	N	
incorporation_legal_form	The legal form of the entity	Type “legal_form_ type”	N	
incorporation_number	the registration number of the entity/"company" in the relevant authority (e.g. Chamber of Commerce)	50	N	
business	Specific Business area of the entity	255	N	
phones	A Holder node for a 1..many Phones		N	
phone	One occurrence of phone node	Type “t_phone”	N	See 4.6 Type t_phone
addresses	A Holder node for a 1..many Addresses		N	
address	One occurrence of address node	Type “t_address”	N	4.5 Type t_address
email	Email address	email_addres s (255)	N	test@mail.com
url	Entity web address	255	N	www.entity.co m
incorporation_state	Registering Authority	255	N	
incorporation_country_code	Country	Enumeration	N	See 5.14 Country Codes
director_id	Directors, Shareholders, CEO, Managing Directors, Chairman etc of the Entity	type t_person	N	See 4.3.2 Type t_person
incorporation_date	Incorporation registration date	Date	N	
business_closed	Boolean to indicate if the company is closed down	Boolean	N	
date_business_closed	If entity is closed then specify close date if available	Date	N	
tax_number	The entity PAN/VAT number	100	N	797212314
tax_registration_number	PAN/VAT Reg.date of the entity	100	N	
comments	Generic comments field	4000	N	

Table 6: Details type t_entity

4.3.1 Type t_person_my_client

The structure of this type is similar to that of type *t_person*, with some added restrictions i.e. some nodes which are not mandatory in *t_person* may be mandatory in *t_person_my_client*

These restrictions are defined by the local FIU.



Figure 7: Overview type t_person_my_client

Name	Description	Length	Req.	Example
gender	Gender	Enumeration	**Y**	M or F or T
title	Title	30	N	Dr.
first_name	First name	100	**Y**	Dinesh, Ramesh
middle_name	Middle name if available	100	**Y**/N	Bahadur, Prasad
prefix	Prefix	100	**N**	
last_name	Last name	100	**Y**	Adhikari, Shrestha
Reporting entity should submit *birthdates* for persons who are their customers.				
birthdate	Birth date	DateTime	**Y**	1953-01-25T00:00:00
birth_place	Father's name	255	**Y**	Ram Adhikari
mothers_name	Mother's name	100	**Y**	Sita Adhikari
alias	Spouse name	100	**Y**/N	Sonu Aryal Adhikari
ssn	Used for Citizenship Number (Provide in same format as in Citizenship ID)	25	**Y**	
passport_number	Unique Passport Number	25	N	45223443
passport_country	Passport issue country (Can be reported only when there is a passport number)	25	N	
id_ number	Any additional identification number other than citizenship and passport	25	**Y**/N	Additional identification number, if other than Citizenship No. is used.
phones	A Holder node for a 1..many Phones		**Y/N**	
phone	One occurrence of phone node	Type "t_phone"	**Y/N**	See 4.6 Type t_phone
addresses	A Holder node for a 1..many Addresses		**Y**	
address	One occurrence of address node	Type t_address	**Y**	4.5 Type t_address
nationality1	Country of Nationality (1)	Enumeration	**Y**	See 5.14 Country Codes
nationality2	Country of Nationality (2)	Enumeration	N	See 5.14 Country Codes
nationality3	Country of Nationality (3)	Enumeration	N	See 5.14 Country Codes
residence	Country of residence	Enumeration	**Y**	See 5.14 Country Codes
email	Email address(if provided by Client)	Type email_address (255)	**Y**/N	test@mail.com

Name	Description	Length	Req.	Example
occupation	Occupation	255	**Y**	Financial Analyst, School Teacher
employer_name	Employer's name(if available)	255	**Y**/N	Nepal Rastra Bank
employer_address_id	Employer's address(if available)	type t_address	**Y**/N	See 4.5 Type t_address
employer_phone_id	Employer's phone(if available)	type t_phone	**Y**/N	See 4.6 Type t_phone,
identification	Subnode(s) for identification documents	type t_person_identification (This subnode can be repeated to specify multiple identification documents)	**Y**	See 4.8 Type t_person_identification
deceased	A Boolean to indicated if person has passed away	Boolean	**Y**/N	If deceased, it is required
deceased_date	If deceased, then RE can report deceased date if known as well	Date	**Y**/N	If deceased, it is required
tax_number	PAN of Client, provide if available	100	N	656734329
tax_reg_number	Grandfather's Name	100	N	
source_of_wealth	Source of Income as declared in KYC	255	**N**	
comments	Generic comments field	4000	N	

Table 7: Details type t_person_my_client

4.3.2 Type t_person



Zoom for Clear View

Figure 8: Overview type t_person

Name	Description	Length	Req.	Example
gender	Gender	Enumeration	N	M or F or T
title	Title	30	N	Dr.
first_name	First name	100	**Y**	Elyas
middle_name	Middle name	100	**Y**/N	Alva
prefix	Prefix	100	N	
last_name	Last name	100	**Y**	Machera
birthdate	Birth date	DateTime	N	1953-01-25T00:00:00
birth_place	Father's Name	255	N	Hari Adhikari
mothers_name	Mother's Name	100	N	Gita Gurung
alias	Spouse name	100	N	
ssn	Citizenship	25	N	
passport_number	Passport Number	25	N	
passport_country	Passport issue country (Can be reported only when there is a passport number)	25	N	
id_ number	Any additional identification number rather than citizenship and passport	25	N	Additional identification number, if other than Citizenship
phones	A Holder node for a 1..many Phones		N	
phone	One occurrence of phone node (provide if available)	Type "t_phone"	N	See 4.6 Type t_phone
addresses	A Holder node for a 1..many Addresses		N	
address	One occurrence of address node	Type t_address	N	4.5 Type t_address
nationality1	Country of Nationality (1)	Enumeration	N	See 5.14 Country Codes
nationality2	Country of Nationality (2)	Enumeration	N	See 5.14 Country Codes
nationality3	Country of Nationality (3)	Enumeration	N	See 5.14 Country Codes
residence	Country of residence	Enumeration	N	See 5.14 Country Codes
email	Email address	255	N	test@mail.com
occupation	Occupation	255	N	Financial Analyst
employer_name	Employer's name	255	N	Dreamway Consultancy
employer_address_id	Employer's address	type t_address	N	4.5 Type t_address

Name	Description	Length	Req.	Example
employer_phone_id	Employer's phone	type t_phone	N	See 4.6 Type t_phone
identification	Subnode(s) for identification documents	type t_person_identification (This subnode can be repeated to specify multiple identification documents)	N	See 4.8 Type t_person_identification
deceased	A Boolean to indicated if person has passed away	Boolean	N	If deceased, it is required
deceased_date	If deceased, then RE can report deceased date if known as well	Date	N	If deceased, it is required
tax_number	PAN of Client	100	N	
tax_reg_numebr	Grandfather's Name	100	N	
source_of_wealth	Source of Income	255	N	
comments	Generic comments field	4000	N	

Table 8: Details type t_person

4.4 Type t_party



Figure 9: Overview type t_party

Name	Description	Length	Req.	Example
role	Subject role in the transaction	Enumeration	**Y**	Buyer, Seller,..
Subject: One occurrence of the supported subject types must be included.				
Person	Involved Person	Type "t_person"	**Y**	See 4.3.2 Type t_person
Person_my_client	Involved Person	Type "t_person_my_client"	**Y**	See 4.3.1 Type t_person_my_client
account	Involved Account	Type "t_account"	**Y**	See 4.1.2 Type t_account
account_my_client	Involved Account	Type "t_ account_my_client"	**Y**	See 4.1.1Type t_account_my_ client
entity	Involved Entity	Type "t_ entity"	**Y**	See 4.2.2 Type t_entity
entity_my_client	Involved Entity	Type "t_ entity_my_client"	**Y**	
funds_code	Type of funds used in initiating transaction	Enumeration	**Y**	See 5.2 Funds type
funds_comment	Description, if funds_code is ''other'	255	**Y**/N	
foreign_currency	If the transaction is conducted in foreign currency, then specify the foreign currency details.	type t_foreign_currency	**Y**/N	See 4.7 Type t_foreign_currency
country	Country of the transaction	Enumeration	**Y**	See 5.14 Country Codes
significance	The significance of the subject in the transaction	Integer	N	0-10
	Generic comments	4000	N	

Table 9: Details type t_party

4.5 Type t_address



Figure 10: Overview type t_address

Name	Description	Length	Req.	Example
address_type	The contact type of the address	Enumeration	**Y**	Private, Business,.. See 5.9 Phone Address Type
address	Full Address including Street name and house number	100	**Y**	
town	Municipality/VDC	255	**Y**/N	
city	District	255	**Y**	
zip	Ward No.	10	**Y**/N	4,8,6,9
country_code	Country	Enumeration	**Y**	See 5.14 Country Codes
state	Province name or number	255	**Y**/N	1,2,3,4 etc
Comments	Generic comments (if address_ type 'other')	4000	**Y**/N	

Table 10: Details type t_address

4.6 Type t_phone



Figure 11: Overview type t_phone

Name	Description	Length	Req.	Example
tph_contact_type	The contact type of the Phone	Enumeration	**Y**	Private, Business,.. See 5.9 Phone Address Type
tph_communication_type	The comm.. type of the Phone	Enumeration	**Y**	Landline, mobile ,fax,.. See 5.10 Communication Type
tph_country_prefix	Country phone code	4	**Y**/N	0043
tph_number	Phone number	50	**Y**	6655778
tph_extension	Phone's extension	10	**Y**/N	7789
comments	Generic comments (If tph_contact_type 'unknown' is selected)	4000	**Y**/N	

Table 11: Details type t_phone

4.7 Type t_foreign_currency: Required for foreign currency transaction



Figure 12: Overview type t_foreign_currency

Name	Description	Length	Req.	Example
foreign_currency_code	Currency Code according to ISO 4217	Enumeration	**Y**	See 5.13 Currencies
foreign_amount	Transaction amount in foreign currency	Decimal	**Y**	1300.50
foreign_exchange_rate	Exchange rate which has been used for transaction	Decimal	**Y**	1.45

Table 12: Details type t_foreign_currency

4.8 Type t_person_identification



Figure 20: Overview type t_person_identification

Name	Description	Length	Req.	Example
type	Document type	Enumeration	**Y**	See 5.5 Identifier type
number	ID number of the identification document	255	**Y**	AT08154711
issue_date	Identification document issue date	DateTime	**Y/N**	2001-12-17T09:30:47
expiry_date	Identification document expiry date	DateTime	**Y**/N	2012-01-01T00:00:00
issued_by	Name of the issuing authority and issuing location	255	**Y**	District Administration Office, Morang
issue_country	Country where the document was issued	Enumeration	**Y**	See 5.14 Country Codes
comments	If type 'other' is selected	4000	**Y**/N	

Table 20: Type t_person_identification

4.9 Type report_party_type



Figure 21: Overview type report_party_type

Name	Description	Length	Req.	Example
One of the following subject nodes must be included when activity node is used				
person	Represents an involved person node	t_person type	**Y**	
account	Represents an involved account	t_account type	**Y**	
entity	Represents an involved entity	t_entity type	**Y**	
significance	The significance of the subject in the report	Integer	N	0 - 10
reason	Why the subject is involved in the current report	4000	N	
comments	Generic comments element	4000	N	

Table 21: Type report_party_type

4.10 Type director_id



Overview Type director_id

Name	Description	Length	Req.	Example
gender	gender	Enumeration	**N**	Male or female
title	Title	30	N	Dr.
first name	First name	100	**Y**	Rabindra,Mani
middle_name	Middle name	100	**N**	Nath ,Narayan
prefix	Prefix	100	**N**	
last_name	Last name	100	**Y**	Subedi,Majhi
birthdate	Birth date	Date	N	2046/04/06
birth_place	Father's Name	255	**N**	Yubraj Dahal
mothers_name	Mother's Name	255	N	Sita Dhodari
alias	Spouse	100	N	Niru Thapa
ssn	Citizenship number	25	**N**	National ID number which uniquely

Name	Description	Length	Req.	Example
				identify a person
passport_number	Passport number	100	N	10235,10255
passport_country	Password country	255	N	Nepal, Japan
id_number	ID number	100	N	
nationality1	Nationality	255	**N**	
nationality2		255	N	
nationality3		255	N	
residence	Country of residence	Enumeration	**N**	See 5.14 Country Codes
phones	One occurrence of phone node	Type "t_phones"	**N**	See 4.6 Type t_phone
addresses	One occurrence of address node	Type "t_address"	**N**	4.5 Type t_address
email	Email address	255	**N**	abc@gmail.com
occupation	Occupation	255	**N**	Financial Analyst
employer_name	Name	255	**N**	
employer_address_id	Address ID	100	**N**	
employer_phone_id		100	**N**	
identification		255	**N**	
deceased	A Boolean to indicated if person has passed away	Boolean	**N**	
date_deceased	If deceased, then RE can report deceased date if known as well	Date	**N**	
tax_number	PAN number	100	**N**	
tax_reg_number	Grandfather's Name	100	**N**	
source_of_wealth	Source of Income	255	**N**	
comments	Generic comments field	4000	**N**	

Table: Details of director_id

Note : Where the Req. =Y/N, such fields are required for some cases as specified in Opertional Guideline and if such information is availalbe with the banks

5. Lookup Values

As per schema 4.0, all schema lookups are defined as enumerations. goAML application will introduce an option to update the schema automatically with the lookup codes defined by the FIU in the "Lookup Master" screen. Reporting entities will not be able anymore to submit reports with undefined lookup codes.

Most of the lookup enumerations mentioned below are just predefined suggestions. Feel free to adjust them using "Lookup Master" screen.

The following list is of existing lookup values. It may be changed as per requirement of the FIU and updated lookup values and schema will be provided to the reporting entities whenever required.

5.1 Submission type–goAML Enumeration

Value	Description
E	Electronically
M	Manually

Table 13: Submission type

5.2 Funds type

Value	Description
K	Cash
P	Cheque
A	Deposit
E	Draft
I	FCY
O	Insurance Policy/Premium
Q	Inward Remittance
Z	Others
S	Outward Remittance
D	Transfer Payment
F	Transfer Receive
G	Traveller's Cheque
L	TT
C	Withdrawal

Table 14: Funds type

5.3 Account type

Value	Description
U	Call
B	Current
DMAT	DMAT
A	Fixed
LI	Life Insurance
D	Loan-Non Revolving
F	Loan-Others
E	Loan-Revolving
NLI	Non-Life Insurance

Z	Others
C	Savings
U	Call

Table 15: Account type

5.4 Account status type

Value	Description
A	Active
B	Inactive
C	Dormant
D	Active but Card Blocked
E	Deceased
F	Freeze
G	Freeze-Credit
H	Freeze-Debit
Z	Others
-	Unknown

Table 16: Account status type

5.5 Identifier type

Value	Description
A	Driving Licence
B	Citizenship
D	Passport
E	Voter ID
F	Government ID
G	PAN Card
Z	Others

Table 17: Identifier type

5.6 Transaction Mode Type

Value	Description
A	In-Branch
B	ATM Domestic
BSEC	Buy Securities
C	Different Branch
D	Electronic Transfer
E	ECC
F	Outward SWIFT
G	Currency Exchange
H	Draft
I	ATM International
J	POS Domestic
K	POS International
L	Traveller's Cheque
M	Inward SWIFT
N	Inward Remittance

O	Outward Remittance
P	IPS
Q	RTGS
R	TT
SSEC	Sell Securities
Z	Others

Table 25: Transaction Mode Type

5.7 Transaction Item Status

Value	Description
C	Complete
I	Incomplete
U	Uploaded
-	Unknown

Table 26: Transaction Item Status

5.8 Report Code–goAML Enumeration

Value	Description
-	Others
FXT	TTR-FCY Exchange
IRD	Incoming Request - Domestic
SAR	Suspicious Activity Report (SAR)
STR	Suspicous Transaction Report (STR)
STRH	STR-High
STRL	STR-Low
STRM	STR-Medium
STRP	STR-PEP
TCB	TTR-Cross Border
TTR	Threshold Transaction Report (TTR)
TTRC	TTR-Cash

Table 27: Report Code

5.9 Phone Address Type

Value	Description
1	Permanent Address Person
2	Registered Address Legal Person
3	Business Phone
4	Current Address Person
5	Person Phone
-	Unknown

Table 28: Phone Address Type

5.10 Communication Type

Value	Description
F	Fax
L	Landline Phone
M	Mobile Phone

-	Unknown

Table 29: Communication Type

5.11 Entity Legal Form Type

Value	Description
A	Private Limited-Domestic
B	Public Limited-Domestic
C	Public Limited-Foreign
D	Non-Profit Organization-Domestic
E	Public Enterprise-Foreign
F	Public Enterprise-Domestic
G	Government Entity-Foreign
H	Government Entity-Domestic
I	Private Firm
J	Partnership-Foreign
K	Partnership-Domestic
L	Police, Army and Defense
M	Unassociated Organization
N	Non-Profit Organization-Foreign
O	Private Limited-Foreign
Z	Others

Table 30: Entity Legal Form Type

5.12 Transaction Item Type

Value	Description
E	Equipment
F	Furniture
J	Jewellery
P	Property
V	Vehicle
W	Weapon
-	Unknown

Table 31: Transaction Item Type

5.13 Currencies - Enumeration

World Currencies (and their abbreviations) listed by ISO 4217

Value	Description
AED	United Arab Emirates Dirham
AFN	Afghan afghani
ALL	Lek
AMD	Dram
ANG	Netherlands Antilles Guilder
AOA	Angolan kwanza
AOK	Kwanza
ARS	Argentinean Nuevo Peso
AUD	Australian Dollar
AWG	Aruban Guilder
AZN	Azerbaijani manat

Value	Description
BAM	Convertible Mark
BBD	Barbados Dollar
BDT	Taka
BEC	Convertible Belgian Franc (no longer in use)
BEL	Financial Belgian Franc (no longer in use)
BGN	Bulgarian lev
BHD	Bahraini Dinar
BIF	Burundi Franc
BMD	Bermudian Dollar
BND	Brunei Dollar
BOB	Boliviano
BRL	Real
BSD	Bahamian Dollar
BTN	Ngultrum
BUK	Replaced by MMK
BWP	Pula
BYR	Belarussian Rouble
BZD	Belize Dollar
CAD	Canadian Dollar
CDF	Congolese franc
CDZ	New Zaïre
CHE	WIR Bank (complementary currency)
CHF	Swiss Franc
CHW	WIR Bank (complementary currency)
CLF	Unidades de Fomento
CLP	Chilean Peso
CNY	Yuan Renminbi
COP	Colombian Peso
COU	Unidad de Valor Real
CRC	Costa Rican Colón
CUP	Cuban Peso
CVE	Escudo Caboverdiano
CZK	Czech Koruna
DJF	Djibouti Franc
DKK	Danish Krone
DOP	Dominican Republic Peso
DZD	Algerian Dinar
EEK	Kroon
EGP	Egyptian Pound
ERN	Eritrean Nakfa
ETB	Ethiopian Birr
EUR	Euro (replacement name for the ECU)
FJD	Fiji Dollar
FKP	Falkland Pound
GBP	Pound Sterling (United Kingdom Pound)
GEL	Lari
GHS	Ghanaian cedi
GIP	Gibraltar Pound
GMD	Dalasi
GNF	Guinean franc
GNS	Syli (also known as Guinea Franc)

Value	Description
GTQ	Quetzal
GYD	Guyana Dollar
HKD	Hong Kong Dollar
HNL	Lempira
HRK	Croatian Kuna
HTG	Gourde
HUF	Forint
IDR	Rupiah
ILS	Shekel
INR	Indian Rupee
IQD	Iraqi Dinar
IRR	Iranian Rial
ISK	Icelandic Króna
JMD	Jamaican Dollar
JOD	Jordanian Dinar
JPY	Yen
KES	Kenyan Shilling
KGS	Kyrgyzstani Som
KHR	Riel
KMF	Comorian Franc
KPW	Democratic People's Republic of Korean Won
KRW	Republic of Korean Won
KWD	Kuwaiti Dinar
KYD	Cayman Islands Dollar
KZT	Tenge
LAK	Kip
LBP	Lebanese Pound
LKR	Sri Lankan Rupee
LRD	Liberian Dollar
LSL	Loti
LSM	Maloti
LTL	Litas
LVL	Lats
LYD	Libyan Dinar
MAD	Moroccan Dirham
MDL	Moldavian Leu
MGA	Malagasy ariary
MKD	Macedonian Dinar
MMK	Kyat
MNT	Tugrik
MOP	Pataca
MRO	Ouguiya
MTP	Maltese Pound, replaced by Maltese Lira
MUR	Mauritius Rupee
MVR	Rufiyaa
MWK	Malawian Kwacha
MXN	Mexican New Peso (replacement for Mexican Peso)
MYR	Ringgit (also known as Malaysian Dollar)
MZN	Mozambican metical
NAD	Namibian Dollar
NGN	Naira

Value	Description
NIO	Cordoba oro
NOK	Norwegian Krone
NPR	Nepalese Rupee
NZD	New Zealand Dollar
OMR	Omani Rial
PAB	Balboa
PEN	New Sol
PES	Sol (replaced by New Sol [PEN])
PGK	Kina
PHP	Philippines Peso
PKR	Pakistani Rupee
PLN	New Zloty
PYG	Guarani
QAR	Qatari Riyal
RON	Romanian new leu
RSD	Serbian dinar
RUB	Russian Federation Rouble (formerly RUR)
RWF	Rwandan Franc
SAR	Saudi Riyal
SBD	Solomon Islands Dollar
SCR	Seychelles Rupee
SDG	Sudanese pound
SEK	Swedish Krona
SGD	Singapore Dollar
SHP	St Helena Pound
SLL	Leone
SOS	Somali Shilling
SRD	Surinamese dollar
SSP	South Sudanese Pound
STD	Dobra
SYP	Syrian Pound
SZL	Lilangeni
THB	Baht
TJS	Tajikistani somoni
TMT	Turkmenistani manat
TND	Tunisian Dinar
TOP	Pa'anga
TPE	Timorian Escudo
TRY	Turkish lira
TTD	Trinidad and Tobago Dollar
TWD	Taiwan Dollar
TZS	Tanzanian Shilling
UAH	Hryvna
UGX	Ugandan shilling
UKP	Incorrectly used for GBP
USD	United States Dollar
USN	United States Dollar (Next day)
USS	United States Dollar (Same day)
UYP	Uruguayan Peso, replaced by Uruguayan New Peso (UYU)
UYU	Uruguayan New Peso
UZS	Uzbekistani Som

Value	Description
VEF	Venezuelan bolívar fuerte
VND	Viet Nam Dông
VUV	Vatu
WST	Tala
XAF	Franc de la Communauté financière africaine
XAG	Silver (one troy ounce)
XAU	Gold
XBA	European Composite Unit
XBB	European Monetary Unit
XBC	European Unit of Account 9
XBD	European Unit of Account 17
XCD	East Caribbean Dollar
XDR	International Monetary Fund Special Drawing Rights
XFU	UIC franc (special settlement currency)
XOF	West African Franc
XPD	Palladium (one troy ounce)
XPF	Franc des Comptoirs français du Pacifique
XPT	Platinum (one troy ounce)
XTS	Code reserved for testing purposes
XXX	No currency
YER	Yemeni Riyal
ZAR	Rand
ZMK	Zambian Kwacha (obsolete)
ZMW	Zambian Kwacha

Table 32: Currency Codes

5.14 Country Codes - Enumeration

This list states the country names (official short names in English) in alphabetical order as given in ISO 3166-1 and the corresponding ISO 3166-1-alpha-2 code elements.

Value	Description
AF	AFGHANISTAN
AX	ÅLAND ISLANDS
AL	ALBANIA
DZ	ALGERIA
AS	AMERICAN SAMOA
AD	ANDORRA
AO	ANGOLA
AI	ANGUILLA
AQ	ANTARCTICA_ENG
AG	ANTIGUA AND BARBUDA
AR	ARGENTINA
AM	ARMENIA
AW	ARUBA
AU	AUSTRALIA
AT	AUSTRIA
AZ	AZERBAIJAN
BS	BAHAMAS
BH	BAHRAIN
BD	BANGLADESH

Value	Description
BB	BARBADOS
BY	BELARUS
BE	BELGIUM
BZ	BELIZE
BJ	BENIN
BM	BERMUDA
BT	BHUTAN
BO	BOLIVIA
BQ	Bonaire, Saint Eustatius and Saba
BA	BOSNIA AND HERZEGOVINA
BW	BOTSWANA
BV	BOUVET ISLAND
BR	BRAZIL
IO	BRITISH INDIAN OCEAN TERRITORY
BN	BRUNEI DARUSSALAM
BG	BULGARIA
BF	BURKINA FASO
BI	BURUNDI
KH	CAMBODIA
CM	CAMEROON
CA	CANADA
CV	CAPE VERDE
KY	CAYMAN ISLANDS
CF	CENTRAL AFRICAN REPUBLIC
TD	CHAD
CL	CHILE
CN	CHINA
CX	CHRISTMAS ISLAND
CC	COCOS (KEELING) ISLANDS
CO	COLOMBIA
KM	COMOROS
CG	CONGO
CD	CONGO, THE DEMOCRATIC REPUBLIC OF THE
CK	COOK ISLANDS
CR	COSTA RICA
CI	COTE D'IVOIRE
HR	CROATIA
CU	CUBA
CW	Curaçao
CY	CYPRUS
CZ	CZECH REPUBLIC
DK	DENMARK
DJ	DJIBOUTI
DM	DOMINICA
DO	DOMINICAN REPUBLIC
EC	ECUADOR
EG	EGYPT
SV	EL SALVADOR
GQ	EQUATORIAL GUINEA
ER	ERITREA
EE	ESTONIA

Value	Description
ET	ETHIOPIA
FK	FALKLAND ISLANDS (MALVINAS)
FO	FAROE ISLANDS
FJ	FIJI
FI	FINLAND
FR	FRANCE
GF	FRENCH GUIANA
PF	FRENCH POLYNESIA
TF	FRENCH SOUTHERN TERRITORIES
GA	GABON
GM	GAMBIA
GE	GEORGIA
DE	GERMANY
GH	GHANA
GI	GIBRALTAR
GR	GREECE
GL	GREENLAND
GD	GRENADA
GP	GUADELOUPE
GU	GUAM
GT	GUATEMALA
GG	GUERNSEY
GN	GUINEA
GW	GUINEA-BISSAU
GY	GUYANA
HT	HAITI
HM	HEARD ISLAND AND MCDONALD ISLANDS
VA	HOLY SEE (VATICAN CITY STATE)
HN	HONDURAS
HK	HONG KONG
HU	HUNGARY
IS	ICELAND
IN	INDIA
ID	INDONESIA
IR	IRAN, ISLAMIC REPUBLIC OF
IQ	IRAQ
IE	IRELAND
IM	ISLE OF MAN
IL	ISRAEL
IT	ITALY
JM	JAMAICA
JP	JAPAN
JE	JERSEY
JO	JORDAN
KZ	KAZAKHSTAN
KE	KENYA
KI	KIRIBATI
KP	KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF
KR	KOREA, REPUBLIC OF
XK	KOSOVO
KS	KOSOVO (Old - KS)

Value	Description
KW	KUWAIT
KG	KYRGYZSTAN
LA	LAO PEOPLE'S DEMOCRATIC REPUBLIC
LV	LATVIA
LB	LEBANON
LS	LESOTHO
LR	LIBERIA
LY	LIBYAN ARAB JAMAHIRIYA
LI	LIECHTENSTEIN
LT	LITHUANIA
LU	LUXEMBOURG
MO	MACAO
MK	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF
MG	MADAGASCAR
MW	MALAWI
MY	MALAYSIA
MV	MALDIVES
ML	MALI
MT	MALTA
MH	MARSHALL ISLANDS
MQ	MARTINIQUE
MR	MAURITANIA
MU	MAURITIUS
YT	MAYOTTE
MX	MEXICO
FM	MICRONESIA, FEDERATED STATES OF
MD	MOLDOVA, REPUBLIC OF
MC	MONACO
MN	MONGOLIA
ME	Montenegro
MS	MONTSERRAT
MA	MOROCCO
MZ	MOZAMBIQUE
MM	MYANMAR
NA	NAMIBIA
NR	NAURU
NP	NEPAL
NL	NETHERLANDS
AN	NETHERLANDS ANTILLES
NC	NEW CALEDONIA
NZ	NEW ZEALAND
NI	NICARAGUA
NE	NIGER
NG	NIGERIA
NU	NIUE
NF	NORFOLK ISLAND
MP	NORTHERN MARIANA ISLANDS
NO	NORWAY
OM	OMAN
PK	PAKISTAN
PW	PALAU

Value	Description
PS	PALESTINIAN TERRITORY, OCCUPIED
PA	PANAMA
PG	PAPUA NEW GUINEA
PY	PARAGUAY
PE	PERU
PH	PHILIPPINES
PN	PITCAIRN
PL	POLAND
PT	PORTUGAL
PR	PUERTO RICO
QA	QATAR
RE	REUNION
RO	ROMANIA
RU	RUSSIAN FEDERATION
RW	RWANDA
BL	SAINT BARTHÉLEMY
SH	SAINT HELENA
KN	SAINT KITTS AND NEVIS
LC	SAINT LUCIA
MF	SAINT MARTIN (FRENCH PART)
PM	SAINT PIERRE AND MIQUELON
VC	SAINT VINCENT AND THE GRENADINES
WS	SAMOA
SM	SAN MARINO
ST	SAO TOME AND PRINCIPE
SA	SAUDI ARABIA
SN	SENEGAL
RS	Serbia
SC	SEYCHELLES
SL	SIERRA LEONE
SG	SINGAPORE
SX	Sint Maarten (Dutch part)
SK	SLOVAKIA
SI	SLOVENIA
SB	SOLOMON ISLANDS
SO	SOMALIA
ZA	SOUTH AFRICA
GS	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS
SS	South Sudan
ES	SPAIN
LK	SRI LANKA
SD	SUDAN
SR	SURINAME
SJ	SVALBARD AND JAN MAYEN
SZ	SWAZILAND
SE	SWEDEN
CH	SWITZERLAND
SY	SYRIAN ARAB REPUBLIC
TW	TAIWAN, PROVINCE OF CHINA
TJ	TAJIKISTAN
TZ	TANZANIA, UNITED REPUBLIC OF

Value	Description
TH	THAILAND
TL	TIMOR-LESTE
TG	TOGO
TK	TOKELAU
TO	TONGA
TT	TRINIDAD AND TOBAGO
TN	TUNISIA
TR	TURKEY
TM	TURKMENISTAN
TC	TURKS AND CAICOS ISLANDS
TV	TUVALU
UG	UGANDA
UA	UKRAINE
AE	UNITED ARAB EMIRATES
GB	UNITED KINGDOM
US	UNITED STATES
UM	UNITED STATES MINOR OUTLYING ISLANDS
-	UNKNOWN
UY	URUGUAY
UZ	UZBEKISTAN
VU	VANUATU
VE	VENEZUELA
VN	VIET NAM
VG	VIRGIN ISLANDS, BRITISH
VI	VIRGIN ISLANDS, U.S.
WF	WALLIS AND FUTUNA
EH	WESTERN SAHARA
YE	YEMEN
ZM	ZAMBIA
ZW	ZIMBABWE

Table 33: Country Codes

5.15 Account_person_role_type

Value	Description
A	Primary Signatory
CL	Client Account
J	Joint Signatory
LG	Legal Guardian
M	Minor Beneficiary
P	Power of Attorney
SS	Secondary Signatory
Z	Others

5.16 Entity_person_role_type

Value	Description
A	Director
BM	Managing Director
CEO	CEO
CS	Company Secretary
ECM	Executive Committee Member
SH	Shareholder
UBO	Beneficial Owner
Z	Others