SIMATS ENGINEERING

MCQ Test

COURSE NAME: Software Testing **COURSE CODE: CSA37**

COURSE OUTCOME COVERED

CO1: *Apply software testing principles to enhance the effectiveness of software quality assurance and improve defect detection strategies.*
Assessment Tool Weightage: 20%

Sl. No	MCQ Questions	Bloom's Level
1	A team applies systematic test design techniques during development. This reflects: a) Debugging b) Testing as an engineering activity c) Maintenance d) Deployment	3
2	If a project skips defined testing processes, what is the likely outcome? a) Faster delivery with high quality b) Increased defects in production c) Reduced testing cost only d) Improved documentation	3
3	Selecting test cases based on requirements demonstrates: a) Random testing b) Process-driven testing c) Ad hoc testing d) Maintenance testing	3
4	Applying equivalence partitioning is an example of: a) Debugging b) Test design technique c) Coding standard d) Deployment activity	3
5	A tester identifies missing requirements during testing. This shows: a) Coding error b) Process gap c) User error d) Hardware issue	3
6	Following a structured testing lifecycle ensures: a) Random defect detection b) Improved software quality c) Less documentation d) No defects	3
7	Which activity best represents testing as a process? a) Writing code b) Executing test cases systematically c) Deploying software d) User training	3
8	A tester reuses test cases from a repository. This supports: a) Efficiency in testing b) Increased coding errors c) Reduced coverage d) Random testing	3
9	If defects are tracked and analyzed, it improves: a) Coding speed b) Software quality process c) Deployment time d) User interface	3
10	Applying boundary value analysis helps to: a) Increase documentation b) Detect edge-case defects c) Reduce execution time d) Avoid testing	3
11	A tester validates system behavior against requirements. This is: a) Verification b) Validation c) Debugging d) Coding	3

12	Detecting defects before release reduces: a) Development effort b) Maintenance cost c) Coding standards d) Testing scope	3
13	Applying testing principles ensures: a) Zero defects guarantee b) Early defect detection c) No testing needed d) Faster coding	3
14	Which principle suggests testing all inputs is impossible? a) Exhaustive testing b) Exhaustive testing is impossible c) Early testing d) Defect clustering	3
15	A tester focuses on frequently failing modules. This uses: a) Random testing b) Defect clustering principle c) Regression testing d) Smoke testing	3
16	If testing starts early in SDLC, it helps: a) Reduce defects cost b) Increase coding errors c) Delay project d) Skip documentation	3
17	A tester designs test cases independently from developers. This ensures: a) Bias b) Objectivity c) Delay d) Redundancy	3
18	A tester reviews requirements for errors. Role performed is: a) Developer b) Tester c) Manager d) User	3
19	Reporting defects clearly is part of: a) Coding b) Tester's responsibility c) Deployment d) Maintenance	3
20	A tester collaborates with developers to fix bugs. This shows: a) Isolation b) Teamwork c) Delay d) Redundancy	3
21	A requirement ambiguity causes defects. Origin is: a) Coding b) Requirements phase c) Testing phase d) Deployment	3
22	Incorrect algorithm implementation leads to: a) Requirement defect b) Design defect c) Coding defect d) Testing defect	3
23	Missing validation checks are example of: a) Design defects b) Coding defects c) Requirement defects d) Deployment defects	3
24	Poor UI design causing confusion is: a) Coding defect b) Design defect c) Requirement defect d) Hardware defect	3
25	A system crash due to memory leak is: a) Requirement defect b) Coding defect c) Design defect d) Documentation defect	3
26	Classifying defects based on severity helps: a) Ignore defects b) Prioritize fixing c) Delay release d) Increase cost	3
27	A critical defect impacts: a) Minor feature b) Core functionality c) UI color d) Documentation	3
28	A minor defect example is: a) System crash b) Login failure c) Typo error d) Data loss	3
29	Defect classification helps testers to: a) Ignore bugs b) Organize defects c) Skip testing d) Increase errors	3


30	A defect repository is used to: a) Store code b) Store test cases c) Store defect details d) Store UI designs	3
31	Reusing defect data helps in: a) Predicting issues b) Increasing bugs c) Reducing tests d) Skipping phases	3
32	A defect repository improves: a) Code complexity b) Testing efficiency c) User interface d) Deployment speed	3
33	Logging defects with details ensures: a) Confusion b) Traceability c) Delay d) Redundancy	3
34	A tester uses past defect data to design tests. This is: a) Random testing b) Experience-based testing c) Debugging d) Deployment	3
35	Incorrect login validation is an example of: a) Functional defect b) Performance defect c) Security defect d) UI defect	3
36	Slow response time is a: a) Functional defect b) Performance defect c) UI defect d) Coding standard	3
37	Unauthorized data access indicates: a) UI defect b) Security defect c) Functional defect d) Design defect	3
38	Missing button functionality is: a) Functional defect b) Security defect c) Performance defect d) Hardware defect	3
39	Poor alignment in UI is: a) Functional defect b) UI defect c) Security defect d) Design defect	3
40	Applying testing principles avoids: a) Coding b) Redundant tests c) Deployment d) Maintenance	3
41	A tester validates outputs using expected results. This is: a) Debugging b) Test execution c) Coding d) Maintenance	3
42	If defects are not tracked, it leads to: a) Better quality b) Poor traceability c) Faster delivery d) No impact	3
43	Applying test process ensures: a) Random results b) Structured testing c) No defects d) No planning	3
44	Test case design based on requirements ensures: a) Low coverage b) High coverage c) No defects d) Less effort	3
45	Early testing reduces: a) Defect cost b) Code size c) UI design d) Deployment time	3
46	A tester identifies repeated defects. This indicates: a) Good design b) Poor process c) No issue d) Perfect testing	3
47	Reviewing test results helps: a) Ignore defects b) Improve quality c) Skip testing d) Reduce effort	3
48	A tester applies regression testing to: a) Add features b) Ensure fixes work c) Deploy software d) Design UI	3
49	Identifying root cause of defects helps: a) Increase bugs b) Prevent recurrence c) Delay testing d) Skip coding	3
50	A test plan ensures: a) Random execution b) Organized testing c) No testing d) No defects	3
51	Applying defect classification improves: a) Testing cost b) Fix prioritization c) Coding errors d) UI design	3

52	A tester uses historical defect trends. This helps in: a) Ignoring defects b) Risk-based testing c) Deployment d) Coding	3
53	Testing ensures product meets: a) Developer needs b) User requirements c) Tester goals d) Manager plans	3
54	A defect due to wrong requirement interpretation is: a) Coding defect b) Requirement defect c) UI defect d) Hardware defect	3
55	Applying process standards ensures: a) Poor quality b) Consistent quality c) No testing d) Random output	3
56	A tester documents defects clearly. This helps: a) Developers fix quickly b) Increase errors c) Delay release d) Reduce quality	3
57	A defect repository is analyzed to: a) Increase cost b) Improve testing strategy c) Skip testing d) Reduce quality	3
58	A tester applies black-box testing. This focuses on: a) Internal code b) External behavior c) Hardware d) Deployment	3
59	Defects found in testing phase indicate: a) Perfect design b) Earlier phase issues c) No issues d) Hardware problems	3
60	Applying structured testing improves: a) Random results b) Product reliability c) Coding errors d) Deployment delay	3

Code of Conduct:

I S Manoj Kumar 192311095 (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment.
I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the student:



RUBRICS FOR CALCULATION:

Criteria	Weightage (%)	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Conceptual Understanding	30%	Demonstrates thorough understanding; answers all questions accurately	Shows good understanding with few errors	Partial understanding; several incorrect responses	Lacks understanding; majority of answers incorrect
Accuracy of Answers	25%	All answers are correct	Most answers are correct with minor mistakes	Some correct answers; frequent errors	Mostly incorrect answers
Application of Knowledge	20%	Correctly applies concepts to problem-based questions	Applies concepts with minor errors	Limited ability to apply concepts	Unable to apply concepts
Time Management	15%	Completes quiz well within time efficiently	Completes on time with minor delays	Requires extra time or rushes through questions	Unable to complete within given time
Question Interpretation	10%	Interprets all questions correctly and responds appropriately	Misinterprets a few questions	Often misinterprets questions	Unable to understand questions

1. Option B — Testing as an engineering activity
2. Option B — Increased defects in production
3. Option B — Process-driven testing
4. Option B — Test design technique
5. Option B — Process gap
6. Option B — Improved software quality
7. Option B — Executing test cases systematically
8. Option A — Efficiency in testing
9. Option B — Software quality process
10. Option B — Detect edge-case defects
11. Option B — Validation
12. Option B — Maintenance cost
13. Option B — Early defect detection
14. Option B — Exhaustive testing is impossible
15. Option B — Defect clustering principle
16. Option A — Reduce defects cost
17. Option B — Objectivity
18. Option B — Tester
19. Option B — Tester's responsibility
20. Option B — Teamwork
21. Option B — Requirements phase
22. Option C — Coding defect
23. Option B — Coding defects
24. Option B — Design defect
25. Option B — Coding defect
26. Option B — Prioritize fixing
27. Option B — Core functionality
28. Option C — Typo error
29. Option B — Organize defects
30. Option C — Store defect details
31. Option A — Predicting issues
32. Option B — Testing efficiency
33. Option B — Traceability
34. Option B — Experience-based testing
35. Option A — Functional defect
36. Option B — Performance defect
37. Option B — Security defect
38. Option A — Functional defect
39. Option B — UI defect
40. Option B — Redundant tests
41. Option B — Test execution
42. Option B — Poor traceability
43. Option B — Structured testing
44. Option B — High coverage
45. Option A — Defect cost
46. Option B — Poor process
47. Option B — Improve quality
48. Option B — Ensure fixes work
49. Option B — Prevent recurrence
50. Option B — Organized testing

51. Option B — Fix prioritization

52. Option B — Risk-based testing
53. Option B — User requirements
54. Option B — Requirement defect
55. Option B — Consistent quality
56. Option A — Developers fix quickly
57. Option B — Improve testing strategy
58. Option B — External behavior
59. Option B — Earlier phase issues
60. Option B — Product reliability