

Rules of Hooks and Fetching Data with Hooks

Advanced hooks

✓ **Video:** What is useReducer and how it differs from useState
4 min

✓ **Reading:** When to choose useReducer vs useState
10 min

✓ **Video:** useRef to access underlying DOM
2 min

📖 **Reading:** Custom hooks
10 min

📁 **Lab:** Exercise: Create your own custom hook, usePrevious
1h

📁 **Reading:** Solution: Create your own custom hook, usePrevious
10 min

📖 **Practice Quiz:** Self-review: Create your own custom hook, usePrevious
12 min

📖 **Practice Quiz:** Knowledge check: Advanced Hooks
15 min

📖 **Video:** Module

[Home](#) > [Module 2](#) > Custom hooks[Previous](#) [Next](#)

Custom hooks

React has some built-in hooks, such as the `useState` hook, or the `useRef` hook, which you learned about earlier. However, as a React developer, you can write your own hooks. So, why would you want to write a custom hook?

In essence, hooks give you a repeatable, streamlined way to deal with specific requirements in your React apps. For example, the `useState` hook gives us a reliable way to deal with state updates in React components.

A custom hook is simply a way to extract a piece of functionality that you can use again and again. Put differently, you can code a custom hook when you want to avoid duplication or when you do not want to build a piece of functionality from scratch across multiple React projects. By coding a custom hook, you can create a reliable and streamlined way to reuse a piece of functionality in your React apps.

To understand how this works, let's explore how to build a custom hook. To put this in context, let's also code a very simple React app.

The entire React app is inside the App component below:

```
1 import { useState } from "react";
2
3 function App() {
4   const [count, setCount] = useState(0);
5
6   function increment() {
7     setCount(prevCount => prevCount + 1)
8   }
9
10  return (
11    <div>
12      <h1>Count: {count}</h1>
13      <button onClick={increment}>Plus 1</button>
14    </div>
15  );
16 }
17
18 export default App;
```

This is a simple app with an `h1` heading that shows the value of the count state variable and a button with an `onClick` event-handling attribute which, when triggered, invokes the `increment()` function.

The hook will be simple too. It will console log a variable's value whenever it gets updated.

Remember that the proper way to handle `console.log()` invocations is to use the `useEffect` hook.

So, this means that my custom hook will:

1. Need to use the `useEffect` hook and
2. Be a separate file that you'll then use in the App component.

How to name a custom hook

A custom hook needs to have a name that begins with `use`.

Because the hook in this example will be used to log values to the console, let's name the hook `useConsoleLog`.

Coding a custom hook

Now's the time to explore how to code the custom hook.

First, you'll add it as a separate file, which you can name `useConsoleLog.js`, and add it to the root of the `src` folder, in the same place where the App.js component is located.

Here's the code of the `useConsoleLog.js` file:

```
1 import { useEffect } from "react";
2
3 function useConsoleLog(varName) {
4   useEffect(() => {
5     console.log(varName);
6   }, [varName]);
7 }
8
9 export default useConsoleLog;
```

Using a custom hook

Now that the custom hook has been coded, you can use it in any component in your app.

Since the app in the example only has a single component, named App, you can use it to update this component.

The `useConsoleLog` hook can be imported as follows:

```
import useConsoleLog from "../useConsoleLog";
```

And then, to use it, under the state-setting code, I'll just add the following line of code:

```
useConsoleLog(count);
```

Here's the completed code of the App.js file:

```
1 import { useState } from "react";
2 import useConsoleLog from "../useConsoleLog";
3
4 function App() {
5   const [count, setCount] = useState(0);
6   useConsoleLog(count);
7
8   function increment() {
9     setCount(prevCount => prevCount + 1);
10  }
11
12  return (
13    <div>
14      <h1>Count: {count}</h1>
15      <button onClick={increment}>Plus 1</button>
16    </div>
17  );
18 }
19
20 export default App;
```

coach

coach

This update confirms the statement made at the beginning of this reading, which is that custom hooks are a way to extract functionality that can then be reused throughout your React apps

Conclusion

You have learned how to name, build and use custom hooks in React.

Mark as completed

 Like  Dislike  Report an issue