# Outputs

Questions  CRUD Operations

http://localhost:8080/api/v1/question/add

Save | Share

POST http://localhost:8080/api/v1/question/add Send

Params | Authorization | Headers (9) | Body | Scripts | Tests | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON | Beautify

```
{
    "questionTitle": "Which annotation is used to start a Spring Boot application?",
    "option1": "@SpringApplication",
    "option2": "@SpringBootApplication",
    "option3": "@EnableBoot",
    "option4": "@SpringRun",
    "correctAnswer": "@SpringBootApplication",
    "difficultyLevel": "EASY",
    "category": "JAVA"
}
```

Body | Cookies | Headers (5) | Test Results

200 OK · 77 ms · 456 B

{} JSON | Preview | Visualize

```
{
    "questionTitle": "Which annotation is used to start a Spring Boot application?",
    "option1": "@SpringApplication",
    "option2": "@SpringBootApplication",
    "option3": "@EnableBoot",
    "option4": "@SpringRun",
    "correctAnswer": "@SpringBootApplication",
    "category": "JAVA",
    "difficultyLevel": "EASY",
    "questionID": 1
}
```

POST http://localhost:8080/api/v1/question/add

Send

Params Authorization Headers (9) Body Scripts Tests Settings

Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify

```
{
  "questionTitle": "Which SQL command is used to retrieve data from a database?",
  "option1": "GET",
  "option2": "SELECT",
  "option3": "FETCH",
  "option4": "PULL",
  "correctAnswer": "SELECT",
  "category": "MYSQL",
  "difficultyLevel": "HIGH"
}
```

Body Cookies Headers (5) Test Results

200 OK • 11 ms • 397 B

JSON Preview Visualize

```
{
    "questionTitle": "Which SQL command is used to retrieve data from a database?",
    "option1": "GET",
    "option2": "SELECT",
    "option3": "FETCH",
    "option4": "PULL",
    "correctAnswer": "SELECT",
    "category": "MYSQL",
    "difficultyLevel": "HIGH",
    "questionID": 4
}
```

GET http://localhost:8080/api/v1/question

Send

Params Authorization Headers (9) Body Scripts Tests Settings

Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify


```
{
  "questionTitle": "Which SQL command is used to retrieve data from a database?",
  "option1": "GET",
  "option2": "SELECT",
  "option3": "FETCH",
  "option4": "PULL",
  "correctAnswer": "SELECT",
  "category": "MYSQL",
  "difficultyLevel": "HIGH"
}
```


Body Cookies Headers (5) Test Results

200 OK • 85 ms • 1.53 KB

JSON Preview Visualize


```
        "questionTitle": "Which annotation is used to start a Spring Boot application?",
        "option1": "@SpringApplication",
        "option2": "@SpringBootApplication",
        "option3": "@EnableBoot",
        "option4": "@SpringRun",
        "correctAnswer": "@SpringBootApplication",
        "category": "JAVA",
        "difficultyLevel": "EASY",
        "questionID": 1
    },
    {
        "questionTitle": "What keyword is used to inherit a class in Java?",
```

GET http://localhost:8080/api/v1/question/3 Send

Params Authorization Headers (9) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
{
  "questionTitle": "Which SQL command is used to retrieve data from a database?",
  "option1": "GET",
  "option2": "SELECT",
  "option3": "FETCH",
  "option4": "PULL",
  "correctAnswer": "SELECT",
  "category": "MYSQL",
  "difficultyLevel": "HIGH"
}
```

Body Cookies Headers (5) Test Results 200 OK • 20 ms • 480 B

{} JSON Preview Visualize

```
{
    "questionTitle": "What does HTML stand for?",
    "option1": "Hyper Text Markup Language",
    "option2": "Home Tool Markup Language",
    "option3": "Hyperlinks and Text Markup Language",
    "option4": "Hyper Text Multiple Language",
    "correctAnswer": "Hyper Text Markup Language",
    "category": "HTML",
    "difficultyLevel": "MEDIUM",
    "questionID": 3
}
```

GET http://localhost:8080/api/v1/question/category/JAVA

Send

Params Authorization Headers (9) Body Scripts Tests Settings

Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify


```
{
  "questionTitle": "Which SQL command is used to retrieve data from a database?",
  "option1": "GET",
  "option2": "SELECT",
  "option3": "FETCH",
  "option4": "PULL",
  "correctAnswer": "SELECT",
  "category": "MYSQL",
  "difficultyLevel": "HIGH"
}
```


Body Cookies Headers (5) Test Results

200 OK • 22 ms • 698 B

JSON Preview Visualize


```
[
    {
        "questionTitle": "Which annotation is used to start a Spring Boot application?",
        "option1": "@SpringApplication",
        "option2": "@SpringBootApplication",
        "option3": "@EnableBoot",
        "option4": "@SpringRun",
        "correctAnswer": "@SpringBootApplication",
        "category": "JAVA",
        "difficultyLevel": "EASY",
        "questionID": 1
    },
```

PUT http://localhost:8080/api/v1/question/2 Send

Params Authorization Headers (9) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
{
  "questionTitle": "Which SQL command is used to retrieve data from a database?",
  "option1": "GET",
  "option2": "SELECT",
  "option3": "FETCH",
  "option4": "PULL",
  "correctAnswer": "SELECT",
  "category": "JAVA",
  "difficultyLevel": "MEDIUM"
}
```

Body Cookies Headers (5) Test Results 200 OK 12 ms 398 B

JSON Preview Visualize

```
{
    "questionTitle": "Which SQL command is used to retrieve data from a database?",
    "option1": "GET",
    "option2": "SELECT",
    "option3": "FETCH",
    "option4": "PULL",
    "correctAnswer": "SELECT",
    "category": "JAVA",
    "difficultyLevel": "MEDIUM",
    "questionID": 2
}
```

# Quiz CRUD Operations

POST http://localhost:8080/api/v1/quiz/create?category=JAVA&level=EASY&title=Java Basics Quiz

Send

Params Authorization Headers (10) Body Scripts Tests Settings

Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify

Body Cookies Headers (5) Test Results

200 OK 109 ms 506 B

JSON Preview Visualize


```
{
    "id": 1,
    "title": "Java Basics Quiz",
    "questions": [
        {
            "questionTitle": "Which annotation is used to start a Spring Boot application?",
            "option1": "@SpringApplication",
            "option2": "@SpringBootApplication",
            "option3": "@EnableBoot",
            "option4": "@SpringRun",
            "correctAnswer": "@SpringBootApplication",
            "category": "JAVA",
```


Postbot Runner Start Proxy Cookies Vault Trash

POST http://localhost:8080/api/v1/quiz/submitQuiz/1 Send

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
[
  {
    "questionId": 10,
    "givenAnswer": "Java Virtual Machine"
  },
  {
    "questionId": 11,
    "givenAnswer": "extends"
  }
]
```

Body Cookies Headers (5) Test Results 200 OK 17 ms 165 B

{} JSON Preview Visualize

```
0
```

GET http://localhost:8080/api/v1/quiz/getQuizByID/1 Send

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify


```
[
  {
    "questionId": 10,
    "givenAnswer": "Java Virtual Machine"
  },
  {
    "questionId": 11,
    "givenAnswer": "extends"
  }
]
```


Body Cookies Headers (5) Test Results 200 OK 12 ms 366 B

JSON Preview Visualize


```
[
    {
        "id": 1,
        "questionTitle": "Which annotation is used to start a Spring Boot application?",
        "option1": "@SpringApplication",
        "option2": "@SpringBootApplication",
        "option3": "@EnableBoot",
        "option4": "@SpringRun"
    }
]
```

# Custom Exception

GET http://localhost:8080/api/v1/question/123 Send

Params Authorization Headers (10) Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
[
  {
    "questionId": 10,
    "givenAnswer": "Java Virtual Machine"
  },
  {
    "questionId": 11,
    "givenAnswer": "extends"
  }
]
```

Body Cookies Headers (5) Test Results 404 Not Found • 184 ms • 251 B

{} JSON Preview Visualize

```
{
    "message": "Question not found with id: 123",
    "status": "USER_NOT_FOUND_EXCEPTON"
}
```

# Logging

HybernateEclipseExample - Wipro-QuizApplication-Monorepo-main/src/main/java/com/manoj/quizmonorepoexample/entities/Question.java

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer

- Logging [boot] [devtools]
- Many_To_Many_Mapping [boot] [devtools]
- One_To_Many_Mapping [boot] [devtools]
- One_To_One_Mapping [boot] [devtools]
- SchoolTeacher [boot] [devtools]
- Servers
- SpringConsructorInjection
- SpringSetterInjection
- SpringSimpleWebApp
- SpringSimpleWebApp2
- Student-Management-API [boot]
- User [boot] [devtools]
- User-App-Logging [boot] [devtools]
- Wipro-QuizApplication-Monorepo-main [boot] [devtools]
  - src/main/java
    - com.manoj.quizmonorepoexample
    - com.manoj.quizmonorepoexample.aop
      - LoggingAspect.java
    - com.manoj.quizmonorepoexample.controller
      - QuestionController.java
      - QuizController.java
    - com.manoj.quizmonorepoexample.entities
      - Question.java
      - QuestionWrapper.java
      - Quiz.java
      - Response.java
    - com.manoj.quizmonorepoexample.enums
    - com.manoj.quizmonorepoexample.exception
    - com.manoj.quizmonorepoexample.repos
    - com.manoj.quizmonorepoexample.service
  - src/main/resources
  - src/test/java
  - JRE System Library [jdk-21]
  - Maven Dependencies
  - target/generated-sources/annotations
  - target/generated-test-sources/test-annotations
  - logs
  - src

Wipro-QuizAp... | application... | QuizControll... | QuestionCon... | QuestionSer... | QuizService... | Question.java | LoggingAspec...

```java
package com.manoj.quizmonorepoexample.entities;

import com.manoj.quizmonorepoexample.enums.Category;
import com.manoj.quizmonorepoexample.enums.DifficultyLevel;

import jakarta.persistence.Entity;
import jakarta.persistence.GeneratedValue;
import jakarta.persistence.GenerationType;
import jakarta.persistence.Id;
import lombok.AllArgsConstructor;
import lombok.Data;
import lombok.NoArgsConstructor;


@Data
@AllArgsConstructor
@NoArgsConstructor
@Entity
public class Question {

    @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
    private Long QuestionID;
    private String questionTitle;
    private String option1;
    private String option2;
    private String option3;
    private String option4;
    private String correctAnswer;
```

Markers | Properties | Servers | Snippets | Terminal | Console | Progress | Coverage | History

Wipro-QuizApplication-Monorepo-main - QuizApplicationMonorepoApplication [Spring Boot App] C:\Program Files\Java\jdk-21\bin\javaw.exe (09-Aug-2025, 9:10:44 am) [pid: 1884]

```
orepo] [  restartedMain] c.m.q.QuizApplicationMonorepoApplication : Started QuizApplicationMonorepoApplication in 7.73 seconds
orepo] [nio-8080-exec-2] o.a.c.c.C.[Tomcat].[localhost].[/]       : Initializing Spring DispatcherServlet 'dispatcherServlet'
orepo] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet        : Initializing Servlet 'dispatcherServlet'
orepo] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet        : Completed initialization in 1 ms
orepo] [nio-8080-exec-2] c.m.q.aop.LoggingAspect                  : loging something before addNewUser Endpoint
orepo] [nio-8080-exec-2] c.m.q.aop.LoggingAspect                  : which method we are calling! addQuestion
orepo] [nio-8080-exec-2] c.m.q.aop.LoggingAspect                  : loging something before addNewUser Endpoint
```

Writable | Smart Insert | 17 : 19 : 448

# Swagger UI

Swagger
Supported by SMARTBEAR

/api-docs

Explore

# OpenAPI definition v0 OAS 3.0

/api-docs

Servers

http://localhost:8080 - Generated server url

## question-controller

GET /api/v1/question/{id}

PUT /api/v1/question/{id}

POST /api/v1/question/add

GET /api/v1/question

GET /api/v1/question/category/{category}

## quiz-controller

POST /api/v1/quiz/submitQuiz/{id}

POST /api/v1/quiz/create

GET /api/v1/quiz/getQuizByID/{id}

### Schemas

Question ›

Response ›

Quiz ›

QuestionWrapper ›

Pageable ›

# API - docs

Pretty-print


```
{"openapi":"3.0.1","info":{"title":"OpenAPI definition","version":"v0"},"servers":[{"url":"http://localhost:8080","description":"Generated server url"}],"paths":{"/api/v1/question/{id}":{"get":{"tags":["question-
controller"],"operationId":"getById","parameters":[{"name":"id","in":"path","required":true,"schema":{"type":"integer","format":"int64"}}],"responses":{"200":{"description":"OK","content":{"*/*":{"schema":
{"$ref":"#/components/schemas/Question"}}}}}},"put":{"tags":["question-controller"],"operationId":"update","parameters":[{"name":"id","in":"path","required":true,"schema":
{"type":"integer","format":"int64"}}],"requestBody":{"content":{"application/json":{"schema":{"$ref":"#/components/schemas/Question"}}},"required":true},"responses":{"200":{"description":"OK","content":{"*/*":
{"schema":{"$ref":"#/components/schemas/Question"}}}}}}},"/api/v1/quiz/submitQuiz/{id}":{"post":{"tags":["quiz-controller"],"operationId":"submitQuiz","parameters":
[{"name":"id","in":"path","required":true,"schema":{"type":"integer","format":"int32"}}],"requestBody":{"content":{"application/json":{"schema":{"type":"array","items":
{"$ref":"#/components/schemas/Response"}}}},"required":true},"responses":{"200":{"description":"OK","content":{"*/*":{"schema":{"type":"integer","format":"int32"}}}}}}},"/api/v1/quiz/create":{"post":{"tags":["quiz-
controller"],"operationId":"createQuiz","parameters":[{"name":"category","in":"query","required":true,"schema":{"type":"string"}},{"name":"level","in":"query","required":true,"schema":{"type":"string"}},
{"name":"title","in":"query","required":true,"schema":{"type":"string"}}],"responses":{"200":{"description":"OK","content":{"*/*":{"schema":{"$ref":"#/components/schemas/Quiz"}}}}}}},"/api/v1/question/add":{"post":
{"tags":["question-controller"],"operationId":"addQuestion","requestBody":{"content":{"application/json":{"schema":{"$ref":"#/components/schemas/Question"}}},"required":true},"responses":{"200":
{"description":"OK","content":{"*/*":{"schema":{"$ref":"#/components/schemas/Question"}}}}}}},"/api/v1/quiz/getQuizByID/{id}":{"get":{"tags":["quiz-controller"],"operationId":"getQuizQuestions","parameters":
[{"name":"id","in":"path","required":true,"schema":{"type":"integer","format":"int32"}}],"responses":{"200":{"description":"OK","content":{"*/*":{"schema":{"type":"array","items":
{"$ref":"#/components/schemas/QuestionWrapper"}}}}}}}},"/api/v1/question":{"get":{"tags":["question-controller"],"operationId":"getAll","parameters":[{"name":"pageable","in":"query","required":true,"schema":
{"$ref":"#/components/schemas/Pageable"}}],"responses":{"200":{"description":"OK","content":{"*/*":{"schema":{"$ref":"#/components/schemas/PageQuestion"}}}}}}},"/api/v1/question/category/{category}":{"get":{"tags":
["question-controller"],"operationId":"getQuestionsByCategory","parameters":[{"name":"category","in":"path","required":true,"schema":{"type":"string","enum":["JAVA","HTML","MYSQL"]}}],"responses":{"200":
{"description":"OK","content":{"*/*":{"schema":{"type":"array","items":{"$ref":"#/components/schemas/Question"}}}}}}}},"components":{"schemas":{"Question":{"type":"object","properties":{"questionTitle":
{"type":"string"},"option1":{"type":"string"},"option2":{"type":"string"},"option3":{"type":"string"},"option4":{"type":"string"},"correctAnswer":{"type":"string"},"category":{"type":"string","enum":
["JAVA","HTML","MYSQL"]},"difficultyLevel":{"type":"string","enum":["EASY","MEDIUM","HIGH"]},"questionID":{"type":"integer","format":"int64"}}},"Response":{"type":"object","properties":{"id":
{"type":"integer","format":"int32"},"response":{"type":"string"}}},"Quiz":{"type":"object","properties":{"id":{"type":"integer","format":"int32"},"title":{"type":"string"},"questions":{"type":"array","items":
{"$ref":"#/components/schemas/Question"}}}},"QuestionWrapper":{"type":"object","properties":{"id":{"type":"integer","format":"int64"},"questionTitle":{"type":"string"},"option1":{"type":"string"},"option2":
{"type":"string"},"option3":{"type":"string"},"option4":{"type":"string"}}},"Pageable":{"type":"object","properties":{"page":{"minimum":0,"type":"integer","format":"int32"},"size":
{"minimum":1,"type":"integer","format":"int32"},"sort":{"type":"array","items":{"type":"string"}}}},"PageQuestion":{"type":"object","properties":{"totalPages":{"type":"integer","format":"int32"},"totalElements":
{"type":"integer","format":"int64"},"size":{"type":"integer","format":"int32"},"content":{"type":"array","items":{"$ref":"#/components/schemas/Question"}},"number":{"type":"integer","format":"int32"},"sort":
{"type":"array","items":{"$ref":"#/components/schemas/SortObject"}},"first":{"type":"boolean"},"last":{"type":"boolean"},"numberOfElements":{"type":"integer","format":"int32"},"pageable":
{"$ref":"#/components/schemas/PageableObject"},"empty":{"type":"boolean"}}},"PageableObject":{"type":"object","properties":{"offset":{"type":"integer","format":"int64"},"sort":{"type":"array","items":
{"$ref":"#/components/schemas/SortObject"}},"pageSize":{"type":"integer","format":"int32"},"pageNumber":{"type":"integer","format":"int32"},"paged":{"type":"boolean"},"unpaged":{"type":"boolean"}}},"SortObject":
{"type":"object","properties":{"direction":{"type":"string"},"nullHandling":{"type":"string"},"ascending":{"type":"boolean"},"property":{"type":"string"},"ignoreCase":{"type":"boolean"}}}}}
```