Throughput QOS

2026-03-23-13-28-49

Objective

The objective of the QoS (Quality of Service) traffic throughput test is to measure the maximum achievable throughput of a network under specific QoS settings and conditions. By conducting this test, we aim to assess the capacity of the network to handle high volumes of traffic while maintaining acceptable performance levels, ensuring that the network meets the required QoS standards and can adequately support the expected user demands.

Test Configuration	Number of Stations	3
	AP Model	NETGEAR
	SSID_2.4GHz	None
	SSID_5GHz	NETGEAR_5G_wpa2
	SSID_6GHz	None
	Traffic Duration in hours	0.02
	Security_2.4GHz	Open
	Security_5GHz	wpa2
	Security_6GHz	Open
	Protocol	TCP
	Traffic Direction	Download
	TOS	['VO', 'VI']
	Per TOS Load in Mbps	1.0 Mbps

Overall Download Throughput for all TOS i.e BK | BE | Video (VI) | Voice (VO)

No of Stations	Throughput for Load 1.0 Mbps-download
3	BK : 0.0, BE : 0.0, VI: 2.74, VO: 2.94

Overall Download throughput for 3 clients for 1.0 Mbps-download with different TOS.

The below graph represents overall Download throughput for all connected stations running BK, BE, VO, VI traffic with different intended loads per station – 1.0 Mbps-download



Individual Download throughput with intended load 1.0 Mbps/station for traffic VI(WiFi).

The below graph represents individual throughput for 3 clients running VI (WiFi) traffic. X- axis shows "number of clients" and Y-axis shows "Throughput in Mbps".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.1.sta0000	00:0a:52:07:c1:c5	-	Video	0.0 Mbps	1.0 Mbps	0.0 Mbps	0.9418492181818182 Mbps	0.0	0.00000
1.1.sta0001	00:0a:52:07:4d:c5	-	Video	0.0 Mbps	1.0 Mbps	0.0 Mbps	0.9223923272727272 Mbps	0.0	0.02457
1.1.sta0002	00:0a:52:07:fd:c5	-	Video	0.0 Mbps	1.0 Mbps	0.0 Mbps	0.875801109090909 Mbps	0.0	0.00000

Individual Download throughput with intended load 1.0 Mbps/station for traffic VO(WiFi).

The below graph represents individual throughput for 3 clients running VO (WiFi) traffic. X- axis shows "number of clients" and Y-axis shows "Throughput in Mbps".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.1.sta0000	00:0a:52:07:c1:c5	-	Voice	0.0 Mbps	1.0 Mbps	0.0 Mbps	0.9973755272727273 Mbps	0.0	0.013986
1.1.sta0001	00:0a:52:07:4d:c5	-	Voice	0.0 Mbps	1.0 Mbps	0.0 Mbps	0.9677603636363635 Mbps	0.0	0.098181
1.1.sta0002	00:0a:52:07:fd:c5	-	Voice	0.0 Mbps	1.0 Mbps	0.0 Mbps	0.9711126363636363	0.0	0.000000

							Mbps		

Information	contact	support@candelatech.com