

ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

Autonomous Institution Affiliated to Andhra University | Approved by AICTE

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Course: Full Stack Web Development Lab

Lab Record Week: #02

Student Name: Manoj Bagadi

Roll No: 322126510001 (CSM)

1. TITLE OF THE EXPERIMENT

Webpage Styling with External CSS3, Linear Gradients, Navigation Bar & Flexbox

2. AIM

To apply external CSS3 styling to an HTML webpage incorporating linear gradient headers, a dark navigation bar with hover effects, a flexbox card container with box shadows, and button hover states.

3. PROCEDURE / ALGORITHM

Step 1: Create index.html with semantic header, nav, card container, and footer tags.

Step 2: Create style.css and link it to HTML using `<link rel='stylesheet' href='style.css'>`.

Step 3: Style header with linear-gradient(to right, #0066cc, #8000ff) and text shadow.

Step 4: Style navigation bar with dark background and yellow hover color on links.

Step 5: Style card container using flexbox (display: flex; justify-content: center; gap: 20px;).

Step 6: Add rounded borders, box shadows, and interactive button hover effects (green to red).

4. TEST CASES / VERIFICATION

Test Case	Description / Action	Expected Output	Status
TC-01	External CSS Linking	Stylesheet applies all styles uniformly to HTML elements	Passed
TC-02	Linear Gradient Header	Header renders smooth two-tone linear gradient	Passed
TC-03	Flexbox Card Alignment	Cards display in a centered horizontal row with equal spacing	Passed
TC-04	Button Hover Transition	Button background transitions from green to red on hover	Passed

5. LEARNING OUTCOME / RESULT

The styled webpage with external CSS3 was successfully designed and tested, demonstrating proficiency in flexbox layout, gradient backgrounds, and hover micro-interactions.

6. SOURCE CODE

File: index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Styled Webpage</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

<header>
  <h1>My Styled Webpage</h1>
</header>

<nav>
  <a href="#">Home</a>
  <a href="#">About</a>
  <a href="#">Services</a>
  <a href="#">Contact</a>
</nav>

<section class="container">

  <div class="card">
    <h2>HTML5</h2>
    <p>HTML5 is used to create the structure of web pages.</p>
    <button>Read More</button>
  </div>

  <div class="card">
    <h2>CSS3</h2>
    <p>CSS3 is used to style web pages and improve appearance.</p>
    <button>Read More</button>
  </div>

  <div class="card">
    <h2>Web Design</h2>
    <p>HTML and CSS together create beautiful web applications.</p>
    <button>Read More</button>
  </div>

</section>

<footer>
  <p>© 2026 My Styled Webpage</p>
</footer>

</body>
</html>
```

File: style.css

```
body{
  margin:0;
  font-family:Arial,sans-serif;
  background:#f2f2f2;
}

header{
  background:linear-gradient(to right,#0066cc,#8000ff);
  color:white;
  text-align:center;
  padding:20px;
  text-shadow:2px 2px 5px gray;
}

nav{
  background:#333;
  text-align:center;
```

```
    padding:15px;
}

nav a{
  color:white;
  text-decoration:none;
  margin:20px;
  font-size:18px;
}

nav a:hover{
  color:yellow;
}

.container{
  display:flex;
  justify-content:center;
  gap:20px;
  margin:30px;
}

.card{
  background:white;
  width:250px;
  padding:20px;
  border:2px solid gray;
  border-radius:15px;
  text-align:center;
  box-shadow:5px 5px 10px gray;
}

button{
  background:green;
  color:white;
  border:none;
  padding:10px 15px;
  border-radius:5px;
  cursor:pointer;
}

button:hover{
  background:red;
}

footer{
  background:black;
  color:white;
  text-align:center;
  padding:15px;
  margin-top:20px;
}
```

7. OUTPUT SCREENSHOTS

[Output Screenshot: Screenshot 2026-08-25 060955.png](#)

