

# **HEALTH CONSULTANCY SERVICE**

## **AIM:**

To develop a health consultancy service, which aids the people effectively to book appointments with the doctors and with other medical purposes.

## **PROJECT DESCRIPTION:**

The Health Consultancy System has a major goal of making the users-doctors communication more easier. This System provides the users with the opportunities to perform tasks like Consultation of Doctors, Access to health medication information, Access to health tips, first aid information. This Health Consultancy system allows the admin to manage the information of doctors and users. Also the admin can add or remove the doctor details present. The users can login to their accounts and make use of the system's facilities like consulting the doctors by booking an appointment with the doctors with various specializations, viewing health tips, first aid information. The doctors can login into their accounts and view their schedule for the appointments scheduled and plan their day accordingly, also they can provide the users with the medical prescription details. The users can change their password if forgotten. The health consultancy system offers a reliable consultation facility for the users by providing them with various doctors with immense experience and specialization.

## **MODULE DESCRIPTION:**

### **LOGIN MODULE:**

This module is used for the user to login into the page by providing username and password and it will authenticate and authorize by checking with database. If not, it will redirect to register page to signup.

## **REGISTER MODULE:**

This module allows the user to register into the Online Health Consultancy Service. The users will be asked some user credentials to register.

The user will be able to register in two ways:

1. User registration.
2. Doctor registration.

Based on the registration method, the user will be able to login.

## **DATABASE MODULE:**

The Database module has the database file which contains the necessary table to store all the information about the patients and the doctors.

From the database, the admin can fetch details like list of available doctors, available patients and can add new doctors and new patients.

## **USER MODULE:**

The User module allows the user to get into the User dashboard, where it displays 2 options:

1. **To show available doctors:** This page will display all the available specialists to the patient. Within each specialist page, it displays a list of available doctors on that particular field. The patient can select any one of the doctors to view the details of the doctor and to book appointment with them.
2. **To check previous schedule:** This page shows the history of appointments which were made by that user. The appointment schedule consists of the details of the patients such as User mailed, User mobile number, appointment cause, user address and the details of the Doctor who consulted the patient, prescription provided by him and appointment ID.

## **ADMIN MODULE:**

The Admin module allows the admin to get into the Admin dashboard, where it displays 4 options:

1. **To show available doctors:** This page is similar to the “show available doctors” page present in the user module. But, here the admin has extra functions over the page, where he can edit or delete the details of the doctors.
2. **To add new doctor:** This page is similar to the doctor registration page. Here, the admin can enter the details of the doctor to register them.
3. **To show available users:** This page displays a list of registered users. The list consists of patient information, created date and last modified date. The admin will be able to edit or delete the details of the users.
4. **To add new user:** This page is similar to the user registration page. Here, the admin can enter the details of the user to register them.

## **DOCTOR MODULE:**

The Doctor module allows the doctor to get into the Doctor dashboard, where it displays an option to show appointment schedule.

The patients will be consulted based on this appointment schedule.

## CODE:

### add\_doctor.php:

```
<?php
require '../includes/common.php';
?>
<!DOCTYPE html>

<!-- Add a new Doctor -->

<html>
<head>
    <title>Admin Add Doctor | Health
    Consultancy Service</title>

    <meta charset="UTF-8">

    <meta name="viewport"
    content="width=device-width, initial-
    scale=1.0">

    <link rel="stylesheet" type="text/css"
    href="../bootstrap/css/bootstrap.min.css">

    <script type="text/javascript"
    src="../bootstrap/js/jquery-
    3.5.1.min.js"></script>

    <script type="text/javascript"
    src="../bootstrap/js/bootstrap.min.js"></script>

    <link type="text/css" rel="stylesheet"
    href="../style.css?v=<?php echo time(); ?>">
</head>

<body>

    <?php
    include 'header.php';
    ?>

    <div class="image_home" style="text-
    align:left;">
```

```
<div class="container">
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-4 col-lg-offset-
            4 col-md-6 col-md-offset-3">
                <h2>Add Doctor
                Details</h2><hr>

                <form method="POST"
                action="add_doctor_sub.php">

                    NAME:

                    <div class="form-group">

                        <input class="form-
                        control" placeholder="Name" name="dname"
                        required = "true" pattern="^[A-Za-
                        z\s]{1,}[\.\.]{0,1}[A-Za-z\s]{0,}$">

                    </div>

                    SPECIALIZATION:

                    <div class="form-group">

                        <select class="form-
                        select" aria-label="Default select example"
                        name="dspecial" required = "true">

                            <option selected>Select
                            Specilization</option>

                            <option
                            value="CARDIOLOGIST">CARDIOLOGIST
                            </option>

                            <option
                            value="NEUROLOGIST">NEUROLOGIST<
                            /option>

                            <option
                            value="DENTIST">DENTIST</option>

                            <option
                            value="DERMATOLOGIST">DERMATOLO
                            GIST</option>

                            <option
                            value="ALLERGIST">ALLERGIST</option
                            >

                            <option
                            value="NEPHROLOGIST">NEPHROLOGIS
                            T</option>
```

```
        <option
value="PEDIATRICIANS">PEDIATRICIAN
S</option>
```

```
        <option
value="PSYCHIATRISTS">PSYCHIATRIST
S</option>
```

```
        <option
value="OTHERS">OTHERS</option>
```

```
    </select>
```

```
</div>
```

QUALIFICATION:

```
<div class="form-group">
```

```
    <input class="form-
control" placeholder="Qualification"
name="dquali" required = "true">
```

```
</div>
```

EXPERIENCE:

```
<div class="form-group">
```

```
    <input class="form-
control" placeholder="Experience Gained"
name="dexp" required = "true">
```

```
</div>
```

AGE:

```
<div class="form-group">
```

```
    <input class="form-
control" placeholder="Age " name="dage"
required = "true">
```

```
</div>
```

GENDER:

```
<div class="form-group">
```

```
    <select class="form-
select" aria-label="Default select example"
name="dgender" required = "true">
```

```
        <option selected>Select
gender</option>
```

```
        <option
value="MALE">MALE</option>
```

```
        <option
value="FEMALE">FEMALE</option>
```

```
        <option
value="OTHERS">OTHERS</option>
```

```
    </select>
```

```
</div>
```

CONTACT NUMBER:

```
<div class="form-group">
```

```
    <input type="text"
class="form-control" placeholder="Tele
Phone Number" name="dcontact" required =
"true">
```

```
</div>
```

EMAIL ADDRESS:

```
<div class="form-group">
```

```
    <input type="email"
class="form-control" placeholder="Email"
name="demail" required = "true" pattern="[a-
z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}$">
```

```
</div>
```

PASSWORD:

```
<div class="form-group">
```

```
    <input type="password"
class="form-control" placeholder="Password"
name="dpassword" required = "true"
pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-
Z]).{8,}">
```

```
</div>
```

CITY:

```
<div class="form-group">
```

```
        <input class="form-  
control" placeholder="City" name="dcity"  
required = "true">
```

```
    </div>
```

```
    ADDRESS:
```

```
    <div class="form-group">
```

```
        <input class="form-  
control" placeholder="Address"  
name="daddress" required = "true">
```

```
    </div>
```

```
        <button type="submit"  
name="submit" class="btn btn-  
primary">Submit</button>
```

```
    </form>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
</body>
```

```
</html>
```

## add\_doctor\_sub.php:

```
<?php
```

```
require '../includes/common.php';
```

```
$dname = $_POST['dname'];
```

```
$dspecial = $_POST['dspecial'];
```

```
$dquali = $_POST['dquali'];
```

```
$dexp = $_POST['dexp'];
```

```
$dage = $_POST['dage'];
```

```
$dgender = $_POST['dgender'];
```

```
$dcontact = $_POST['dcontact'];
```

```
$demail = $_POST['demail'];
```

```
$dpassword = $_POST['dpassword'];
```

```
$encryptdpass = md5($dpassword);
```

```
$dcity = $_POST['dcity'];
```

```
$daddress = $_POST['daddress'];
```

```
$select = "SELECT * FROM doctor WHERE  
d_email = '$demail'";
```

```
$select_query_result = mysqli_query($con,  
$select);
```

```
if(mysqli_num_rows($select_query_result )>  
0)
```

```
{
```

```
    echo '<script type="text/javascript"> ';
```

```
        echo ' if (confirm("The User with similar  
email Id is already registered,Click here to add  
another Doctor Record")) {';
```

```
            echo ' window.location =  
"add_doctor.php";
```

```
            echo ' }';
```

```
            echo '</script>';
```

```
}
```

```
else
```

```
{
```

```
    $insert = "INSERT INTO doctor  
(d_name,d_special,d_quali,d_experience,d_ag  
e,d_gender,d_contact,d_email,d_password,d_c  
ity,d_address,d_created_at,d_updated_at)
```

```
        VALUES
```

```
        ('$dname','$dspecial','$dquali', '$dexp', '$dage',  
'$dgender',  
'$dcontact','$demail','$encryptdpass','$dcity','$  
daddress',now(),now());
```

```
    $insert_query_result = mysqli_query($con,  
$insert);
```

```
    if($insert_query_result)
```

```
    {
```

```
        $d_id = mysqli_insert_id($con);
```

```
        $_SESSION['d_email']=$demail;
```

```
        $_SESSION['d_id']=$d_id;
```

```
        $_SESSION['d_username']=$dname;
```

```
        echo '<script type="text/javascript"> ';
```

```
            echo ' if (confirm("Doctor Details were  
inserted successfully")) {';
```

```
                echo ' window.location =  
"add_doctor.php";
```

```
                echo ' }';
```

```
                echo '</script>';
```

```
            }
```

```
        else
```

```
        {
```

```
            echo '<script type="text/javascript"> ';
```

```
                echo ' if (confirm("Doctor Registration  
failed, Click here to register again")) {';
```

```
                    echo ' window.location =  
"add_doctor.php";
```

```
                    echo ' }';
```

```
                    echo '</script>';}}?>
```

## add\_user.php:

```
<?php
require '../includes/common.php';
?>
<!DOCTYPE html>

<!-- Add a new Doctor -->

<html>
  <head>
    <title>Admin Add Doctor | Health
    Consultancy Service </title>
    <meta charset="UTF-8">
    <meta name="viewport"
    content="width=device-width, initial-
    scale=1.0">
    <link rel="stylesheet" type="text/css"
    href="../bootstrap/css/bootstrap.min.css">
    <script type="text/javascript"
    src="../bootstrap/js/jquery-
    3.5.1.min.js"></script>
    <script type="text/javascript"
    src="../bootstrap/js/bootstrap.min.js"></script>
    <link type="text/css" rel="stylesheet"
    href="../style.css?v=<?php echo time(); ?>">
  </head>
  <body>

    <?php
    include 'header.php';
    ?>

    <div class= "image_home" style="text-
    align:left;">

      <div class="container">

        <div class="row">
```

```
        <div class="col-lg-4 col-lg-offset-
        4 col-md-6 col-md-offset-3">

          <h2>Add User
          Details</h2><hr>

          <form method="POST"
          action="add_user_sub.php">

            <div class="form-group">

              <input class="form-
              control" placeholder="Name" name="name"
              required = "true" pattern="^[A-Za-
              z\s]{1,}[\.]{0,1}[A-Za-z\s]{0,}$">

            </div>

            <div class="form-group">

              <input type="text"
              class="form-control" placeholder="Age"
              name="age" required = "true">

            </div>

            <div class="form-group">

              <select class="form-
              select" aria-label="Default select example"
              name="gender" required = "true">

                <option selected>Select
                Gender</option>

                <option
                value="MALE">MALE</option>

                <option
                value="FEMALE">FEMALE</option>

                <option
                value="OTHERS">OTHERS</option>

              </select>

            </div>

            <div class="form-group">

              <input type="email"
              class="form-control" placeholder="Email"
              name="email" required = "true" pattern="[a-
              z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}$">

            </div>

            <div class="form-group">

              <input type="password"
              class="form-control" placeholder="Password">
```



```
name="password"    required    =    "true"
pattern="(?.*\d)(?.*[a-z])(?.*[A-
Z]).{8,}">
```

```
</div>
```

```
<div class="form-group">
```

```
    <input          type="text"
class="form-control"  placeholder="Contact"
name="contact" required = "true">
```

```
</div>
```

```
<div class="form-group">
```

```
    <input          class="form-
control"  placeholder="City"  name="city"
required = "true">
```

```
</div>
```

```
<div class="form-group">
```

```
    <input          class="form-
control"  placeholder="Address"
name="address" required = "true">
```

```
</div>
```

```
    <button          type="submit"
name="submit"      class="btn    btn-
primary">Submit</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

## add\_user\_sub.php:

```
<?php
```

```
require '../includes/common.php';
```

```
$name = $_POST['name'];
```

```
$age = $_POST['age'];
```

```
$gender = $_POST['gender'];
```

```
$email = $_POST['email'];
```

```
$password = $_POST['password'];
```

```
$encryptpass = md5($password);
```

```
$contact = $_POST['contact'];
```

```
$city = $_POST['city'];
```

```
$address = $_POST['address'];
```

```
$select = "SELECT * FROM users WHERE  
u_email = '$email'";
```

```
$select_query_result = mysqli_query($con,  
$select);
```

```
if(mysqli_num_rows($select_query_result )>  
0)
```

```
{
```

```
//mysqli_query($con, $insert) or  
die(mysqli_error());
```

```
echo '<script type="text/javascript"> ';
```

```
echo ' if (confirm("The User with similar  
email Id is already registered")) {';
```

```
echo ' window.location =  
"add_user.php";
```

```
echo ' }';
```

```
echo '</script>';
```

```
}
```

```
else
```

```
{
```

```
$insert = "INSERT INTO users (u_name,  
u_age, u_gender, u_email, u_password,  
u_contact, u_city, u_address)
```

```
VALUES ('$name', '$age', '$gender',  
'$email', '$encryptpass', '$contact', '$city',  
'$address')";
```

```
$insert_query_result = mysqli_query($con,  
$insert);
```

```
if($insert_query_result)
```

```
{
```

```
$u_id = mysqli_insert_id($con);
```

```
$_SESSION['u_email']=$email;
```

```
$_SESSION['u_id']= $u_id;
```

```
$_SESSION['u_username']=$name;
```

```
echo '<script type="text/javascript"> ';
```

```
echo ' if (confirm("User Details were  
inserted successfully")) {';
```

```
echo ' window.location =  
"add_user.php";
```

```
//echo header("location:  
add_user.php");
```

```
echo ' }';
```

```
echo '</script>';
```

```
}
```

```
else
```

```
{
```

```
echo '<script type="text/javascript"> ';
```

```
echo ' if (confirm("Doctor Registration  
failed, Click here to register again")) {';
```

```
echo ' window.location =  
"add_user.php";
```

```
echo ' }';
```

```
echo '</script>';}}?>
```

## admin\_signup.php:

```
<?php
require '../includes/common.php';
?>
<!DOCTYPE html>

<!--sign up page for the website-->

<html>
<head>
    <title>Admin Sign up | Health
    Consultancy Service </title>

    <meta charset="UTF-8">

    <meta name="viewport"
    content="width=device-width, initial-
    scale=1.0">

    <link rel="stylesheet" type="text/css"
    href="../bootstrap/css/bootstrap.min.css">

    <script type="text/javascript"
    src="../bootstrap/js/jquery-
    3.5.1.min.js"></script>

    <script type="text/javascript"
    src="../bootstrap/js/bootstrap.min.js"></script>

    <link type="text/css" rel="stylesheet"
    href="../style.css?v=<?php echo time(); ?>">
</head>

<body>

<!--header-->

<?php
include 'header.php';
?>

<!--sign up panel for the website-->

<div class= "image_home">
```

```
<div class="container">

    <div class="container-fluid">

        <div class="row">

            <div class="col-lg-4 col-lg-offset-
            4 col-md-6 col-md-offset-3">

                <h2>SIGN UP</h2>

                <form method="POST"
                action="admin_signup_sub.php">

                    <div class="form-group">

                        <input class="form-
                        control" placeholder="Name" name="name"
                        required = "true" pattern="^[A-Za-
                        z\s]{1,}[\.]{0,1}[A-Za-z\s]{0,}$">

                    </div>

                    <div class="form-group">

                        <input type="email"
                        class="form-control" placeholder="Email"
                        name="email" required = "true" pattern="[a-
                        z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}$">

                    </div>

                    <div class="form-group">

                        <input type="password"
                        class="form-control" placeholder="Password"
                        name="password" required = "true"
                        pattern="(?!.*\d)(?!.*[a-z])(?!.*[A-
                        Z]).{8,}">

                    </div>

                    <div class="form-group">

                        <input type="text"
                        class="form-control" placeholder="Contact"
                        name="contact" required = "true">

                    </div>

                    <!-- <div class="form-
                    group">

                        <input class="form-
                        control" placeholder="City" name="city"
                        required = "true">

                    </div>

                    <div class="form-group">
```

```

                <input      class="form-
control"           placeholder="Address"
name="address" required = "true">

                </div> -->

                <button      type="submit"
name="submit"      class="btn      btn-
primary">Submit</button>

                <div class="form-group">

                        <br><p style="text-align:
center;font-weight: bolder;font-size: 20px;">
Already      a      customer?&nbsp; <a
href="admin_login.php">Admin
Login</a></p>

                </div>

                </form>

                </div>

        </div>

        </div>

        </div>

        </div>

        </body>

</html>

```

### admin\_signup\_sub.php:

```

<?php

require '../includes/common.php';

$name = $_POST['name'];
$email = $_POST['email'];
$password = $_POST['password'];
$encryptpass = md5($password);
$contact = $_POST['contact'];

$select = "SELECT * FROM admin1 WHERE
admin_email = '$email'";

```

```

$select_query_result = mysqli_query($con,
$select);

if(mysqli_num_rows($select_query_result )>
0)

{

        echo '<script type="text/javascript"> ';

        echo ' if (confirm("Email Id is already
registered, Click here to signup again")) {';

        echo '      window.location      =
"admin_signup.php";

        echo ' };

        echo '</script>';

}

else

{

        $insert =      "INSERT INTO admin1
(admin_name,admin_email,admin_pass,admin
_contact)

                VALUES
('$aname','$aemail','$encryptpass','$acontact')";

        $insert_query_result = mysqli_query($con,
$insert);

```

```

if($insert_query_result)

{

        $admin_id = mysqli_insert_id($con);

        $_SESSION['admin_email']=$aemail;

        $_SESSION['admin_id']= $admin_id;

        $_SESSION['admin_username']=$aname;

        header('location:admindashboard.php');

}

else

{

        echo '<script type="text/javascript"> ';

        echo ' if (confirm("Admin Registration
failed, Click here to register again")) {';

```

```

        echo '        window.location    =
"admin_signup.php";

        echo ' }';

        echo '</script>';

    }

}

?>

```

## admin\_dashboard.php:

```

<?php
require '../includes/common.php';

?>

<!DOCTYPE html>

<!--admin page for the website-->

<html>

<head>

    <title>Admin    Dashboard    |    Health
Consultancy Service </title>

    <meta charset="UTF-8">

    <meta                name="viewport"
content="width=device-width,                initial-
scale=1.0">

    <link rel="stylesheet" type="text/css"
href="../bootstrap/css/bootstrap.min.css">

    <script                type="text/javascript"
src="../bootstrap/js/jquery-
3.5.1.min.js"></script>

    <script                type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>

    <link type="text/css" rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">

</head>

<body>

    <div class="image_home">

```

```

<?php
include 'header.php';

?>

<div class="container">

    <div class="page-header">

        <h2 style = "color    :
skyblue;">Admin Dashboard</h2>

    </div>

    <div class="row text-center">

        <div class="col-md-6 col-sm-6">

            <div class="thumbnail">

                <div class="caption">

                    <h3>Show    available
doctors</h3>

                    <a href="list_doctors.php"
class="btn btn-primary btn-block">List of
doctors</a>

                </div>

            </div>

        </div>

        <div class="col-md-6 col-sm-6">

            <div class="thumbnail">

                <div class="caption">

                    <h3>Add    a    new
Doctor</h3>

```

```
<div>  
    <a href="add_doctor.php"  
class="btn btn-primary btn-block">Add  
doctor</a>  
  
</div>  
  
</div>  
  
</div>
```

</div class="col-md-6 col-sm-6"> </html>

```
<div class="thumbnail">
    

    <div class="caption">
        <h3>Show Available
Users</h3>
        <a href="list_users.php"
class="btn btn-primary btn-block">List
Users</a>
    </div>
</div>
</div>
```

```
<div class="col-md-6 col-sm-6">

    <div class="thumbnail">

        <div class="caption">

            <h3>Add            a            new
User</h3>

            <a    href="add_user.php"
class="btn    btn-primary    btn-block">Add
User</a>
```

## delete\_doc\_record.php:

```
<?php

require '../includes/common.php';
include 'header.php';
?>

<!DOCTYPE html>

<html lang="en">

<head>

    <title>Delete Doctor Record | Health
    Consultancy Service </title>

    <meta charset="UTF-8">

    <meta                name="viewport"
    content="width=device-width,    initial-
    scale=1.0">

    <link rel="stylesheet" type="text/css"
    href="../bootstrap/css/bootstrap.min.css">

    <script                type="text/javascript"
    src="../bootstrap/js/jquery-
    3.5.1.min.js"></script>

    <script                type="text/javascript"
    src="../bootstrap/js/bootstrap.min.js"></script>

    <link type="text/css" rel="stylesheet"
    href="../style.css?v=<?php echo time(); ?>">

</head>

<body>

    <?php

        $msg = "Doctor record deleted
        successfully";

        $id=$_REQUEST['id'];

        $query = "DELETE FROM doctor
        WHERE d_id=$id";

        if (mysqli_query($con,$query) === true){

            // header("Location: list_doctors.php");

            echo '<script type="text/javascript"> ';
```

```
        echo '    if (confirm("Doctor Record
        Deleted Successfully!!!")) {';

        echo '        window.location =
        "list_doctors.php"';

        echo '    }';

        echo '</script>';

    }

    else{

        die (mysqli_error());

    }

    ?>

</body>

</html>
```

## delete\_user\_record.php:

```
<?php

require '../includes/common.php';
include 'header.php';
?>

<!DOCTYPE html>

<html lang="en">

<head>

    <title>Delete User Record | Health
    Consultancy Service</title>

    <meta charset="UTF-8">

    <meta
        name="viewport"
        content="width=device-width, initial-
        scale=1.0">

    <link rel="stylesheet" type="text/css"
        href="../bootstrap/css/bootstrap.min.css">

    <script
        type="text/javascript"
        src="../bootstrap/js/jquery-
        3.5.1.min.js"></script>

    <script
        type="text/javascript"
        src="../bootstrap/js/bootstrap.min.js"></script>

    <link type="text/css" rel="stylesheet"
        href="../style.css?v=<?php echo time(); ?>">

</head>

<body>

    <?php
```

```
        $id=$_REQUEST['id'];

        $query = "DELETE FROM users
        WHERE u_id=$id";
```

```
        if (mysqli_query($con,$query) === true){

            header("Location: list_users.php");

            echo '<script type="text/javascript"> ';
```

```
            echo '    if (confirm("User Record
            Deleted Successfully!!!")) {';
```

```
            echo '        window.location =
            "list_users.php";

            echo '    }';

            echo '</script>';

        }
```

```
    else{

        die (mysqli_error());

    }

    ?>
```

```
</body>
```

```
</html>
```



<?php

```
include 'header.php';
```

?

&lt;!DOCTYPE html&gt;

<html>

<head>

```
<meta charset="UTF-8">
```

```
<link rel="stylesheet" type="text/css"
      href="../../bootstrap/css/bootstrap.min.css">
```

```
<script type="text/javascript"
"../bootstrap/js/bootstrap.min.js"></script>
```

&lt;/head&gt;

&lt;body&gt;

<?php

```
$id=$_GET['id'];
```

```
$row= mysqli_fetch_array($result);
```

```
$status = "";
```

$$\{$$

```
$dname=$_REQUEST['dname'];
```

```
$dspecial = $_REQUEST['dspecial'];
```

```
$dquali = $_REQUEST['dquali'];
```

```
$dexp = $_REQUEST['dexp'];
```

```
$dage = $_REQUEST['dage'];
```

```
$dgender = $_REQUEST['dgender'];
```

```
$dcontact = $_REQUEST['dcontact'];
```

```
$demail = $_REQUEST['demail'];
```

```
$dcity = $_REQUEST['dcity'];
```

```
$daddress = $_REQUEST['daddress'];
```

```
$update="update      doctor      set
d_name='". $dname.'",
```

```

d_special=".$dspecial.",
d_quali=".$dquali.",    d_experience   =
".$dexp.", d_age = ".$dage.", d_gender =
".$dgender.",    d_contact=".$dcontact.",
d_email=".$demail.",    d_city=".$dcity.",
d_address=".$daddress."

```

where d\_id="".\$id."";

```
mysql_query($con, $update) or  
die(mysql_error());
```

```
header("location: list_doctors.php");
```

```

}else {

```

?

<div class= "image\_home" style="text-align:left;">

<div class="container">

<div class="container-fluid">

<div class="row">

<div class="col-lg-4 col-lg-  
offset-4 col-md-6 col-md-offset-3">

# Update Record</h1><hr>

<form name="form-group" method="POST" action="">

<input type="hidden" name="new" value="1" />

<input name="id" type="hidden" value="<?php echo \$row['d\_id'];?>" />

NAME:

<div class="form-group">

<input class="form-control" placeholder="Name" name="dname" required = "true" value="<?php echo \$row['d\_name'];?>" pattern="^[A-Za-z\s]{1,}[\.]{0,1}[A-Za-z\s]{0,}\$">

</div>

SPECIALIZATION:

<div class="form-group">

<select class="form-select" aria-label="Default select example" name="dspecial" required = "true" default="<?php echo \$row['d\_special'];?>">

<option selected>Select Specilization</option>

<option value="CARDIOLOGIST">CARDIOLOGIST</option>

<option value="NEUROLOGIST">NEUROLOGIST</option>

<option value="DENTIST">DENTIST</option>

<option value="DERMATOLOGIST">DERMATOLOGIST</option>

<option value="ALLERGIST">ALLERGIST</option>

<option value="NEPHROLOGIST">NEPHROLOGIST</option>

<option value="PEDIATRICIANS">PEDIATRICIAN</option>

<option value="PSYCHIATRISTS">PSYCHIATRIST</option>

<option value="OTHERS">OTHERS</option>

</select>

</div>

QUALIFICATION:

<div class="form-group">

<input class="form-control" placeholder="Qualification" name="dquali" required = "true" value="<?php echo \$row['d\_quali'];?>">

</div>

EXPERIENCE:

<div class="form-group">

<input class="form-control" placeholder="Experience Gained" name="dexp" required = "true" value="<?php echo \$row['d\_experience'];?>">

</div>

AGE:

<div class="form-group">

<input class="form-control" placeholder="Age" name="dage" required = "true" value="<?php echo \$row['d\_age'];?>">

</div>

GENDER:

```

<div class="form-group">
    <select class="form-
select" aria-label="Default select example"
name="dgender" required = "true"
value="<?php echo $row['d_gender'];?>">
        <option selected>Select
Gender</option>
        <option
value="MALE">MALE</option>
        <option
value="FEMALE">FEMALE</option>
        <option
value="OTHERS">OTHERS</option>
    </select>
</div>

```

```

<!-- <div class="form-
group">
    <input type="password"
class="form-control" placeholder="Password"
name="password" required = "true"
pattern="(?!.*\d)(?!.*[a-z])(?!.*[A-
Z]).{8,}">
    </div> -->

```

CONTACT NUMBER:

```

<div class="form-group">
    <input type="text"
class="form-control" placeholder="Tele
Phone Number" name="dcontact" required =
"true" value="<?php echo
$row['d_contact'];?>">
    </div>

```

EMAIL ADDRESS:

```

<div class="form-group">

```

```

    <input type="email"
class="form-control" placeholder="Email"
name="demail" required = "true"
value="<?php echo $row['d_email'];?>"
pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-
z]{2,}$">
</div>

```

CITY:

```

<div class="form-group">
    <input class="form-
control" placeholder="City" name="dcity"
required = "true" value="<?php echo
$row['d_city'];?>">
</div>

```

ADDRESS:

```

<div class="form-group">
    <input class="form-
control" placeholder="Address"
name="daddress" required = "true"
value="<?php echo $row['d_address'];?>">
</div>

```

```

    <button type="submit"
name="submit" value="update" class="btn
btn-primary">Update</button>

```

```

</form>
<?php } ?>

```

```

</div>
</div>

```

```

</div>
</div>

```

```

</body>
</html>

```

<?php

```
include 'header.php';
```

?

&lt;!DOCTYPE html&gt;

<html>

<head>

```
<meta charset="UTF-8">
```

&lt;meta name="viewport"

```
<script type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>
```

&lt;/head&gt;

&lt;body&gt;

<?php

```
$row= mysqli_fetch_array($result);
```

```
$status = "";
```

$$\{$$

```
$uage = $_REQUEST['uage'];
```

```
$ugender = $_REQUEST['ugender'];
```

```
$uemail = $_REQUEST['uemail'];
```

```
$ucontact = $_REQUEST['ucontact'];
```

```
$ucity = $_REQUEST['ucity'];
```

```
$uaddress = $_REQUEST['uaddress'];
```

```
u_contact=".$ucontact.",
u_city=".$ucity.", u_address=".$uaddress."
```

where  $u = \text{id} = ".\$id.""$ :

```
if(mysql_query($con, $update) ===  
true){
```

```
header("location: list_users.php");
```

}

```
else{
```

```
die(mysql_error());
```

}

```

}else {

```

?

<div class="container">

<div class="container-fluid">

<div class="row">

<div class="col-lg-4 col-lg-  
offset-4 col-md-6 col-md-offset-3">

`<h1>Update  
Record</h1><hr>`

`<form name="form-  
group" method="POST" action="">`

`<input type="hidden"  
name="new" value="1" />`

`<input name="id"  
type="hidden" value="<?php echo  
$row['u_id'];?>" />`

NAME:

`<div class="form-group">  
    <input class="form-  
control" placeholder="Name" name="uname"  
required = "true" value="<?php echo  
$row['u_name'];?>" pattern="^[A-Za-  
z\s]{1,}[\.]{0,1}[A-Za-z\s]{0,}$">`

`</div>`

AGE:

`<div class="form-group">  
    <input type="text"  
class="form-control" placeholder="Age"  
name="uage" required = "true" value="<?php  
echo $row['u_age'];?>">`

`</div>`

GENDER:

`<div class="form-group">  
    <select class="form-  
select" aria-label="Default select example"  
name="ugender" required = "true"  
value="<?php echo $row['u_gender'];?>">`

`<option  
selected>Select Gender</option>`

`<option  
value="MALE">MALE</option>`

`<option  
value="FEMALE">FEMALE</option>`

`<option  
value="OTHERS">OTHERS</option>`

`</select>`

`</div>`

EMAIL ADDRESS:

`<div class="form-group">  
    <input type="email"  
class="form-control" placeholder="Email"  
name="uemail" required = "true"  
value="<?php echo $row['u_email'];?>"  
pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-  
z]{2,}$">`

`</div>`

`<!-- <div class="form-  
group">`

`<input type="password"  
class="form-control" placeholder="Password"  
name="password" required = "true"  
pattern="(?!.*\d)(?!.*[a-z])(?!.*[A-  
Z]).{8,}$">`

`</div> -->`

CONTACT NUMBER:

`<div class="form-group">  
    <input type="text"  
class="form-control" placeholder="Tele  
Phone Number" name="ucontact" required =  
"true" value="<?php echo  
$row['u_contact'];?>">`

`</div>`

CITY:

`<div class="form-group">  
    <input class="form-  
control" placeholder="City" name="ucity"`

```
required = "true" value="<?php echo  
$row['u_city'];?>">
```

```
</div>
```

ADDRESS:

```
<div class="form-group">
```

```
<input class="form-  
control" placeholder="Address"  
name="uaddress" required = "true"  
value="<?php echo $row['u_address'];?>">
```

```
</div>
```

```
<button type="submit"  
name="submit" value="update" class="btn  
btn-primary">Update</button>
```

```
</form>
```

```
<?php } ?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

## header.php:

```
<?php
```

```
$con = mysqli_connect("localhost","root","");  
mysqli_select_db($con, "hcs");
```

```
?>
```

```
<div class="navbar navbar-inverse navbar-  
fixed-top ">
```

```
<div class="container">
```

```
<!--header with name of the website-->
```

```
<div class="navbar-header">
```

```
<button type="button" class="navbar-  
toggle" data-toggle="collapse" data-  
target="#myNavbar">
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
</button>
```

```
<?php
```

```
if(isset($_SESSION['admin_email']))
```

```
{
```

```
?>
```

```
<a class="navbar-brand"  
href="admindashboard.php">Health  
Consultancy Service</a>
```

```
<?php
```

```
}
```

```
else
```

```
{
```

```
?>
```

```
<a class="navbar-brand"  
href="..../index.php">Health Consultancy  
Service</a>
```

```
<?php
```

```
}
```

```
?>
```

```
</div>
```

```
<!--links for login and signup page-->
```

```
<div class="collapse navbar-collapse"
id="myNavbar">
```

```
<ul class="nav navbar-nav navbar-
right">
```

```
<?php
```

```
if(isset($_SESSION['admin_email']))
```

```
{
```

```
?>
```

```
<li><a
href="admindashboard.php"><span
class="glyphicon glyphicon-home"></span>
Home</a></li>
```

```
<li><a href="setting.php"><span
class="glyphicon glyphicon-cog"></span>
Setting</a></li>
```

```
<li><a href=" ../logout.php"><span
class="glyphicon glyphicon-log-out"></span>
Logout</a></li>
```

```
<?php
```

```
}
```

```
else
```

```
{
```

```
?>
```

```
<li><a href=" ../index.php"><span
class="glyphicon glyphicon-home"></span>
Home</a></li>
```

```
<li><a
href="admin_signup.php"><span
class="glyphicon glyphicon-user"></span>
Sign Up</a></li>
```

```
<li><a href=" ../login.php"><span
class="glyphicon glyphicon-log-in"></span>
Login</a></li>
```

```
<?php
```

```
}
```

```
?>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

## list\_doctors.php:

```
<?php
```

```
require '../includes/common.php';
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<title>List of doctors | Health
Consultancy Service </title>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport"
content="width=device-width,
initial-scale=1.0">
```

```
<link rel="stylesheet" type="text/css"
href=" ../bootstrap/css/bootstrap.min.css">
```

```
<script type="text/javascript"
src=" ../bootstrap/js/jquery-
3.5.1.min.js"></script>
```

```
<script type="text/javascript"
src=" ../bootstrap/js/bootstrap.min.js"></script>
```

```
<link type="text/css" rel="stylesheet"
href=" ../style.css?v=<?php echo time(); ?>">
```

```
</head>
```

```

<body>

<div class="container-sm border py-3 my-3">
<!-- <div class="container-fluid"> -->
    <!-- <div class="row"> -->
        <div class="col-md-12">
            <div class="page-header">
                <?php
                    include 'header.php';
                ?>
            </div>
            <div class="page-header">
                <h2 align="center">List of doctors
available</h2>
                <a href="admindashboard.php"
style="float:left;" class="btn btn-
primary">Back</a>
                <a href="add_doctor.php"
style="float:right;" class="btn btn-
primary">Add Record</a>
            </div>

            <table class="table">
                <thead>
                    <tr>
                        <th scope="col">S.No</th>
                        <th scope="col">Doctor ID</th>
                        <th scope="col">Name</th>
                        <th
scope="col">Specialization</th>
                        <th
scope="col">Qualification</th>
                        <th scope="col">Experience</th>
                        <th scope="col">Age</th>
                        <th scope="col">Gender</th>
                        <th scope="col">Contact</th>
                        <th scope="col">Email</th>
                        <th scope="col">City</th>
                        <th scope="col">Address</th>
                        <th scope="col">Created at</th>
                        <th scope="col">Last Modified
at</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                        // $result =
mysqli_query($con,"SELECT * FROM
doctor");
                        // $row=
mysqli_fetch_array($result);

                        $query="select * from doctor order
by d_id"; // Fetch all the data from the table
customers

                        $result=mysqli_query($con,$query);
                        $count = 1;

                        ?>

                        <?php if ($result->num_rows > 0):
?>

                            <?php
while($array=mysqli_fetch_row($result)): ?>

                                <tr>
                                    <th scope="row"><?php echo
$count;?></th>
                                    <td><?php echo
$array[0];?></td>

```



<td><?php \$array[1];?></td>	echo	<?php endwhile; ?>
<td><?php \$array[2];?></td>	echo	<?php else: ?>
<td><?php \$array[3];?></td>	echo	<tr>
<td><?php \$array[4];?></td>	echo	<td colspan="3" rowspan="1" headers="">No Data Found</td>
<td><?php \$array[5];?></td>	echo	</tr>
<td><?php \$array[6];?></td>	echo	<?php endif; ?>
<td><?php \$array[7];?></td>	echo	<?php mysqli_free_result(\$result); ?>
<td><?php \$array[8];?></td>	echo	</tbody>
<td><?php \$array[10];?></td>	echo	</table>
<td><?php \$array[11];?></td>	echo	</div>
<td><?php \$array[12];?></td>	echo	<!-- </div> -->
<td><?php \$array[13];?></td>	echo	</div>
<td>		</body>
<a href="edit_doc_record.php? id=<?php echo \$array[0]; ?>" class="btn btn- primary" >Edit</a>		</html>
</td>		<b>list_users.php:</b>
<td>		<?php require '../includes/common.php'; ?>
</td>		<!DOCTYPE html>
<td>		<html lang="en">
<a href="delete_doc_record.php? id=<?php echo \$array[0]; ?>" class="btn btn-danger" onclick="return confirm('Are you sure you want to delete?')">Delete</a>		<head>
</td>		<title>List of users   Health Consultancy Service </title>
</tr>		<meta charset="UTF-8">
<?php \$count++; ?>		<meta name="viewport" content="width=device-width, initial- scale=1.0">
		<link rel="stylesheet" type="text/css" href="../bootstrap/css/bootstrap.min.css">

```
<script type="text/javascript"
src="../bootstrap/js/jquery-
3.5.1.min.js"></script>
```

```
<script type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>
```

```
<link type="text/css" rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<div class="col-md-12">
```

```
<div class="page-header">
```

```
<?php
```

```
include 'header.php';
```

```
?>
```

```
</div>
```

```
<div class="page-header">
```

```
<h2>List of Users available</h2>
```

```
</div>
```

```
<a href="admindashboard.php"
style="float:left;" class="btn btn-
primary">Back</a>
```

```
<a href="add_user.php"
style="float:right;" class="btn btn-
primary">Add Record</a>
```

```
<table class="table">
```

```
<thead>
```

```
<tr>
```

```
<th scope="col">S.No</th>
```

```
<th scope="col">User ID</th>
```

```
<th scope="col">Name</th>
```

```
<th scope="col">Age</th>
```

```
<th scope="col">Gender</th>
```

```
<th scope="col">Email</th>
```

```
<th scope="col">Contact</th>
```

```
<th scope="col">City</th>
```

```
<th scope="col">Address</th>
```

```
<th scope="col">Created</th>
```

```
<th scope="col">Last
Modified</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
// $result =
mysqli_query($con,"SELECT * FROM
doctor");
```

```
// $row=
mysqli_fetch_array($result);
```

```
$query="select * from users order by
u_id"; // Fetch all the data from the table
customers
```

```
$result=mysqli_query($con,$query);
```

```
$count = 1;
```

```
?>
```

```
<?php if ($result->num_rows > 0):
?>
```

```
<?php
while($array=mysqli_fetch_row($result)): ?>
```

```
<tr>
```

```
<th scope="row"><?php echo
$count;?></th>
```

```
<td><?php echo
$array[0];?></td>
```

```

        <td><?php
$array[1];?></td>
        <td><?php
$array[2];?></td>
        <td><?php
$array[3];?></td>
        <td><?php
$array[4];?></td>
        <td><?php
$array[6];?></td>
        <td><?php
$array[7];?></td>
        <td><?php
$array[8];?></td>
        <td><?php
$array[9];?></td>
        <td><?php
$array[10];?></td>

        <td>

        <a href="edit_user_record.php?
id=<?php echo $array[0]; ?>" class="btn btn-
primary" >Edit</a>

        </td>

        <td>

        <a
href="delete_user_record.php? id=<?php echo
$array[0]; ?>" class="btn btn-danger"
onclick="return confirm('Are you sure you
want to delete?')" >Delete</a>

        </td>

        </tr>

        <?php $count++; ?>
        <?php endwhile; ?>

        <?php else: ?>

```

```

        echo
        echo
        echo
        echo
        echo
        echo
        echo
        echo
        echo
        echo

        <tr>
        <td colspan="3" rowspan="1"
headers="">No Data Found</td>
        </tr>
        <?php endif; ?>

        <?php mysqli_free_result($result);
?>

        </tbody>
        </table>
        </div>
        </div>
        </div>
        </body>
        </html>

setting.php:
<?php

require '../includes/common.php';

?>

<!DOCTYPE html>

<!--setting page for the website-->

<html>

        <head>

                <title>Setting | Health Consultancy
Service </title>

                <meta charset="UTF-8">

```

```
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
```

```
<link rel="stylesheet" type="text/css"
href="../bootstrap/css/bootstrap.min.css">
```

```
<script type="text/javascript"
src="../bootstrap/js/jquery-
3.5.1.min.js"></script>
```

```
<script type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>
```

```
<link type="text/css" rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">
```

```
</head>
```

```
<body>
```

```
<div class="image_home"
style="height:100vh;">
```

```
<?php
```

```
if(!isset($_SESSION['admin_email']))
```

```
{
```

```
header('location:../index.php');
```

```
}
```

```
?>
```

```
<?php
```

```
include 'header.php';
```

```
?>
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-lg-4 col-lg-offset-
4 col-md-6 col-md-offset-3">
```

```
<h2>Change Password</h2>
```

```
<form method="POST"
action="setting_sub.php">
```

```
<div class="form-group">
```

```
<input type="password"
class="form-control" placeholder="Old
Password" name="oldpassword" required =
"true" pattern="(?!.*\d)(?!.*[a-z])(?!.*[A-
Z]).{8,}">
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="password"
class="form-control" placeholder=" New
Password" name="newpassword" required =
"true" pattern="(?!.*\d)(?!.*[a-z])(?!.*[A-
Z]).{8,}">
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="password"
class="form-control" placeholder="Re-type
New Password" name="retypepassword"
required = "true" pattern="(?!.*\d)(?!.*[a-
z])(?!.*[A-Z]).{8,}">
```

```
</div>
```

```
<button type="submit"
name="submit" class="btn btn-
primary">Change</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

## setting\_sub.php:

```
<?php
```

```
require '../includes/common.php';
```

```
if(!isset($_SESSION['admin_email']))
```

```
{
```

```
header('location:../index.php');
```

```

}

$oldpass = $_POST['oldpassword'];
$encrypt_old = md5($oldpass);

$newpass = $_POST['newpassword'];
$encrypt_new = md5($newpass);

$rettypepass = $_POST['retypepassword'];
$encrypt_retype = md5($rettypepass);

$select = "SELECT admin_pass FROM
admin1 WHERE
admin_email='".$_SESSION['admin_email']."'";

$select_query_result = mysqli_query($con,
$select);

$row =
mysqli_fetch_array($select_query_result);
$originalpass = $row['admin_pass'];

if($encrypt_retype != $encrypt_new)
{

    echo '<script type="text/javascript"> ';
    echo ' if (confirm("New Password didnot
match, Please enter the correct credentials"))
{';

    echo ' window.location = "setting.php";
echo ' }';

    echo '</script>';

}
else
{
    if($originalpass == $encrypt_old)
    {

```

```

$update = "UPDATE admin1 SET
admin_pass = '$encrypt_new' WHERE
admin_email='".$_SESSION['admin_email']."'";

$update_result = mysqli_query($con,
$update);

echo '<script type="text/javascript"> ';
echo ' if (confirm("Password
Changed!!!Keep it confidential")) {';
echo ' window.location = "setting.php";
echo ' }';

echo '</script>';
}
else
{

    echo '<script type="text/javascript"> ';
    echo ' if (confirm("Old Password didnot
match, Please enter the correct credentials"))
{';

    echo ' window.location = "setting.php";
echo ' }';

    echo '</script>';

}
}
?>

```

### **doc\_schedule.php:**

```

<?php

require '../includes/common.php';

if(!isset($_SESSION['admin_email']))
{
    header('location:../index.php');
}

```

```

}

$oldpass = $_POST['oldpassword'];
$encrypt_old = md5($oldpass);

$newpass = $_POST['newpassword'];
$encrypt_new = md5($newpass);

$rettypepass = $_POST['rettypepassword'];
$encrypt_retype = md5($rettypepass);

$select = "SELECT admin_pass FROM
admin1 WHERE
admin_email='".$_SESSION['admin_email']."'
";

$select_query_result = mysqli_query($con,
$select);

$row =
mysqli_fetch_array($select_query_result);
$originalpass = $row['admin_pass'];

if($encrypt_retype != $encrypt_new)
{

    echo '<script type="text/javascript"> ';
    echo ' if (confirm("New Password didnot
match, Please enter the correct credentials"))
{';

    echo ' window.location = "setting.php"';
    echo ' }';
    echo '</script>';
}
else
{
    if($originalpass == $encrypt_old)
    {

```

```

$update = "UPDATE admin1 SET
admin_pass ='$encrypt_new' WHERE
admin_email='".$_SESSION['admin_email']."'
";

$update_result = mysqli_query($con,
$update);

echo '<script type="text/javascript"> ';
echo ' if (confirm("Password
Changed!!!Keep it confidential")) {';
echo ' window.location = "setting.php"';
echo ' }';
echo '</script>';
}
else
{

    echo '<script type="text/javascript"> ';
    echo ' if (confirm("Old Password didnot
match, Please enter the correct credentials"))
{';

    echo ' window.location = "setting.php"';
    echo ' }';
    echo '</script>';
}
}
?>

doc_signup.php:

<?php
require '../includes/common.php';
?>

<!DOCTYPE html>

<html>

<head>

```

<title>Doctor Sign up | Health Consultancy Service </title>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link rel="stylesheet" type="text/css" href="../bootstrap/css/bootstrap.min.css">

<script type="text/javascript" src="../bootstrap/js/jquery-3.5.1.min.js"></script>

<script type="text/javascript" src="../bootstrap/js/bootstrap.min.js"></script>

<link type="text/css" rel="stylesheet" href="style.css?v=<?php echo time(); ?>">

</head>

<body>

<?php

include 'header.php';

?>

<div class="image\_home" style="text-align:left;">

<div class="container">

<div class="row">

<div class="col-lg-4 col-lg-offset-4 col-md-6 col-md-offset-3">

<h1 style="color : skyblue;">DOCTOR PERSONAL SIGNUP</h1><hr>

<form method="POST" action="doc\_signup\_sub.php">

NAME:

<div class="form-group">

<input class="form-control" placeholder="Name" name="dname"

required = "true" pattern="^[A-Za-z\s]{1,}[\.]{0,1}[A-Za-z\s]{0,}\$">

</div>

SPECIALIZATION:

<div class="form-group">

<select class="form-select" aria-label="Default select example" name="dspecial" required = "true">

<option selected>Select Specilization</option>

<option value="CARDIOLOGIST">CARDIOLOGIST</option>

<option value="NEUROLOGIST">NEUROLOGIST</option>

<option value="DENTIST">DENTIST</option>

<option value="DERMATOLOGIST">DERMATOLOGIST</option>

<option value="ALLERGIST">ALLERGIST</option>

<option value="NEPHROLOGIST">NEPHROLOGIST</option>

<option value="PEDIATRICIANS">PEDIATRICIAN S</option>

<option value="PSYCHIATRISTS">PSYCHIATRIST S</option>

<option value="OTHERS">OTHERS</option>

</select>

</div>

QUALIFICATION:

<div class="form-group">

```
        <input      type="text"
placeholder="Qualification"  name="dquali"
required = "true">
    </div>
```

#### EXPERIENCE:

```
    <div class="form-group">
        <input      type="text"
placeholder="Experience      Gained"
name="dexp"  required = "true">
    </div>
```

#### AGE:

```
    <div class="form-group">
        <input      type="text"
placeholder="Age " name="dage"  required =
"true">
    </div>
```

#### GENDER:

```
    <div class="form-group">
        <select      class="form-
select"  aria-label="Default select example"
name="dgender"  required = "true">
            <option selected>Select
Specilization</option>
            <option
value="MALE">MALE</option>
            <option
value="FEMALE">FEMALE</option>
            <option
value="OTHERS">OTHERS</option>
        </select>
    </div>
```

#### CONTACT NUMBER:

```
    <div class="form-group">
        <input      type="text"
class="form-control"  placeholder="Tele
```

```
Phone Number" name="dcontact" required =
"true">
    </div>
```

#### EMAIL ADDRESS:

```
    <div class="form-group">
        <input      type="email"
class="form-control"  placeholder="Email"
name="demail"  required = "true" pattern="[a-
z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}$">
    </div>
```

#### PASSWORD:

```
    <div class="form-group">
        <input      type="password"
class="form-control"  placeholder="Password"
name="dpassword"  required = "true"
pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-
Z]).{8,}">
    </div>
```

#### CITY:

```
    <div class="form-group">
        <input      type="text"
placeholder="City" name="dcity"  required =
"true">
    </div>
```

#### ADDRESS:

```
    <div class="form-group">
        <input      type="text"
placeholder="Address" name="daddress"
required = "true">
    </div>
```

```
        <button      type="submit"
name="submit" class="btn btn-primary btn-lg
active">Submit</button>
    <hr>
```



```

        </form>
    </div>

</div>
</div>
</div>

</body>
</html>

doc_signup_sub.php:
<?php

require '../includes/common.php';

$dname = $_POST['dname'];
$dspecial = $_POST['dspecial'];
$dquali = $_POST['dquali'];
$dexp = $_POST['dexp'];
$dage = $_POST['dage'];
$dgender = $_POST['dgender'];
$dcontact = $_POST['dcontact'];
$demail = $_POST['demail'];
$dpassword = $_POST['dpassword'];
$encryptdpass = md5($dpassword);
$dcity = $_POST['dcity'];
$daddress = $_POST['daddress'];

$select = "SELECT * FROM doctor WHERE
d_email = '$demail'";

$select_query_result = mysqli_query($con,
$select);

if(mysqli_num_rows($select_query_result )>
0)
{
    echo '<script type="text/javascript"> ';

    echo ' if (confirm("The Doctor with similar
email Id is already registered, Click here to
register again")) {';

    echo '          window.location    =
"doc_signup.php";

    echo ' }';

    echo '</script>';
}
else
{
    $insert = "INSERT INTO doctor
(d_name,d_special,d_quali,d_experience,d_ag
e,d_gender,d_contact,d_email,d_password,d_c
ity,d_address,d_created_at,d_updated_at)

VALUES
('$dname','$dspecial','$dquali', '$dexp', '$dage',
'$dgender',
'$dcontact','$demail','$encryptdpass','$dcity','$
daddress',now(),now())";

    $insert_query_result = mysqli_query($con,
$insert);

    if($insert_query_result)
    {
        $d_id = mysqli_insert_id($con);
        $_SESSION['d_email']=$demail;
        $_SESSION['d_id']=$d_id;
        $_SESSION['d_username']=$dname;

        // echo ' Doctor Details were inserted
successfully!!! ';

        // header("location: ../login.php");

        echo '<script type="text/javascript"> ';

        echo ' if (confirm("Doctor Details were
successfully Registered!!!, Click here to
login")) {';

```

```

        echo '                window.location =
"../login.php";

        echo ' }';
        echo '</script>';
    }
else
{
    // echo 'Doctor Registration failed';
    // header('refresh:3; url:doc_signup.php');

    echo '<script type="text/javascript"> '
        echo ' if (confirm("Doctor Registration
failed, Click here to register again")) {';

        echo '                window.location =
"doc_signup.php";

        echo ' }';
        echo '</script>';
    }
}
?>

```

## doctor\_index.php:

```

<?php
require '../includes/common.php';
?>

<!DOCTYPE html>

<!--admin page for the website-->

<html>

    <head>

        <title>Doctor | Health Consultancy
Service </title>

        <meta charset="UTF-8">

        <meta                name="viewport"
content="width=device-width,                initial-
scale=1.0">

```

```

        <link rel="stylesheet" type="text/css"
href="../bootstrap/css/bootstrap.min.css">

        <script                type="text/javascript"
src="../bootstrap/js/jquery-
3.5.1.min.js"></script>

        <script                type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>

        <link type="text/css" rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">

    </head>

    <body>

        <div class="image_home">

            <?php
                include 'header.php';

            ?>

            <div class="container">

                <div class="page-header">

                    <h2 style = "color :
skyblue;">Doctor Dashboard</h2>

                </div>

                <br>

                <div class="row text-center">

                    <div class="col-lg-8 col-lg-offset-
2 col-md-6 col-md-offset-3">

                        <div class="thumbnail">

                            <div class="caption">

                                <h3>Show                available
Schedules</h3>

                                <a
href="doc_schedule.php?docid=<?php echo
$docid;?>" class="btn btn-primary btn-
block">List Schedules</a>

                            </div>

                        </div>

                    </div>

```

```

        </div>
    </div>
</div>
</div>

</body>
</html>

header.php:
<?php

$con = mysqli_connect("localhost","root","");
mysqli_select_db($con, "hcs");

$docid = $_GET['docid'];

?>

<div class="navbar navbar-inverse navbar-fixed-top">
    <div class="container">

        <!--header for doctor with name of the website-->

        <div class="navbar-header">
            <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>

            <?php

```

```

            if(isset($_SESSION['d_email']))
            {
                ?>
                <a class="navbar-brand" href="doctor_index.php?docid=<?php echo $docid;?>">Health Consultancy Service</a>
            }
            else
            {
                ?>
                <a class="navbar-brand" href="./index.php">Health Consultancy Service</a>
            }
            ?>

        </div>

        <!--links for login and signup page-->

        <div class="collapse navbar-collapse" id="myNavbar">
            <ul class="nav navbar-nav navbar-right">

                <?php
                if(isset($_SESSION['d_email']))
                {
                    ?>
                    <li><a href="doctor_index.php?docid=<?php echo $docid;?>"><span class="glyphicon glyphicon-home"></span> Home</a></li>

```

```
<li><a href="setting.php"><span
class="glyphicon glyphicon-cog"></span>
Setting</a></li>
```

```
<li><a href=" ../logout.php"><span
class="glyphicon glyphicon-log-out"></span>
Logout</a></li>
```

```
<?php
}
else
{
?>

<li><a href=" ../index.php"><span
class="glyphicon glyphicon-home"></span>
Home</a></li>
```

```
<li><a href="doc_signup.php"><span
class="glyphicon glyphicon-user"></span>
Sign Up</a></li>
```

```
<li><a href=" ../login.php"><span
class="glyphicon glyphicon-log-in"></span>
Login</a></li>
```

```
<?php
}
?>
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

## prescribe.php:

```
<?php
```

```
require '../includes/common.php';
```

```
include 'header.php';
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Update Appointment Details |
Health Consultancy Service</title>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
```

```
<link rel="stylesheet" type="text/css"
href=" ../bootstrap/css/bootstrap.min.css">
```

```
<script type="text/javascript"
src=" ../bootstrap/js/jquery-
3.5.1.min.js"></script>
```

```
<script type="text/javascript"
src=" ../bootstrap/js/bootstrap.min.js"></script>
```

```
<link type="text/css" rel="stylesheet"
href=" ../style.css?v=<?php echo time(); ?>">
```

```
</head>
```

```
<body>
```

```
<div class="image_home"
style="height:100vh;text-align:left;">
```

```
<?php
```

```
$appointmentid=$_GET['appointmentid'];
```

```
$docid=$_GET['docid'];
```

```
$result = mysqli_query($con,"SELECT
* FROM appoint WHERE
appoint_id='$appointmentid'");
```

```
$row= mysqli_fetch_array($result);
```

```
$status = "";
```

```

        if(isset($_POST['new']) &&
$_POST['new']==1)
        {
            $prescribe
=$_REQUEST['prescribe'];

            $update="update appoint set
prescription='".$_.$prescribe."',u_consulted_at=
now() where appoint_id='".$_.$appointid."";

            mysqli_query($con, $update) or
die(mysqli_error());

            header("location:
doc_schedule.php?docid=".$_.$docid);
        }
        else {
            ?>

<div class="container">

        <div class="row">

            <div class="col-lg-4 col-lg-
offset-4">

                <h1 style = "color :
skyblue;">Update Appointment
Record</h1><hr>

                <form name="form-group"
method="POST" action="">

                    <input type="hidden"
name="new" value="1" />

                    <input name="appointid"
type="hidden" value="<?php echo
$row['appoint_id'];?>" />

                    PRESCRIPTION:<br>

                    <div class="form-group">

```

```

            <input type="text"
class="form-control"
placeholder="Prescription for the patient"
name="prescribe" required = "true"
value="<?php echo $row['prescription'];?>">

            </div>

            <br>

            <button type="submit"
name="submit" value="update" class="btn
btn-danger btn-lg active">Update</button>

            </form>

        </div>

    </div>

</div>

<?php } ?>

```

```

    </div>

</body>

</html>

```

## setting.php:

```

<?php

require '../includes/common.php';

?>

<!DOCTYPE html>

<!--setting page for the website-->

<html>

    <head>

        <title>Setting | Health Consultancy
Service </title>

        <meta charset="UTF-8">

```

```
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
```

```
<link rel="stylesheet" type="text/css"
href="../bootstrap/css/bootstrap.min.css">
```

```
<script type="text/javascript"
src="../bootstrap/js/jquery-
3.5.1.min.js"></script>
```

```
<script type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>
```

```
<link type="text/css" rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">
```

```
</head>
```

```
<body>
```

```
<?php
```

```
if(!isset($_SESSION['d_email']))
```

```
{
```

```
header('location:../index.php');
```

```
}
```

```
?>
```

```
<?php
```

```
include 'header.php';
```

```
?>
```

```
<div class="image_detail">
```

```
<!--panel for change the password in
setting-->
```

```
<div class="container">
```

```
<div class="container-fluid">
```

```
<div class="row">
```

```
<div class="col-lg-4 col-lg-offset-4
col-md-6 col-md-offset-3">
```

```
<h2>Change Password</h2>
```

```
<form method="POST"
action="setting_sub.php">
```

```
<div class="form-group">
```

```
<input type="password"
class="form-control" placeholder="Old
Password" name="oldpassword" required =
"true" pattern="(?.*\d)(?.*[a-z])(?.*[A-
Z]).{8,}">
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="password"
class="form-control" placeholder=" New
Password" name="newpassword" required =
"true" pattern="(?.*\d)(?.*[a-z])(?.*[A-
Z]).{8,}">
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="password"
class="form-control" placeholder="Re-type
New Password" name="retypepassword"
required = "true" pattern="(?.*\d)(?.*[a-
z])(?.*[A-Z]).{8,}">
```

```
</div>
```

```
<button type="submit"
name="submit" class="btn btn-
primary">Change</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

## setting\_sub.php:

```
<?php
```

```
require '../includes/common.php';
```

```
if(!isset($_SESSION['d_email']))
```

```

{
    header('location:../index.php');
}

$oldpass = $_POST['oldpassword'];
$encrypt_old = md5($oldpass);

$newpass = $_POST['newpassword'];
$encrypt_new = md5($newpass);

$rettypepass = $_POST['rettypepassword'];
$encrypt_retype = md5($rettypepass);

$select = "SELECT d_password FROM doctor
WHERE
d_email='".$_SESSION['d_email']."'";

$select_query_result = mysqli_query($con,
$select);

$row =
mysqli_fetch_array($select_query_result);
$originalpass = $row['d_password'];

if($encrypt_retype != $encrypt_new)
{

    echo '<script type="text/javascript"> ';
        echo ' if (confirm("New Password didnot
match, Please enter the correct credentials"))
{';

        echo ' window.location = "setting.php";
        echo ' }';

        echo '</script>';
    }
else
{
    if($originalpass == $encrypt_old)

```

```

{
    $update = "UPDATE doctor SET
d_password='$encrypt_new' WHERE
d_email='".$_SESSION['d_email']."'";

    $update_result = mysqli_query($con,
$update);

    echo '<script type="text/javascript"> ';
        echo ' if (confirm("Password
Changed!!!Keep it confidential")) {';

        echo ' window.location = "setting.php";
        echo ' }';

        echo '</script>';
    }
else
{

    echo '<script type="text/javascript"> ';
        echo ' if (confirm("Old Password didnot
match, Please enter the correct credentials"))
{';

        echo ' window.location = "setting.php";
        echo ' }';

        echo '</script>';
    }
}
?>

common.php:
<?php
session_start();

$con = mysqli_connect("localhost","root","");
mysqli_select_db($con, "hcs");

?>

header.php:
<?php

```

```
$con = mysqli_connect("localhost","root","");
mysqli_select_db($con, "hcs");
```

```
?>
```

```
<div class="navbar navbar-inverse navbar-
fixed-top ">
```

```
    <div class="container">
```

```
        <!--header with name of the website-->
```

```
        <div class="navbar-header">
```

```
            <button type="button" class="navbar-
toggle" data-toggle="collapse" data-
target="#myNavbar">
```

```
                <span class="icon-bar"></span>
```

```
                <span class="icon-bar"></span>
```

```
                <span class="icon-bar"></span>
```

```
            </button>
```

```
            <a class="navbar-brand"
href="index.php">Health Consultancy
Service</a>
```

```
        </div>
```

```
        <!--links for login and signup page-->
```

```
        <div class="collapse navbar-collapse"
id="myNavbar">
```

```
            <ul class="nav navbar-nav navbar-
right">
```

```
                <li><a href="index.php"><span
class="glyphicon glyphicon-home"></span>
Home</a></li>
```

```
                <li><a href="signup.php"><span
class="glyphicon glyphicon-user"></span>
Sign Up</a></li>
```

```
                <li><a href="login.php"><span
class="glyphicon glyphicon-log-in"></span>
Login</a></li>
```

```
            </ul>
```

```
        </div>
```

```
    </div>
```

```
</div>
```

```
book_appoint.php:
```

```
<?php
```

```
require '../includes/common.php';
```

```
include 'header.php';
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
    <head>
```

```
        <title> Confirm Book Appointment |
Health Consultancy Service</title>
```

```
        <meta charset="UTF-8">
```

```
        <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
```

```
        <link rel="stylesheet" type="text/css"
href="../bootstrap/css/bootstrap.min.css">
```



```
<script type="text/javascript"
src="../bootstrap/js/jquery-
3.5.1.min.js"></script>
```

```
<script type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>
```

```
<link type="text/css" rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">
```

```
</head>
```

```
<body>
```

```
<?php
```

```
$userid=$_GET['userid'];
```

```
$id=$_GET['id'];
```

```
// $resultdoc =
mysqli_query($con,"SELECT * FROM doctor
WHERE d_id='$id'");
```

```
$query = "SELECT * FROM doctor
WHERE d_id='$id'";
```

```
$result = mysqli_query($con,$query);
```

```
$row= mysqli_fetch_array($result);
```

```
$docid = $row['d_id'];
```

```
$doc_name = $row['d_name'];
```

```
// $insert = "INSERT INTO appoint
(doc_id,doc_name)
```

```
// VALUES ('$docid', '$doc_name')";
```

```
// $insert_query_result =
mysqli_query($con, $insert);
```

```
// if($insert_query_result)
```

```
// {
```

```
// $user_id = mysqli_insert_id($con);
```

```
// $_SESSION['u_email']=$email;
```

```
// $_SESSION['u_id']= $user_id;
```

```
// $_SESSION['u_username']=$name;
```

```
//
```

```
header('location:user/user_dashboard.php');
```

```
// }
```

```
// else
```

```
// {
```

```
// echo 'registration failed';
```

```
// header('refresh:3; url:signup.php');
```

```
// }
```

```
// $insert_query_result =
mysqli_query($con, $insert);
```

```
// $result =
mysqli_query($con,"SELECT * FROM users
where u_id='$userid'");
```

```
// $query = "SELECT * FROM users
where u_id='$userid'";
```

```
// $result =
mysqli_query($con,$query);
```

```
// $row= mysqli_fetch_array($result);
```

```
// $user_id = $row['u_id'];
```

```
// $user_email = $row['u_email'];
```

```
// $user_contact = $row['u_contact'];
```

```
// $useraptreason = $_POST['reason'];
```

```
// $user_address = $row['u_address'];
```

```
// $schedule = $_POST['sch'];
```

```
// $update = "UPDATE appoint set
user_id='".$user_id."',
user_email='".$user_email."',
user_contact='".$user_contact."',
user_apmt_reason='".$useraptreason."',
```

```
user_address=" ".$user_address.",
doc_id=" ".$docid.",doc_name=" ".$_doc_name.
",u_schedule_at=" ".$schedule." where
appoint_id=" ".$appid"" ;
```

```
// mysqli_query($con, $update) or
die(mysqli_error());
```

```
?>
```

```
<div class= "image_home"
style="height:100vh;">
```

```
<div class="container">
```

```
<div class="container-fluid">
```

```
<div class="row">
```

```
<div class="row">
```

```
<div class="col-lg-6">
```

```
<a
href="doc_details.php?userid=<?php echo
$userid;?>&id=<?php echo $id;?>"
style="float:left;" class="btn btn-
primary">Back</a>
```

```
</div>
```

```
<div class="col-lg-4 col-lg-
offset-4 col-md-6 col-md-offset-3">
```

```
<hr>
```

```
<hr>
```

```
<br>
```

```
<h1>Confirm the details to
book appointment</h1>
```

```
<hr>
```

```
<hr>
```

```
<form name="form-
group" method="POST"
action="book_appoint_sub.php?userid=<?php
echo $userid;?>">
```

```
<input type="hidden"
name="docid" value="<?php echo
$row['d_id'];?>" />
```

```
<input type="hidden"
name="docname" value="<?php echo
$row['d_name'];?>" />
```

```
<!-- <input type="hidden"
name="userid" value="" /> -->
```

Reason to Book  
Appointment:

```
<div class="form-group">
```

```
<input type="text-field"
class="form-control" placeholder="reason may
include if you have any symptoms"
name="reason" >
```

```
</div>
```

Schedule an Appointment  
at:

```
<div class="form-group">
```

```
<input type="text"
class="form-control" placeholder="DD-MM-
YYY HH:MM:AM/PM" name="schedule"
required="true">
```

```
</div>
```

```
<hr>
```

```
<button type="submit"
name="submit" type="update" class="btn btn-
success btn-block">Schedule</button>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```

        </div>
    </div>
</body>
</html>

```

## book\_appoint\_sub.php:

```

<?php

require '../includes/common.php';

$userid=$_GET['userid'];

// $docid = $_POST['docid']
// $docname = $_POST['docname'];

// $dspecial = $_POST['dspecial'];
// $dquali = $_POST['dquali'];
// $dexp = $_POST['dexp'];
// $dage = $_POST['dage'];
// $dgender = $_POST['dgender'];
// $dcontact = $_POST['dcontact'];
// $demail = $_POST['demail'];
// $dpassword = $_POST['dpassword'];
// $encryptdpass = md5($dpassword);
// $dcity = $_POST['dcity'];
// $daddress = $_POST['daddress'];

$query = "SELECT * FROM users where
u_id='$userid'";

$result = mysqli_query($con,$query);
$row= mysqli_fetch_array($result);

$user_id=$row['u_id'];
$useremail = $row['u_email'];

```

```

$usercontact=$row['u_contact'];
$useraddress=$row['u_address'];
$userapmtreason = $_POST['reason'];
$schedule = $_POST['schedule'];

$docid = $_POST['docid'];
$docname = $_POST['docname'];

// if(mysqli_num_rows($select_query_result)
// > 0)
// {

//         mysqli_query($con, $update) or
// die(mysqli_error());

//     $status = "The Doctor with similar email
// Id is already registered"<br><br>
//     <a href='list_doctors.php'>Click here to
// add another record</a>;

//         echo ' <p
// style="color:#FF0000;">'. $status.' </p>';

// }
// else
// {

    $insert = "INSERT INTO appoint
(user_id,user_email,user_contact,user_apmt_r
eason,u_address,doc_id,doc_name,u_schedule
d_at,u_application_submitted_at,u_updated_at
)

VALUES ('$user_id', '$useremail',
'$usercontact',
'$userapmtreason','$useraddress','$docid','$doc
name','$schedule',now(),now())";

    $insert_query_result = mysqli_query($con,
$insert);

    if($insert_query_result)
    {

```

```

$appoint_id = mysqli_insert_id($con);

$_SESSION['appoint_id']= $appoint_id;
//$_SESSION['u_username']=$uname;

echo ' Doctor Details were inserted
successfully!!! ';

header("location:
user_appoint_details.php?userid=".$userid.
"&id=" . $docid);
}
else
{
    echo 'Doctor Registration failed';

header("location:doc_details.php?userid=".$userid.
"&id=" . $docid);
}
?>

```

### doc\_details.php:

```

<?php
require '../includes/common.php';
?>

<!DOCTYPE html>

<html lang="en">

<head>

    <title>Doctor Details | Health
    Consultancy Service </title>

    <meta charset="UTF-8">

    <meta name="viewport"
    content="width=device-width, initial-
    scale=1.0">

    <link rel="stylesheet" type="text/css"
    href="../bootstrap/css/bootstrap.min.css">

    <script type="text/javascript"
    src="../bootstrap/js/jquery-
    3.5.1.min.js"></script>

```

```

<script type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>

<link type="text/css" rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">

</head>

<body>

    <div class="image_home">

        <div class="container" >

            <div class="page-header">

                <?php
                    include 'header.php';
                ?>

            </div>

            <?php
                $id=$_GET['id'];
                $userid=$_GET['userid'];

                $result =
                mysqli_query($con,"SELECT * FROM doctor
                WHERE d_id='$id'");

                $row= mysqli_fetch_array($result);

            ?>

```

```

        <form method="POST"
        action="book_appoint.php">

            <div class="row">

                <div class="col-lg-6">

                    <a
                    href="special_doc_list.php?userid=<?php echo
                    $userid;?>&id=<?php echo
                    $row['d_special'];?>" style="float:left;"
                    class="btn btn-primary">Back</a>

                </div>

                <div class="col-lg-6">

```

```
<a
href="book_appoint.php?userid=<?php echo
$userid;?>&id=<?php echo $row['d_id'];?>"
style="float:right;" class="btn btn-
primary">Book Appointment</a>
```

```
</div>
```

```
</div>
```

```
<div class="row">
<div class="col-lg-4">
<br>
<div class="card mb-4">
<div class="card-body text-
center">

<h3 class="my-3"><?php
echo $row['d_name'];></h3>
<p class="text-muted mb-
1"><?php echo $row['d_special'];></p>
<!-- <p class="text-muted
mb-4">Bay Area, San Francisco, CA</p> -->
<div class="d-flex justify-
content-center mb-2">
```

```
<a
href="book_appoint.php?userid=<?php echo
$userid;?>&id=<?php echo $row['d_id'];?>"
class="btn btn-danger">Book
Appointment</a>
```

```
</div>
```

```
<br>
```

```
</div>
```

```
</div>
```

```
<div class="card mb-4 mb-lg-0">
```

```
<div class="card-body text-
left">
```

```
<ul class="list-group list-
group-flush" >
```

```
<li class="list-group-item d-
flex justify-content-between align-items-center
p-3">
```

```
<i class="glyphicon
glyphicon-envelope" class="mb-
0">&nbsp;&nbsp;<?php echo
$row['d_email'];?></i>
```

```
</li>
```

```
<li class="list-group-item d-
flex justify-content-between align-items-center
p-3">
```

```
<i class="glyphicon
glyphicon-map-marker" style="color:
#333333;">&nbsp;&nbsp;<?php echo
$row['d_address'];?></i>
```

```
</li>
```

```
<li class="list-group-item d-
flex justify-content-between align-items-center
p-3">
```

```
<i class="glyphicon
glyphicon-earphone" class="mb-0"
style="color: #55acee;">&nbsp;&nbsp;<?php
echo $row['d_contact'];?></i>
```

```
</li>
```

```
<li class="list-group-item d-
flex justify-content-between align-items-center
p-3">
```

```
<i class="glyphicon
glyphicon-time" class="mb-0" style="color:
#ac2bac;">&nbsp;&nbsp;10-00 am to 08-00
pm</i>
```

```
</li>
```

```
<!-- <li class="list-group-
item d-flex justify-content-between align-
items-center p-3">
```

```
<i class="fab fa-facebook-
f fa-lg" style="color: #3b5998;"></i>
```

```
<p class="mb-
0">mdbootstrap</p>
```

```
</li> -->
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="card">
```

```
<h1>Doctor Details</h1> </div>
```

```
<div class="col-lg-8">
```

```
<div class="card mb-4">
```

```
<div class="card-body">
```

```
<div class="row">
```

```
<br>
```

```
<div class="col-sm-3">
```

```
<p class="mb-0">Full
Name</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-
0"><?php echo $row['d_name'];?></p>
```

```
</div>
```

```
</div>
```

```
<br>
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-
0">specialization</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-
0"><?php echo $row['d_special'];?></p>
```

```
</div>
```

```
</div>
```

```
<br>
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-
0">Qualification</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-
0"><?php echo $row['d_quali'];?></p>
```

```
</div>
```

```
</div>
```

```
<br>
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-
0">Experience</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-
0"><?php echo $row['d_experience'];?></p>
```

```
</div>
```

```
</div>
```

```
<br>
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-0">Age</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-
0"><?php echo $row['d_age'];?></p>
```

```
</div>
```

```
</div>
```

```
<br>

<div class="row">

  <div class="col-sm-3">

    <p          class="mb-0">Gender</p>

  </div>

  <div class="col-sm-9">

    <p class="text-muted mb-0"><?php echo $row['d_gender'];?></p>

  </div>

</div>

<br>

<div class="row">

  <div class="col-sm-3">

    <p    class="mb-0">Email ID</p>

  </div>

  <div class="col-sm-9">

    <p class="text-muted mb-0"><?php echo $row['d_email'];?></p>

  </div>

</div>

<br>

</div>

</div>

</div>

</div>

<!-- </div> -->

</form>

</div>

</div>

</body>
```

```
</html>

header.php:

<?php

$con = mysqli_connect("localhost","root","");

mysqli_select_db($con, "hcs");

$userid = $_GET['userid'];

?>

<div class="navbar navbar-inverse navbar-fixed-top">

    <div class="container">

        <!--header with name of the website-->

        <div class="navbar-header">

            <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">

                <span class="icon-bar"></span>

                <span class="icon-bar"></span>

                <span class="icon-bar"></span>

            </button>

            <?php

            if(isset($_SESSION['u_email']))

            {

                ?>

                <a class="navbar-brand" href="user_dashboard.php?userid=<?php echo $userid;?>">Health Consultancy Service</a>
```

```

        <?php
    }
    else
    {
        ?>

        <a                class="navbar-brand"
href=" ../index.php">Health        Consultancy
Service</a>

        <?php
    }
    ?>

</div>

<!--links for login and signup page-->

<div class="collapse navbar-collapse"
id="myNavbar">

    <ul class="nav navbar-nav navbar-
right">

        <?php

        <?php

        if(isset($_SESSION['u_email']))
        {
            ?>

            <li><a
href="user_dashboard.php?userid=<?php echo
$userid;?>"><span                class="glyphicon
glyphicon-home"></span> Home</a></li>

            <li><a
href="setting.php?userid=<?php echo
$userid;?>"><span                class="glyphicon
glyphicon-cog"></span> Setting</a></li>

```

```

            <li><a href=" ../logout.php"><span
class="glyphicon glyphicon-log-out"></span>
Logout</a></li>

```

```

        <?php
    }
    else
    {
        ?>

        <li><a href=" ../index.php"><span
class="glyphicon glyphicon-home"></span>
Home</a></li>

        <li><a href="signup.php"><span
class="glyphicon glyphicon-user"></span>
Sign Up</a></li>

        <li><a href=" ../login.php"><span
class="glyphicon glyphicon-log-in"></span>
Login</a></li>

```

```

        <?php
    }
    ?>

</ul>

</div>

</div>

</div>

```

## setting.php:

```

<?php

require '../includes/common.php';

?>

```



```

<!DOCTYPE html>

<!--setting page for the website-->

<html>

    <head>

        <title>Setting | Health Consultancy
        Service</title>

        <meta charset="UTF-8">

        <meta name="viewport"
        content="width=device-width, initial-
        scale=1.0">

        <link rel="stylesheet" type="text/css"
        href="../bootstrap/css/bootstrap.min.css">

        <script type="text/javascript"
        src="../bootstrap/js/jquery-
        3.5.1.min.js"></script>

        <script type="text/javascript"
        src="../bootstrap/js/bootstrap.min.js"></script>

        <link type="text/css" rel="stylesheet"
        href="../style.css?v=<?php echo time(); ?>">

    </head>

    <body>

        <div class="image_home"
        style="height:100vh;">

            <?php

            if(!isset($_SESSION['u_email']))

            {

                header('location:../index.php');

            }

            ?>

            <?php

            include 'header.php';

            ?>

```

```

<div class="container">

    <div class="container-fluid">

        <div class="row">

            <div class="col-lg-4 col-lg-offset-
            4 col-md-6 col-md-offset-3">

                <h2>Change Password</h2>

                <form method="POST"
                action="setting_sub.php">

                    <div class="form-group">

                        <input type="password"
                        class="form-control" placeholder="Old
                        Password" name="oldpassword" required =
                        "true" pattern="(?.*\d)(?.*[a-z])(?.*[A-
                        Z]).{8,}">

                    </div>

                    <div class="form-group">

                        <input type="password"
                        class="form-control" placeholder=" New
                        Password" name="newpassword" required =
                        "true" pattern="(?.*\d)(?.*[a-z])(?.*[A-
                        Z]).{8,}">

                    </div>

                    <div class="form-group">

                        <input type="password"
                        class="form-control" placeholder="Re-type
                        New Password" name="retypepassword"
                        required = "true" pattern="(?.*\d)(?.*[a-
                        z])(?.*[A-Z]).{8,}">

                    </div>

                    <button type="submit"
                    name="submit" class="btn btn-
                    primary">Change</button>

                </form>

            </div>

        </div>

    </div>

</div>

</body>

</html>

```

## setting\_sub.php:

```
<?php

require '../includes/common.php';

if(!isset($_SESSION['u_email']))
{
    header('location:../index.php');
}

$oldpass = $_POST['oldpassword'];
$encrypt_old = md5($oldpass);

$newpass = $_POST['newpassword'];
$encrypt_new = md5($newpass);

$rettypepass = $_POST['retypepassword'];
$encrypt_retype = md5($rettypepass);

$select = "SELECT u_password FROM users
WHERE
u_email='".$_SESSION['u_email']."'";

$select_query_result = mysqli_query($con,
$select);

$row =
mysqli_fetch_array($select_query_result);
$originalpass = $row['u_password'];

if($encrypt_retype != $encrypt_new)
{

    echo '<script type="text/javascript"> ';

    echo ' if (confirm("New Password didnot
match, Please enter the correct credentials"))
{';

    echo ' window.location = "setting.php";
```

```
    echo ' }';

    echo '</script>';

}

else
{

    if($originalpass == $encrypt_old)

    {

        $update = "UPDATE users SET
u_password='$encrypt_new' WHERE
u_email='".$_SESSION['u_email']."'";

        $update_result = mysqli_query($con,
$update);

        echo '<script type="text/javascript"> ';

        echo ' if (confirm("Password
Changed!!!Keep it confidential")) {';

        echo ' window.location = "setting.php";

        echo ' }';

        echo '</script>';

    }

    else
    {

        echo '<script type="text/javascript"> ';

        echo ' if (confirm("Old Password didnot
match, Please enter the correct credentials"))
{';

        echo ' window.location = "setting.php";

        echo ' }';

        echo '</script>';

    }

}

?>

signup.php:

<?php
```

```

require '../includes/common.php';
?>

<!DOCTYPE html>

<!--sign up page for the website-->

<html>
    <head>
        <title>User Sign Up | Health Consultancy
        Service</title>
        <meta charset="UTF-8">
        <meta name="viewport"
        content="width=device-width, initial-
        scale=1.0">
        <link rel="stylesheet" type="text/css"
        href="../bootstrap/css/bootstrap.min.css">
        <script type="text/javascript"
        src="../bootstrap/js/jquery-
        3.5.1.min.js"></script>
        <script type="text/javascript"
        src="../bootstrap/js/bootstrap.min.js"></script>
        <link type="text/css" rel="stylesheet"
        href="../style.css?v=<?php echo time(); ?>">
    </head>

    <body>

        <!--header-->

        <?php
        include 'header.php';
        ?>

        <!--sign up panel for the website-->

        <div class= "image_home" style="text-
        align:left;">

            <div class="container">

```

```

<div class="container-fluid">
    <div class="row">
        <div class="col-lg-6 col-lg-offset-
        3">
            <h1 style = "color :
            skyblue;">User SIGN UP</h1><hr>
            <form method="POST"
            action="signup_sub.php">
                Name:
                <div class="form-group">
                    <input type="text"
                    placeholder="Name" name="name" required
                    = "true" pattern="^[A-Za-z\s]{1,}[\.]{0,1}[A-
                    Za-z\s]{0,}$">
                </div>
                Age:
                <div class="form-group">
                    <input type="text"
                    placeholder="Age" name="age" required =
                    "true">
                </div>
                Gender:
                <div class="form-group">
                    <select class="form-
                    select" style="color:black;" aria-
                    label="Default select example"
                    name="gender" required = "true">
                        <option selected>Select
                        Gender</option>
                        <option
                        value="MALE">MALE</option>
                        <option
                        value="FEMALE">FEMALE</option>
                        <option
                        value="OTHERS">OTHERS</option>
                    </select>
                </div>
                Email:
                <div class="form-group">

```

```

        <input      type="email"
placeholder="Email"  name="email" required
= "true" pattern="[a-z0-9._%+-]+@[a-z0-9.-
]+\.[a-z]{2,}$">

```

```

    </div>

```

Password:

```

    <div class="form-group">

```

```

        <input      type="password"
placeholder="Password"  name="password"
required = "true"  pattern="(?!.*\d)(?!.*[a-
z])(?!.*[A-Z]).{8,}">

```

```

    </div>

```

Contact:

```

    <div class="form-group">

```

```

        <input      type="text"
placeholder="Contact"      name="contact"
required = "true">

```

```

    </div>

```

City:

```

    <div class="form-group">

```

```

        <input      type="text"
placeholder="City"  name="city"  required =
"true">

```

```

    </div>

```

Address:

```

    <div class="form-group">

```

```

        <input      type="text"
placeholder="Address"      name="address"
required = "true">

```

```

    </div>

```

```

        <button      type="submit"
name="submit" class="btn btn-success btn-lg
active">Submit</button><hr>

```

```

    <div class="form-group">

```

```

        <br><p style="text-align:
center;font-weight: bolder;font-size: 20px;">
Already a customer?&nbsp; <a
href="..../login.php">Login</a></p>

```

```

    </div>

```

```

</form>

```

```

    </div>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</body>

```

```

</html>

```

## signup\_sub.php:

```

<?php

```

```

require '../includes/common.php';

```

```

$name = $_POST['name'];

```

```

$age = $_POST['age'];

```

```

$gender = $_POST['gender'];

```

```

$email = $_POST['email'];

```

```

$password = $_POST['password'];

```

```

$encryptpass = md5($password);

```

```

$contact = $_POST['contact'];

```

```

$city = $_POST['city'];

```

```

$address = $_POST['address'];

```

```

$select = "SELECT * FROM users WHERE
u_email = '$email'";

```

```

$select_query_result = mysqli_query($con,
$select);

```

```

if(mysqli_num_rows($select_query_result )>
0)

```

```

{

```

```

    echo 'Email Id is already registered';

```

```

    header('refresh:3; url:signup.php');

```

```

}

```

```

else

```

```

{

```

```
$insert = "INSERT INTO users (u_name,
u_age, u_gender, u_email, u_password,
u_contact, u_city, u_address)
```

```
VALUES ('$name', '$age', '$gender',
'email', '$encryptpass', '$contact', '$city',
'$address')";
```

```
$insert_query_result = mysqli_query($con,
$insert);
```

```
if($insert_query_result)
{
    $user_id = mysqli_insert_id($con);
    $_SESSION['u_email']=$email;
    $_SESSION['u_id']= $user_id;
    $_SESSION['u_username']=$name;
    echo '<script type="text/javascript"> ';
    echo ' if (confirm("User Registration is
Successfull!!, Click here to login to you
profile")) {';
    echo ' window.location =
"../login.php";
    echo ' }';
    echo '</script>';
}
else
{
    echo '<script type="text/javascript"> ';
    echo ' if (confirm("User Registration
failed. Click here to register again")) {';
    echo ' window.location = "signup.php";
    echo ' }';
    echo '</script>';
}
}
?>
```

### special\_doc\_list.php:

```
<?php
```

```
require '../includes/common.php';
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Specialist | Health Consultancy
Service </title>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
```

```
<link rel="stylesheet" type="text/css"
href="../bootstrap/css/bootstrap.min.css">
```

```
<script type="text/javascript"
src="../bootstrap/js/jquery-
3.5.1.min.js"></script>
```

```
<script type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>
```

```
<link type="text/css" rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">
```

```
</head>
```

```
<body>
```

```
<div class="image_home">
```

```
<?php
```

```
include 'header.php';
```

```
?>
```

```
<?php
```

```
$id=$_GET['id'];
```

```
$userid=$_GET['userid'];
```

```
?>
```

```
<div class="container">
```

```

<div class="page-header">
    <a href="special_list.php?userid=<?php
echo $userid?>" style="float:left;" class="btn
btn-primary">Back</a>

    <h2 style="color: skyblue;"><?php echo
$id;?></h2>

</div>

<?php

$query= "SELECT * FROM doctor
WHERE d_special='$id'"; // Fetch all the data
from the table customers

$result=mysqli_query($con,$query);

$count = $result->num_rows;

$rows = array();

while($row = mysqli_fetch_array($result))

    $rows[] = $row;

foreach($rows as $row){

    $dname = stripslashes($row['d_name']);

    $dspecial = stripslashes($row['d_special']);

    $did = $row['d_id'];

    ?>

<div class="image_home">

    <div class="container">

        <div class="row">

            <div class="col-lg-3">

                <div class="card mb-4">

                    <!-- <div class="card-body text-
center"> -->

                        </div>
img-
fluid" style="width: 150px;"></div>

<!-- </div> -->

</div>

<div class="col-lg-8 text-left">

    <div class="card">

        <h3 class="my-3"><?php echo
$row['d_name'];?></h3>

        <p class="text-muted mb-
2"><?php echo $row['d_quali'];?></p>

        <p class="text-muted mb-
1"><?php echo $row['d_special'];?></p>

        <p class="text-muted mb-
1"><?php echo $row['d_experience'];?></p>

    </div>

</div>

</div>

<div class="row">

    <br>

    <div class="col-lg-12 mb-4">

        <a
href="doc_details.php?userid=<?php echo
$userid;?>&id=<?php echo $did;?>"
class="btn btn-primary btn-block">View
Details</a>

    </div>

</div>

</div>

<hr>

</div>

</div>

<?php
}

?>

```

```

        <?php mysqli_free_result($result); ?>

    </div>

</div>

</body>

</html>

```

## special\_list.php:

```

<?php
require '../includes/common.php';
?>

<!DOCTYPE html>

<html>

    <head>

        <title>Doctors | Health Consultancy
        Service</title>|

        <meta charset="UTF-8">

        <meta name="viewport"
        content="width=device-width, initial-
        scale=1.0">

        <link rel="stylesheet" type="text/css"
        href="../bootstrap/css/bootstrap.min.css">

        <script type="text/javascript"
        src="../bootstrap/js/jquery-
        3.5.1.min.js"></script>

        <script type="text/javascript"
        src="../bootstrap/js/bootstrap.min.js"></script>

        <link type="text/css" rel="stylesheet"
        href="../style.css?v=<?php echo time(); ?>">

    </head>

    <body>

        <?php

```

```

include 'header.php';

$userid=$_GET['userid'];

?>

<div class="image_home">

    <div class="container">

        <div class="page-header">

            <a
            href="user_dashboard.php?userid=<?php echo
            $userid?>" style="float:left;" class="btn btn-
            primary">Back</a>

            <h2 style = "color :
            skyblue;">SPECIALISTS</h2>

        </div>

        <form method="POST"
        action="list_special_doc.php">

            <div class="col-md-4 col-sm-3">

                <div class="thumbnail">

                    <div class="caption">

                        <?php
                        $cardio="CARDIOLOGIST";?>

                        <h3><?php echo
                        $cardio;?></h3>

                        <a
                        href="special_doc_list.php?userid=<?php echo
                        $userid;?>&id=<?php echo $cardio;?>"
                        class="btn btn-primary btn-block">View
                        doctors</a>

                    </div>

                </div>

            </div>

        </div>

    <div class="col-md-4 col-sm-6">

        <div class="thumbnail">

```

```

<div class="caption">
```

```
<?php
$neuro="NEUROLOGIST";?>
<h3><?php echo
$neuro;?></h3>
```

```
<a
href="special_doc_list.php?userid=<?php echo
$userid;?>&id=<?php echo $neuro;?>"
class="btn btn-primary btn-block">View
doctors</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-4 col-sm-6">
```

```
<div class="thumbnail">
```

```

```

```
<div class="caption">
```

```
<?php
$dental="DENTIST";?>
```

```
<h3><?php echo
$dental;?></h3>
```

```
<a
href="special_doc_list.php?userid=<?php echo
$userid;?>&id=<?php echo $dental;?>"
class="btn btn-primary btn-block">View
doctors</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-4 col-sm-6">
```

```
<div class="thumbnail" >
```

```

```

```
<div class="caption">
```

```
<?php
$derm="DERMATOLOGIST";?>
```

```
<h3><?php echo
$derm;?></h3>
```

```
<a
href="special_doc_list.php?userid=<?php echo
$userid;?>&id=<?php echo $derm;?>"
class="btn btn-primary btn-block">View
doctors</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-4 col-sm-6">
```

```
<div class="thumbnail">
```

```

```

```
<div class="caption">
```

```
<?php
$allergic="ALLERGIST";?>
```

```
<h3><?php echo
$allergic;?></h3>
```

```
<a
href="special_doc_list.php?userid=<?php echo
$userid;?>&id=<?php echo $allergic;?>"
class="btn btn-primary btn-block">View
doctors</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-4 col-sm-6">
```

```
<div class="thumbnail">
```

```
<div class="caption">
```



```
<div class="col-md-4 col-sm-6">

    <div class="thumbnail">

        <div class="caption">

            <?php
$nephro="NEPHROLOGIST";?>

            <h3><?php          echo
$nephro;?></h3>

            <a
href="special_doc_list.php?userid=<?php echo
$userid;?>&id=<?php          echo          $nephro;?>"
class="btn btn-primary btn-block">View
doctors</a>

        </div>

    </div>

</div>

</div>
```

```
<div class="col-md-4 col-sm-6">

    <div class="thumbnail">

        <div class="caption">

            <?php
$pedia="PEDIATRICIANS";?>

            <h3><?php          echo
$pedia;?></h3>

            <a
href="special_doc_list.php?userid=<?php echo
$userid;?>&id=<?php          echo          $pedia;?>"
class="btn btn-primary btn-block">View
doctors</a>

        </div>

    </div>

</div>

</div>

<div class="col-md-4 col-sm-6">
```

```
<div class="thumbnail">

    <div class="caption">

        <?php
$psych="PSYCHIATRISTS";?>

        <h3><?php          echo
$psych;?></h3>

        <a
href="special_doc_list.php?userid=<?php echo
$userid;?>&id=<?php          echo          $psych;?>"
class="btn btn-primary btn-block">View
doctors</a>

    </div>

</div>

</div>
```

```
<div class="col-md-4 col-sm-6">

    <div class="thumbnail">

        <div class="caption">

            <?php
$other="OTHERS";?>

            <h3><?php          echo
$other;?></h3>

            <a
href="special_doc_list.php?userid=<?php echo
$userid;?>&id=<?php          echo          $other;?>"
class="btn btn-primary btn-block">View
doctors</a>

        </div>

    </div>

</div>

</div>

</form>
```

```
</div>
</div>
</body>
</html>
```

## user\_appoint\_details.php:

```
<?php
require '../includes/common.php';
?>

<!DOCTYPE html>
<html>

<head>

  <title>List of users | Health Consultancy
Service </title>

  <meta charset="UTF-8">

  <meta
            name="viewport"
content="width=device-width,            initial-
scale=1.0">

  <link    rel="stylesheet"    type="text/css"
href="../bootstrap/css/bootstrap.min.css">

  <script
            type="text/javascript"
src="../bootstrap/js/jquery-
3.5.1.min.js"></script>

  <script
            type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>

  <link    type="text/css"    rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">

</head>

<body>

<div class="container">

  <div class="col-md-12">

    <div class="page-header">

      <?php
```

```
include 'header.php';

$userid = $_GET['userid'];

?>

</div>

<div class="page-header">

  <a
href="user_dashboard.php?userid=<?php echo
$userid;?>" style="float:left;" class="btn btn-
primary">Home</a>

  <h1 style = "color : skyblue; text-
align:center;">List of your Appointment
details</h2>

</div>

<table class="table">

  <thead>

    <tr>

      <th scope="col">S.No</th>

      <th scope="col">Appointment ID</th>

      <th scope="col">User mail</th>

      <th scope="col">User Contact</th>

      <th
            scope="col">Appointment
Reason</th>

      <th scope="col">User Address</th>

      <th scope="col">Doctor ID</th>

      <th scope="col">Doctor Name</th>

      <th scope="col">Scheduled at</th>

      <th scope="col">COnsulted at</th>

      <th scope="col">Prescription</th>

      <th scope="col">Application Submitted
At</th>

      <th scope="col">Last modified at</th>
```

```

</tr>
</thead>

<tbody>

<?php
$query="select * from appoint where
user_id='userid' order by user_id"; // Fetch all
the data from the table customers

$result=mysqli_query($con,$query);

$count = 1;

?>

<?php if ($result->num_rows > 0): ?>

<?php
while($array=mysqli_fetch_row($result)): ?>

<tr>

<th scope="row"><?php echo
$count;?></th>

<td><?php echo $array[0];?></td>

<td><?php echo $array[2];?></td>
<td><?php echo $array[3];?></td>
<td><?php echo $array[4];?></td>
<td><?php echo $array[5];?></td>

<td><?php echo $array[6];?></td>
<td><?php echo $array[7];?></td>

<td><?php echo $array[12];?></td>
<td><?php echo $array[8];?></td>
<td><?php echo $array[9];?></td>
<td><?php echo $array[10];?></td>
<td><?php echo $array[11];?></td>

```

```

</tr>

<?php $count++; ?>

<?php endwhile; ?>

<?php else: ?>

<tr>

<td colspan="3" rowspan="1"
headers="">No Data Found</td>

</tr>

<?php endif; ?>

<?php mysqli_free_result($result); ?>

</tbody>

</table>

</div>

</div>

</div>

</body>

</html>

```

## user\_dashboard.php:

```

<?php
require '../includes/common.php';

?>

<!DOCTYPE html>

<!--user page for the website-->

<html>

<head>

<title>Doctors | Health Consultancy
Service</title>|

<meta charset="UTF-8">

<meta name="viewport"
content="width=device-width, initial-
scale=1.0">

```

```
<link rel="stylesheet" type="text/css"
href="../bootstrap/css/bootstrap.min.css">
```

```
<script type="text/javascript"
src="../bootstrap/js/jquery-
3.5.1.min.js"></script>
```

```
<script type="text/javascript"
src="../bootstrap/js/bootstrap.min.js"></script>
```

```
<link type="text/css" rel="stylesheet"
href="../style.css?v=<?php echo time(); ?>">
```

```
</head>
```

```
<body>
```

```
<?php
```

```
include 'header.php';
```

```
$userid=$_GET['userid'];
```

```
?>
```

```
<div class="image_home" style="text-
align:center;height:100vh;">
```

```
<div class="container">
```

```
<div class="page-header">
```

```
<h2 style = "color :
skyblue;">User Dashboard</h2>
```

```
</div>
```

```
<br>
```

```
<br>
```

```
<div class="row text-center">
```

```
<div class="col-md-6 col-sm-6">
```

```
<div class="thumbnail">
```

```

```

```
<div class="caption">
```

```
<h3>Show available
doctors</h3>
```

```
<a
href="special_list.php?userid=<?php echo
$userid;?>" class="btn btn-primary btn-
block">List doctors</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-md-6 col-sm-6">
```

```
<div class="thumbnail">
```

```

```

```
<div class="caption">
```

```
<h3>Check Previous
Schedules</h3>
```

```
<a
href="user_appoint_details.php?userid=<?php
echo $userid;?>" class="btn btn-primary btn-
block">History of Schedules</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

## first\_aid.php:

```
<html>

  <head>

    <title> First aid | E - Health </title>

    <meta charset="UTF-8">

    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

    <link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css">

    <script type="text/javascript"
src="bootstrap/js/jquery-
3.5.1.min.js"></script>

    <script type="text/javascript"
src="bootstrap/js/bootstrap.min.js"></script>

    <link type="text/css" rel="stylesheet"
href="style.css?v=<?php echo time(); ?>">

  </head>

  <div id="grad">

    <body>

      <?php

$con = mysqli_connect("localhost","root","");
mysqli_select_db($con, "health");

?>

      <div class="navbar navbar-inverse navbar-
fixed-top ">

        <div class="container">

          <!--header with name of the website-->
```

```
<div class="navbar-header">

  <button type="button" class="navbar-
toggle" data-toggle="collapse" data-
target="#myNavbar">

    <span class="icon-bar"></span>

    <span class="icon-bar"></span>

    <span class="icon-bar"></span>

  </button>

  <?php

if(isset($_SESSION['email']))

{

  ?>

  <a class="navbar-brand"
href="doctor.php">Home</a>

  <?php

}

else

{

  ?>

  <a class="navbar-brand"
href="index.php">Home</a>

  <?php

}

?>

</div>

<!--links for login and signup page-->

<div class="collapse navbar-collapse"
id="myNavbar">
```

```
<ul class="nav navbar-nav navbar-  
right">
```

```
<?php
```

```
if(!isset($_SESSION['email']))
```

```
{
```

```
?>
```

```
<li><a href="#section1"><span  
class="glyphicon glyphicon-tag"></span>  
First aid kit</a></li>
```

```
<li><a href="#section2"><span  
class="glyphicon glyphicon-tag"></span>  
Burns</a></li>
```

```
<li><a href="#section3"><span  
class="glyphicon glyphicon-tag"></span>  
Severe bleeding</a></li>
```

```
<li><a href="#section4"><span  
class="glyphicon glyphicon-tag"></span>  
Head injury</a></li>
```

```
<li><a href="#section5"><span  
class="glyphicon glyphicon-tag"></span>  
Heart attack</a></li>
```

```
<li><a href="#section6"><span  
class="glyphicon glyphicon-tag"></span>  
CPR</a></li>
```

```
<li><a href="#section7"><span  
class="glyphicon glyphicon-tag"></span>  
Nose bleeding</a></li>
```

```
<li><a href="#section8"><span  
class="glyphicon glyphicon-tag"></span>  
Snake bite</a></li>
```

```
<li><a href="#section9"><span  
class="glyphicon glyphicon-tag"></span>  
Electric shock</a></li>
```

```
<?php
```

```
}
```

```
?>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="container">
```

```
<div class="panel_class">
```

```
<div id="section1">
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<br>
```

```
<div class="header">
```

```
<h1>FIRST AID KIT AND ITS  
CONTENTS</h1>
```

```
</div>
```

```
<div class="center">
```

```
<iframe align="center" width="560"  
height="315"  
src="https://www.youtube.com/embed/aK9xrs  
K7vPg" title="YouTube video player"  
frameborder="0" allow="accelerometer;
```

```
autoplay; clipboard-write; encrypted-  
media; gyroscope; picture-in-picture"  
allowfullscreen></iframe>
```

```
</div>
```

```
<br>
```

<p>Almost everyone will need to use a first aid kit at some time. Make time to prepare home and travel kits for your family's

safety. First aid kits may be basic or comprehensive. What you need depends on your medical training and your distance from

professional medical help. Ready-made first aid kits are commercially available from chain stores or outdoor retailers,

but it's easy to make smart, inexpensive first aid kits yourself.</p>

### 

<p>Try to keep your kit small and simple. Stock it with multi-use items. Almost anything that provides good visibility of

contents can be used for a household first aid kit.

</p><ul>

<li>If your kit will be on the move, a water-resistant, drop-proof container is best.</li>

<li>Inexpensive nylon bags, personal kits, fanny packs, or makeup cases serve very well.</li>

<li>You do not need to spend a lot of money on a fancy "medical bag." Use re-sealable sandwich or oven bags to group and

compartmentalize items.

</li>

<li>Put wound supplies in one bag and medications in another.</li></ul>

### 

<p>Make sure you know how to properly use all of the items in your kit, especially the medications. Train others in your family

to use the kit. You may be the one who needs first aid. Pack and use barrier items such as latex gloves to protect yourself

from the bodily fluids of others. Check the kit twice a year and replace expired drugs. Find out the phone number of your

regional poison control center at the American Association of Poison Control Centers Web site and keep the number with your

kit.

</p>

### 

<ul>

<li>The best place to keep your first aid kit is in the kitchen. Most family activities take place here. The bathroom has

too much humidity, which shortens the shelf life of items.

</li>

<li>The travel kit is for true trips away from home. Keep it in a suitcase, backpack, or dry bag, depending on the activity.</li>

<li>A first aid kit for everyday use in the car should be just like the home first aid kit. For that matter, you could keep

similar kits in your boat (inside a waterproof bag), travel trailer, mobile home, camper, cabin, vacation home, and wherever you

spend time.

</li>

</ul>

### 

<p>You can buy all items for your first aid kits at a well-stocked drug store. Ask the pharmacist for help in selecting items.</p>

### 

<h4 style="text-align:left"><b>A household first aid kit should include these items:</b></h4>

- <ul>
- <li>Adhesive tape</li>
- <li>Anesthetic spray (Bactine) or lotion (Calamine, Campho-Phenique) -- for itching rashes and insect bites</li>
- <li>4" x 4" sterile gauze pads -- for covering and cleaning wounds, as a soft eye patch</li>
- <li>2", 3", and 4" Ace bandages -- for wrapping sprained or strained joints, for wrapping gauze on to wounds, for wrapping on splints</li>
- </li>
- <li>Adhesive bandages (all sizes)</li>
- <li>Oral antihistamines -- diphenhydramine (Benadryl causes drowsiness) or loratadine (Claritin doesn't cause drowsiness) -- for allergic reactions, itching rashes (Avoid topical antihistamine creams because they may worsen the rash in some people.)</li>
- <li>Topical corticosteroids, such as over the counter Hydrocortisone 1% for rashes</li>
- <li>Aloe vera topical gel or cream for burn relief</li>
- <li>Exam gloves -- for infection protection, also to make into ice packs when filled with water and frozen</li>
- <li>Polysporin antibiotic cream -- to apply to simple wounds</li>
- <li>Nonadhesive pads (Telfa) -- for covering wounds and burns</li>
- <li>Pocket mask for CPR</li>
- <li>Resealable oven bag -- as a container for contaminated articles, can become an ice pack</li>
- <li>Safety pins (large and small) -- for splinter removal and for securing triangular bandage sling</li>

- <li>Scissors</li>
- <li>Triangular bandage -- as a sling, towel, tourniquet</li>
- <li>Tweezers -- for splinter or stinger or tick removal</li>
- </ul>
- <h3 style="text-align:left">Travel First Aid Kit:</h3>
- <h4 style="text-align:left;"><b>A travel first aid kit may contain these items:</b></h4>
- <ul>
- <li>Adhesive tape</li>
- </li>
- <li>4" x 4" sterile gauze pads</li>
- </li>
- <li>Antacid -- for indigestion</li>
- </li>
- <li>Antidiarrheal (Imodium, Pepto-Bismol, for example)</li>
- </li>
- <li>Antihistamine cream</li>
- </li>
- <li>Antiseptic agent (small bottle liquid soap) -- for cleaning wounds and hands</li>
- </li>
- <li>Aspirin -- for mild pain, heart attack</li>
- </li>
- <li>Adhesive bandages (all sizes)</li>
- </li>
- <li>Diphenhydramine (Benadryl) or loratadine (Claritin) -- oral antihistamine</li>
- </li>
- <li>Topical corticosteroids, such as over the counter Hydrocortisone 1% for rashes</li>



</li>

<li>Aloe vera topical gel or cream for burn relief

</li>

<li>Book on first aid

</li>

<li>Cigarette lighter -- to sterilize instruments and to be able to start a fire in the wilderness (to keep warm and to make smoke to signal for help, for examples)

</li>

<li>Cough medication

</li>

<li>Dental kit -- for broken teeth, loss of crown or filling

</li>

<li>Exam gloves

</li>

<li>Small flashlight

</li>

<li>Ibuprofen (Advil is one brand name)

</li>

<li>Insect repellent</li>

<li>Knife (small Swiss Army-type)

</li>

<li>Moleskin -- to apply to blisters or hot spots

</li>

<li>Nasal spray decongestant -- for nasal congestion from colds or allergies

</li>

<li>Nonadhesive wound pads (Telfa)

</li>

<li>Polysporin antibiotic ointment

</li>

<li>Oral decongestant

</li>

<li>Personal medications and items

</li>

<li>Phone card with at least 60 minutes of time (and not a close expiration date) plus at least 10 quarters for pay phones and a list of important people to reach in an emergency

</li>

<li>Plastic resealable bags (oven and sandwich)

</li>

<li>Safety pins (large and small)

</li>

<li>Scissors

</li>

<li>Sunscreen with an SPF of 30 or more

</li>

<li>Thermometer

</li>

<li>Tweezers

</li>

</ul>

</div>

<div id="section2">

<br>

<br>

<br>

<br>

```

<div class="header">
  <h1>Treating Major and Minor Burns</h1>
</div>

<div class="center">
  <iframe width="560" height="315"
src="https://www.youtube.com/embed/IGD-
Hw1_rEs" title="YouTube video player"

  frameborder="0"
allow="accelerometer; autoplay; clipboard-
write; encrypted-media; gyroscope; picture-in-
picture"

  allowfullscreen></iframe>
</div>

<h3>Burns</h3>

<p>A burn is tissue damage that results
from scalding, overexposure to the sun or
other radiation, contact with flames,

  chemicals or electricity, or smoke
inhalation.</p>

<h3>Major Burns(seek immediate
care)</h3>

<ul>

  <li>Are deep </li>

  <li>Cause the skin to be dry and
leathery </li>

  <li>May appear charred or have
patches of white, brown or black</li>

  <li>Are larger than 3 inches (about 8
centimeters) in diameter or cover the hands,
feet, face, groin, buttocks or a major
  joint</li>
</ul>

<div id="section3">

  <br>

<br>

<br>

```

```

<br>

<div class="header">
  <h1>Treating Severe Bleeding</h1>
</div>

<div class="center">
  <iframe width="560" height="315"
src="https://www.youtube.com/embed/NxO5L
vgqZe0" title="YouTube video player"

  frameborder="0"
allow="accelerometer; autoplay; clipboard-
write; encrypted-media; gyroscope; picture-in-
picture"

  allowfullscreen></iframe>
</div>

<h3>Severe Bleeding</h3>

<h4><b>For severe bleeding, take
these first-aid steps and reassure the injured
person.</b></h4>

<ul>

  <li><b>Remove any clothing or
debris on the wound.</b> Don't remove large
or deeply embedded objects. Don't probe the

    wound or attempt to clean it yet.
    Your first job is to stop the bleeding. Wear
    disposable protective gloves if available.

  </li>

  <li><b>Stop the bleeding.</b> Place a
sterile bandage or clean cloth on the wound.
Press the bandage firmly with your

    palm to control bleeding. Apply
    constant pressure until the bleeding stops.
    Maintain pressure by binding the wound

    with a thick bandage or a piece of
    clean cloth. Don't put direct pressure on an eye
    injury or embedded object.

  </li>

  <li><b>Secure the bandage with
adhesive tape or continue to maintain pressure
with your hands.</b> If possible, raise

```

an injured limb above the level of the heart.

</li>

<li><b>Help the injured person lie down.</b> If possible, place the person on a rug or blanket to prevent loss of

body heat. Calmly reassure the injured person.

</li>

<li><b>Don't remove the gauze or bandage.</b> If the bleeding seeps through the gauze or other cloth on the wound,

add another bandage on top of it. And keep pressing firmly on the area.

</li>

<li><b>Tourniquets:</b> A tourniquet is effective in controlling life-threatening bleeding from a limb. Apply a

tourniquet if you're trained in how to do so. When emergency help arrives, explain how long the tourniquet has

been in place.

</li>

<li><b>Immobilize the injured body part</b> as much as possible. Leave the bandages in place and get the injured person to an emergency room as soon as possible.

</li>

</ul>

</div>

<div id="section4">

<br>

<br>

<br>

<br>

<div class="header">

<h1>Treating Head Injury</h1>

</div>

<div class="center">

<iframe width="560" height="315" src="https://www.youtube.com/embed/a4cIFZx1f2E" title="YouTube video player"

frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture"

allowfullscreen></iframe>

</div>

<h3>Head Injury</h3>

<h4> <b>Any of the following signs or symptoms may indicate a serious head injury:</b></h4>

<h3>Adults</h3>

<ul>

<li>Severe head or facial bleeding</li>

<li>Vomiting</li>

<li>Severe headache</li>

<li>Change in consciousness for more than a few seconds</li>

<li>Black-and-blue discoloration below the eyes or behind the ears</li>

<li>Not breathing</li>

<li>Confusion</li>

<li>Agitation</li>

<li>Loss of balance</li>

<li>Weakness or an inability to use an arm or leg

</li>

<li>Unequal pupil size

</li>

<li>Slurred speech

</li>

<li>Seizures

</li>

</ul>

<h3>Children</h3>

<ul>

<li>Any of the signs or symptoms for adults

</li>

<li>Persistent crying

</li>

<li>Refusal to eat

</li>

<li>Bulging in the soft spot on the front of the head (infants)

</li>

<li>Repeated vomiting

</li>

</ul>

<h4> <b>Administer the following first-aid steps while waiting for emergency medical help to arrive:</b>

</h4>

<li><b> Keep the person still.</b>The injured person should lie down with the head and shoulders slightly elevated. Don't move the person unless necessary,

and avoid moving the person's neck. If the person is wearing a helmet, don't remove it.

</li>

<li><b>Stop any bleeding.</b>Apply firm pressure to the wound with sterile gauze or a clean cloth. But don't apply direct pressure to the wound if you

suspect a skull fracture.

</li>

<li><b>Watch for changes in breathing and alertness.</b>If the person shows no signs of circulation — no breathing, coughing or movement — begin CPR.

</li>

<p>Head trauma that results in concussion symptoms, such as nausea, unsteadiness, headaches or difficulty concentrating, should be evaluated by a medical professional.

</p>

</div>

<div id="section5">

<br>

<br>

<br>

<div class="header">

<h1>Treating Heart Attacks</h1>

</div>

<div class="center">

<iframe width="560" height="315" src="https://www.youtube.com/embed/5x0fVTwsrrQ" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></iframe>

</div>

<h3>Heart Attacks</h3>

<h4><b>Symptoms: </b></h4>

<ul>

<li>Chest pain, pressure or tightness, or a squeezing or aching sensation in the center of the chest</li>

<li>Pain or discomfort that spreads to the shoulder, arm, back, neck, jaw, teeth or occasionally upper abdomen

</li>

<li>Nausea, indigestion, heartburn or abdominal pain

</li>

<li>Shortness of breath</li>

<li>Lightheadedness, dizziness, fainting, Sweating</li>

</ul>

<p>A heart attack generally causes chest pain for more than 15 minutes. Some people have mild chest pain, while others have more-severe pain. The discomfort

is commonly described as a pressure or chest heaviness, although some people have no chest pain or pressure at all. Women tend to have more-vague symptoms,

such as nausea or back or jaw pain.

</p>

<p>Some heart attacks strike suddenly, but many people have warning signs hours or days in advance.</p>

<h4><b>What to do if you or someone else may be having a heart attack</b></h4>

<ul>

<li>Call 108 or your local emergency number.</li>

<li>Chew and swallow an aspirin</li>

<li>Take nitroglycerin, if prescribed</li>

<li>Begin CPR if the person is unconscious.</li>

<li>If an automated external defibrillator (AED) is immediately available and the person is unconscious, follow the device instructions for using it.</li>

</ul>

</div>

<div id="section6">

<br>

<br>

<br>

<br>

<div class="header">

<h1>CPR(Cardiopulmonary Resuscitation)</h1>

</div>

<div class="center">

<iframe width="560" height="315" src="https://www.youtube.com/embed/8YREVVM2n7g" title="YouTube video player" frameborder="0" allow="accelerometer;

autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></iframe>

</div>

<h3>CPR(Cardiopulmonary Resuscitation)</h3>

<p>It is an emergency lifesaving procedure. It is a combination of:</p>

<ul>

<li>Chest compressions that keeps patient's blood circulating.</li>

<li>Rescue breathing that provides oxygen to patient's lungs.Chest compressions:

</li>

</ul>

<h3>Chest Compressions</h3>

<ul>

<li> Place the heel of one hand on the lower half of the person's breastbone</li>

<li>Place the other hand on top of the first hand and interlock your fingers.</li>

<li>Press down firmly and smoothly (compressing to 1/3 of chest depth) 30 times.</li>

<li>Administer 2 breaths as described below in mouth-to-mouth,</li>

<li>The ratio of 30 chest compressions followed by 2 breaths is the same, whether CPR is being performed alone or with the assistance of a second

person.</li>

<li>Aim for a compression rate of 100 per minute.</li>

</ul>

### <h3>Mouth-to-mouth Respiration:</h3>

<ul>

<li> If the patient is not breathing normally, make sure he is lying on his back on a firm surface</li>

<li>Open the airway by tilting the head back and lifting his chin.</li>

<li>Close his nostrils with your finger and thumb.</li>

<li>Put your mouth over the patient's mouth and blow into his mouth.</li>

<li>Give 2 full breaths to the patient (this is called 'rescue breathing'). Make sure there is no air leak and the chest is rising and falling. If his chest

does not rise and fall, check that you're pinching his nostrils tightly and sealing your mouth to his. If still no breathing, check airway again for any

obstruction.</li>

<li>Continue CPR, repeating the cycle of 30 compressions then 2 breaths until professional help arrives. </li>

</ul>

### <h3>CPR for children aged 1-8 years:</h3>

<ul>

<li>Use the heel of one hand only for compressions, compressing to one third of chest depth.</li>

<li>Follow the basic steps for performing CPR described above.</li>

</ul>

### <h3>CPR for infant (up to 12 months of age):</h3>

<ul>

<li>Place the infant on his back. Do not tilt his head back or lift his chin (this is not necessary as their heads are still large in comparison to their

bodies).</li>

<li>Perform mouth-to-mouth by covering the infant's nose and mouth with your mouth – remember to use only a small breath.</li>

<li>Do chest compressions, using two fingers of one hand, to about one third of chest depth.</li>

<li>

Follow the basic steps for performing CPR described above.</li>

</ul>

### <h3>When to stop CPR?</h3>

<ul>

<li>

The patient's revives and starts breathing on its own</li>

<li>

When medical help arrives</li>

<li>

When the person giving CPR is exhausted</li>

```

</ul>
</div>

<div id="section7">
<br>
<br>
<br>
<br>
<div class="header">
<h1>Treating Nose Bleeding</h1>
</div>
<div class="center">
<iframe width="560" height="315"
src="https://www.youtube.com/embed/iuri98T
jKKU" title="YouTube video player"
frameborder="0" allow="accelerometer;
autoplay; clipboard-write; encrypted-
media; gyroscope; picture-in-picture"
allowfullscreen></iframe>
</div>
<h3>Nose Bleeding</h3>
<ul>
<li>
Bleeding from either or both
nostrils</li>
<li>
Sometimes bleeding from ears/ mouth
too.</li>
</ul>

<h3>Electric Shocks</h3>
<p>The danger from an electrical shock
depends on the type of current, how high the
voltage is, how the current traveled through
the body, the person's

```

```

overall health and how quickly the
person is treated.

</p>
<p>An electrical shock may cause burns,
or it may leave no visible mark on the skin. In
either case, an electrical current passing
through the body can

cause internal damage, cardiac arrest or
other injury. Under certain circumstances,
even a small amount of electricity can be fatal.

</p>
<h3>Take these actions immediately
:</h3>
<ul>
<li>Turn off the source of electricity, if
possible. If not, move the source away from
you and the person, using a dry,
nonconducting object made of

cardboard, plastic or wood.
</li>
<li>Begin CPR if the person shows no
signs of circulation, such as breathing,
coughing or movement.
</li>
<li>Try to prevent the injured person
from becoming chilled.
</li>
<li>Apply a bandage. Cover any burned
areas with a sterile gauze bandage, if available,
or a clean cloth. Don't use a blanket or towel,
because loose fibers can stick to the burns.
</li>
</ul>
<h3> When to seek emergency care</h3>
<p> Call 911 or your local emergency
number if the injured person experiences:</p>
<ul>
<li>Severe burns</li>

```

<div class="form-  
group">



```
if($email==$fetch_user_id) {
```

```

        $to = $email_id;

        $subject =

"Password";

        $txt = "Your
password is : $pass.";

        $headers = "From:
mano.1917130@gct.ac.in" . "\r\n" .

"CC:
manojkuna05@gmail.com";

        mail($to,$subject,$txt,$headers);

    }

    else{

        echo 'invalid
username';

    }

}

?>
</div>
</div>
</div>
</body>
</html>

```

## index.php:

```

<?php

require 'includes/common.php';

if(isset($_SESSION['u_email']))

{

    header('location:doctor.php');

}

if(isset($_SESSION['admin_email']))

{

    header('location:admin/admindashboard.php');

}

?>

<!DOCTYPE html>

<html>

<head>

    <title> Welcome | Health Consultancy
Service </title>

    <meta charset="UTF-8">

    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

    <link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css">

    <script type="text/javascript"
src="bootstrap/js/jquery-
3.5.1.min.js"></script>

    <script type="text/javascript"
src="bootstrap/js/bootstrap.min.js"></script>

```

```
<link type="text/css" rel="stylesheet"
href="style.css?v=<?php echo time(); ?>">
```

```
</head>
```

```
<body>
```

```
<?php
```

```
include 'includes/header.php';
```

```
?>
```

```
<div id="image_home">
```

```
<div class="container">
```

```
<div id="content" style="text-align:
center;">
```

```
<h1 style = "color :
black;">Healthvisory System</h1><br><br>
```

```
<a href="login.php" class="btn
btn-danger btn-lg active" style =
"background:url(images/p2.jpg);">Log in to
Explore</a>
```

```
<div class="inner_content"
style="margin:10px;"><br>
```

```
<a href="first_aid.php"
class="btn btn-primary btn-lg active" style =
"background:url(images/p2.jpg);">First Aid
Assistance</a>
```

```
<a href="medicine.php"
class="btn btn-primary btn-lg active" style =
"background:url(images/p2.jpg);">Medicamen
t</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="column col-lg-3">
```

```
<div class="card">
```

```
<p><i class="fa fa-
user"></i></p>
```

```
<h3>15+</h3>
```

```
<p>Doctors</p>
```

```
</div>
```

```
</div>
```

```
<div class="column col-lg-3">
```

```
<div class="card">
```

```
<p><i class="fa fa-
check"></i></p>
```

```
<h3>100+</h3>
```

```
<p>Miraculous Recoveries</p>
```

```
</div>
```

```
</div>
```

```
<div class="column col-lg-3">
```

```
<div class="card">
```

```
<p><i class="fa fa-smile-
o"></i></p>
```

```
<h3>1000+</h3>
```

```
<p>Happy Patients</p>
```

```
</div>
```

```
</div>
```

```
<div class="column col-lg-3">
```

```
<div class="card">
```

```
<p><i class="fa fa-
coffee"></i></p>
```

```
<h3>100+</h3>
```

```

        <p>Appointments</p>
    </div>

</div>
</div>

<div class="row">

    <div class="column col-lg-12">

        <p><i class="fa-fa-
newusersignup"></i>

            <a href="signup.php"
class="btn btn-success btn-block" style =
"background:url(images/p2.jpg); margin-
top:10px; box-shadow: 0px 0px 10px 1px
#0ff;">New to our site?  Signup to create
your free Account!!!  "Offer closes soon"</a>

        </p>
    </div>

</div>
</div>

</body>
</html>

```

## login.php:

```

<?php
require 'includes/common.php';
?>

```

```

<!DOCTYPE html>

```

```

<!--login page for the website-->

```

```

<html>

```

```

    <head>

```

```

        <title>Login | Health Consultancy
Service </title>

```

```

        <meta charset="UTF-8">

```

```

        <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

```

```

        <link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css">

```

```

        <script type="text/javascript"
src="bootstrap/js/jquery-
3.5.1.min.js"></script>

```

```

        <script type="text/javascript"
src="bootstrap/js/bootstrap.min.js"></script>

```

```

        <link type="text/css" rel="stylesheet"
href="style.css?v=<?php echo time(); ?>">

```

```

    </head>

```

```

    <body>

```

```

        <?php

```

```

            include 'includes/header.php';

```

```

        ?>

```

```

        <div id=image_home
style="height:100vh;text-align:left;">

```

```

            <div class="container">

```

```

                <div class="row">

```

```

                    <div class="column col-lg-6 col-
lg-offset-3">

```

```

                        <h1 style = "color :
skyblue;">LOGIN</h1>

```

```

                            <p class="text-warning">

```

```

                                <i> User / Doctor / Admin

```

```

                                LOGIN</i>

```

```

                            </p><hr>

```

```

        <form method="POST"
action="login_sub.php">

        Email:

        <div class="form-group">

            <input type="email"
class="form-control" placeholder="Email"
name="email" required = "true">

        </div>

        Password:

        <div class="form-group">

            <input type="password"
class="form-control" placeholder="Password"
name="password" required = "true"
pattern="(?!.*\d)(?!.*[a-z])(?!.*[A-
Z]).{8,}">

        </div>

        <button type="submit"
name="submit" class="btn btn-primary btn-lg
active">Login</button>

        </form><br>

        <?php

        if(isset($_GET['error'])==true)
        {

            echo '<p><span><font
color="red" align="center">Invalid E-mail id
and Password </font> </span></p>';

        }

        ?>

        <i><a class="btn btn-danger
btn-lg active" href="forget.php">Forget
password?</a></i>

        <hr>

        <p>Don't have an account?</p>

```

```

        <a class="btn btn-success btn-
lg active" href="user/signup.php">User
Registration</a>

        <a class="btn btn-success btn-
lg active"
href="doctor/doc_signup.php">Doctor
Registration</a>

        </div>

        </div>

        </div>

        </body>

    </html>

```

### login\_sub.php:

```

<?php

require 'includes/common.php';

$email = $_POST['email'];

$password = $_POST['password'];

$encryptpass = md5($password);

$select = "SELECT admin_id,admin_email
FROM admin1 WHERE admin_email =
'$email' AND admin_pass='$encryptpass'";

$select_query_result = mysqli_query($con,
$select);

if(mysqli_num_rows($select_query_result )
== 0)
{

    $select = "SELECT u_id,u_email FROM
users WHERE u_email = '$email' AND
u_password='$encryptpass'";

```

```
$select_query_result = mysqli_query($con,
$select);
```

```
if(mysqli_num_rows($select_query_result )
== 0)
```

```
{
```

```
    // header('location: login.php?error=1');
```

```
    $select = "SELECT d_id,d_email FROM
doctor WHERE d_email = '$email' AND
d_password='$encryptpass'";
```

```
    $select_query_result =
mysqli_query($con, $select);
```

```
if(mysqli_num_rows($select_query_result )
== 0)
```

```
{
```

```
    header('location: login.php?error=1');
```

```
}
```

```
else
```

```
{
```

```
    $row =
mysqli_fetch_array($select_query_result);
```

```
$_SESSION['d_email']=$row['d_email'];
```

```
    $_SESSION['d_id']= $row['d_id'];
```

```
    $docid = $row['d_id'];
```

```
$_SESSION['d_username']=$row['d_name'];
```

```
if(isset($_SESSION['d_email']))
```

```
{
```

```
header("location:doctor/doctor_index.php?doc
id=".$docid);
```

```
}
```

```
}
```

```
}
```

```
else
```

```
{
```

```
    $row =
mysqli_fetch_array($select_query_result);
```

```
    $_SESSION['u_email']=$row['u_email'];
```

```
    $_SESSION['u_id']= $row['u_id'];
```

```
    $userid = $row['u_id'];
```

```
$_SESSION['u_username']=$row['u_name'];
```

```
if(isset($_SESSION['u_email']))
```

```
{
```

```
header("location:user/user_dashboard.php?use
rid=".$userid);
```

```
}
```

```
}
```

```
    // header('location: login.php?error=1');
```

```
}
```

```
else
```

```
{
```

```
    $row =
mysqli_fetch_array($select_query_result);
```

```
$_SESSION['admin_email']=$row['admin_em
ail'];
```

```
    $_SESSION['admin_id']= $row['admin_id'];
```

```
$_SESSION['admin_username']=$row['admin
_name'];
```

```

        if(isset($_SESSION['admin_email']))
        {
header('location:admin/admindashboard.php');

        }
    }
?>

```

## logout.php:

```

<?php
session_start();
if (!isset($_SESSION['u_email'])) {
    header('location: login.php');
}
if (!isset($_SESSION['d_email'])) {
    header('location: login.php');
}
if (!isset($_SESSION['admin_email'])) {
    header('location: login.php');
}
session_destroy();
header('location: index.php');
?>

```

## medicine.php:

```

<!DOCTYPE html>

<html>

<head>

    <title> Medicines | Health Consultancy
Service </title>

    <meta charset="UTF-8">

    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

    <link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css">

```

```

        <script type="text/javascript"
src="bootstrap/js/jquery-
3.5.1.min.js"></script>

        <script type="text/javascript"
src="bootstrap/js/bootstrap.min.js"></script>

        <link type="text/css" rel="stylesheet"
href="style.css?v=<?php echo time(); ?>">

</head>

```

```

        <div id="grad">

```

```

<body>

```

```

        <?php
            include 'includes/header.php';
        ?>

```

```

        <div class="container">

            <div class="panel_class">

                <div style="margin-
top:70px;">

                    <div
class="header">

                        <h1>MEDICINE
AND ITS USAGE</h1>

                    </div>

                </div>

```

```

        <hr>

```

```

        <br>

```

```

            <h2 style="color:
brown;">Tetracycline</h2>

```

```

            <p
align="center"></p>

```

```

            <h3>Uses:</h3>

```

```

            <ul>

```

```

            <h3>Benefits:</h3>

```

- works in Schizophrenia Primary**

- helps in anxiety**

### Direction of uses


- Frequency: 2 daily**

- Before or After Meal: Either**

- Please remember that every patient and their case is different, so the dosage can be different based on the disease, route of administration, patient's age and medical history.**

---

## Cetirizine



### Uses:

- Cetirizine helps relieve mild to moderate allergy symptoms, such as:**

- sneezing**

- runny nose**

- itchy or watery eyes**

- itchy throat or nose**

### Benefits:

- Cetirizine is an antihistamine helps to relieve allergy symptoms such as hives, and itching.**

- It works by blocking a certain natural substance (histamine) that your body makes during an allergic reaction.**

### Direction of uses


- Adults and children 6 years and older can take cetirizine capsules and tablets.**

- The usual dosage for adults younger than 65 years and children who are 6 years and older is one 10-milligram (mg) dose per day.**

- You shouldn't take more than 10 mg in 24 hours**

---

## Fulconazole



### Uses:



**treats serious fungal or yeast infections, such as vaginal candidiasis**

**treats oropharyngeal candidiasis**

**treats fungal (cryptococcal) meningitis**

**medicine kills the fungus or yeast, or prevents its growth.**

### Benefits:

**prevent candidiasis in patients having bone marrow transplants who receive cancer or radiation treatment.**

### Direction of uses


**Take this medication by mouth with or without food as directed by your doctor, usually once daily.**

**if you are consuming liquid suspension form of this medication, shake the bottle well before each dose.**

**Carefully measure the dose using a special measuring device/spoon. Do not use a household spoon because you may not get the correct dose.**

**Dosage is based on your medical condition and response to treatment**

## Azithromycin



### Uses:

**treat chest infections such as pneumonia.**

**treat infections of the nose and throat such as sinus infection (sinusitis).**

**treat skin infections, Lyme disease.**

**treat some sexually transmitted infections.**

### Benefits:

**It can also be used long term to prevent chest infections in people who keep getting them.**

**can also be used in children, often to treat ear infections or chest infections.**

### Direction of uses


**Azithromycin is usually taken once a day, try to take it at the same time each**

**If your doctor has prescribed azithromycin capsules, you should take them at least 1 hour before food or 2 hours after eating.**

**you can take them with or without food.**

**-**  
For most infections you should feel better within a few days, but you should still finish your full course of medicine.

Ostocalcium



Uses:

**-**  
Ostocalcium Plus tablet is used for the treatment of vitamin D and calcium deficiency.

**-**  
It is also helpful in preventing osteoporosis.

**-**  
It is also used in special populations like the elderly, pregnant, breastfeeding women who need vitamin D and calcium supplements.

Benefits:

**-**  
Ostocalcium Plus tablet contains Calcium and Vitamin D3.

**-**  
Calcium: It is essential for the functioning of like nerve, muscles, cells and bone strength.

**-**  
Vitamin D3: It increases the absorption of calcium and phosphorous from the intestine. It is crucial for bone strength. Due to a lack of

vitamin D, you may experience fractures, muscle pain, weakness.

Direction of uses


**-**  
Take Ostocalcium Plus tablet as your doctor has advised you.

**-**  
It should be chewed before swallowing and should preferably be taken after the evening meal.

**-**  
This vitamin is known to accumulate in the fat and liver, so excessive use or use for a prolonged period can be harmful.

**-**  
Do not take too much of Ostocalcium Plus tablet as this may lead to overdose.

Zerodol P



Uses:

**-**  
Zerodol P is useful in relieving pain and swelling associated with bones and joints in conditions such as arthritis, spondylitis and low back pain.

**-**  
It is also useful in gynecological pain,

toothache, headache, pain and swelling in the ear, nose and throat.</li></ul>

<h3>Direction of uses</h3>

<ul>  
<li><b>-</b></li>  
</b>Zerodol P Tablet should be consumed as a whole with a sufficient amount of water.</li>

<li><b>-</b></li>  
</b>It can be taken with food or after food.</li>

</ul>  
<hr>  
<br>

<h2 style="color: brown;">Lasix</h2>

<p align="center"></p>

<h3>Uses:</h3>  
<ul>

<li><b>-</b></li>  
</b>Lasix (furosemide) is a loop diuretic (water pill) that prevents your body from absorbing too much salt. This allows the salt to instead be passed in your urine.</li>

<li><b>-</b></li>  
</b>Lasix is used to treat fluid retention (edema) in people with congestive heart failure, liver disease, or a kidney disorder such as nephrotic syndrome.</li>

<li><b>-</b></li>  
</b>Lasix is also used to treat high blood pressure</li></ul>

<h3>Benefits:</h3>  
<ul>

<li><b>-</b></li>  
</b>This can lessen symptoms such as

shortness of breath and swelling in your arms, legs, and abdomen.</li>

<li><b>-</b></li>  
This drug is also used to treat high blood pressure</li></ul>

<h3>Direction of uses</h3>

<ul>  
<li><b>-</b></li>  
Take Lasix exactly as prescribed by your doctor.</li>

<li><b>-</b></li>  
It is best to avoid taking this medication within 4 hours of your bedtime to prevent having to get up to urinate.</li>

<li><b>-</b></li>  
Dosage is based on your medical condition, age, and response to treatment.</li>

<li><b>-</b></li>  
Take this medication regularly in order to get the most benefit from it.</li>

</ul>  
<hr>  
<br>

</div>

</div>

</body>

</div>

</html>

## profile.php:

```
<?php

require 'includes/common.php';

if(!isset($_SESSION['email']))
{
    header('location:index.php');
}

?>

<!DOCTYPE html>

<!--setting page for the website-->

<html>
    <head>
        <title>Profile | Health Consultancy
        Service</title>
        <meta charset="UTF-8">
        <meta name="viewport"
        content="width=device-width, initial-
        scale=1.0">
        <link rel="stylesheet" type="text/css"
        href="bootstrap/css/bootstrap.min.css">
        <script type="text/javascript"
        src="bootstrap/js/jquery-
        3.5.1.min.js"></script>
        <script type="text/javascript"
        src="bootstrap/js/bootstrap.min.js"></script>
        <link type="text/css" rel="stylesheet"
        href="style.css?v=<?php echo time(); ?>">
    </head>
```

```
<body>

    <?php
        include 'includes/header.php';

        $select = 'SELECT * FROM doctor
        WHERE d_id = "$id"';

        $select_query_result =
        mysqli_query($con, $select);

        $row =
        mysqli_fetch_array($select_query_result);

        ?>

    <section style="background-color: #eee;">
        <div class="container py-5">
            <div class="row">
                <div class="col">
                    <a href="user_dashboard.php"
                    style="float:left;" class="btn btn-
                    primary">Home</a>
                    <a
                    href="book_appoint.php?userid=<?php echo
                    $userid;?>&id=<?php echo $row['d_id'];?>"
                    style="float:right;" class="btn btn-
                    primary">Book Appointment</a>
                    <!-- <nav aria-label="breadcrumb"
                    class="bg-light rounded-3 p-3 mb-4">
                        <ol class="breadcrumb mb-0">
                            <li class="breadcrumb-item"><a
                            href="#">Home</a></li>
                            <li class="breadcrumb-item"><a
                            href="#">User</a></li>
                            <li class="breadcrumb-item active"
                            aria-current="page">User Profile</li>
                        </ol> -->
                    </nav>
                </div>
```

```

</div>
<hr>
<hr>

<div class="row">
  <div class="col-lg-4">
    <div class="card mb-4">
      <div class="card-body text-center">
        
        <h5 class="my-3"><?php echo
$row['d_name']?>Doctor Name</h5>
        <p class="text-muted mb-1"><?php
echo $row['d_special'];?>Specialization</p>
        <!-- <p class="text-muted mb-
4">Bay Area, San Francisco, CA</p> -->
        <div class="d-flex justify-content-
center mb-2">
          <button type="button" class="btn
btn-success">Book Appointment</button>
        </div>
        <hr>
      </div>
    </div>
    <div class="card mb-4 mb-lg-0">
      <div class="card-body text-left">
        <ul class="list-group">
          <li class="list-group-item d-flex
justify-content-between align-items-center p-
3">

```

```

      <i class="glyphicon glyphicon-
envelope" class="mb-0" class="fas fa-globe
fa-lg text-warning">&nbsp;&nbsp;<?php echo
$row['d_email'];?>email@email.com</i>
    </li>
    <li class="list-group-item d-flex
justify-content-between align-items-center p-
3">
      <i class="glyphicon glyphicon-
map-marker" class="fab fa-github fa-lg"
style="color: #333333; ">&nbsp;&nbsp;<?php
echo $row['d_address'];?>address</i>
    </li>
    <li class="list-group-item d-flex
justify-content-between align-items-center p-
3">
      <i class="glyphicon glyphicon-
earphone" class="fab fa-twitter fa-lg"
class="mb-0" style="color: #55acee;"
>&nbsp;&nbsp;<?php echo
$row['d_contact'];?></i>
    </li>
    <li class="list-group-item d-flex
justify-content-between align-items-center p-
3">
      <i class="glyphicon glyphicon-
time" class="fab fa-instagram fa-lg"
class="mb-0" style="color:
#ac2bac;">&nbsp;&nbsp;&nbsp;10-00 am to 08-00
pm</i>
    </li>
    <!-- <li class="list-group-item d-
flex justify-content-between align-items-center
p-3">
      <i class="fab fa-facebook-f fa-
lg" style="color: #3b5998;"></i>

```

```
<p class="mb-0">mdbootstrap</p>
```

```
</li> -->
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-8">
```

```
<div class="card mb-4">
```

```
<div class="card-body">
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-0">Full Name</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-0"><?php echo row['d_name'];?></p>
```

```
</div>
```

```
</div>
```

```
<hr>
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-0">specialization</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-0"><?php echo row['d_special'];?></p>
```

```
</div>
```

```
</div>
```

```
<hr>
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-0">Qualification</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-0"><?php echo row['d_quali'];?></p>
```

```
</div>
```

```
</div>
```

```
<hr>
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-0">Experience</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-0"><?php echo row['d_experience'];?></p>
```

```
</div>
```

```
</div>
```

```
<hr>
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-0">Age</p>
```

```
</div>
```

```
<div class="col-sm-9">
```

```
<p class="text-muted mb-0"><?php echo row['d_age'];?></p>
```

```
</div>
```

```
</div>
```

```
<hr>
```

```
<div class="row">
```

```
<div class="col-sm-3">
```

```
<p class="mb-0">Gender</p>
```

```
</div>
```

[illegible]

## signup.php:

```
<?php
require 'includes/common.php';
?>

<!DOCTYPE html>

<!--signup page for the website-->

<html>

    <head>
```

## DATABASE TABLE:

### DATABASE TABLE:

The screenshot shows the phpMyAdmin interface for a database named 'hcs'. The left sidebar lists various databases, including 'hcs' which is currently selected. The main panel displays the 'Structure' tab for the 'hcs' database. It shows a table 'users' with 4 columns. The table is created with InnoDB engine, latin1\_swedish\_ci collation, and a size of 16.0 KiB. The table structure is as follows:

Table	Action	Rows	Type	Collation	Size	Overhead
admin1	Browse Structure Search Insert Empty Drop	1	InnoDB	latin1_swedish_ci	16.0 KiB	-
appoint	Browse Structure Search Insert Empty Drop	0	InnoDB	latin1_swedish_ci	16.0 KiB	-
doctor	Browse Structure Search Insert Empty Drop	1	InnoDB	latin1_swedish_ci	16.0 KiB	-
users	Browse Structure Search Insert Empty Drop	1	InnoDB	latin1_swedish_ci	16.0 KiB	-
4 tables	Sum	3	InnoDB	utf8mb4_general_ci	64.0 KiB	0 B

Below the table structure, there is a 'Create table' section with a 'Name' field and a 'Number of columns' field set to 4. A 'Go' button is present to execute the creation.

### USERS TABLE:

The screenshot shows the phpMyAdmin interface for the 'users' table. The left sidebar shows the 'hcs' database selected. The main panel displays the 'Browse' tab for the 'users' table. It shows the table structure and the data rows. The table structure is as follows:

u_id	u_name	u_age	u_gender	u_email	u_password	u_contact	u_city	u_address	u_created_at	u_updated_at
1	user	20	male	user@gmail.com	448ddd517d3abb70045aea6929802367	1234567890	Coimbatore	GCT,Coimbatore-13	2022-05-18 09:53:06	2022-05-18 15:2

Below the table structure, there is a 'Query results operations' section with a 'Print' button and a 'Copy to clipboard' button. The 'Query results operations' section also includes a 'Display chart' button and a 'Create view' button.



## ADMIN TABLE:

The screenshot shows the phpMyAdmin interface for the 'hcs' database. The 'admin1' table is selected, and its structure is displayed. The table has the following columns: admin\_id, admin\_name, admin\_email, admin\_pass, and admin\_contact. The table contains one row of data.


admin_id	admin_name	admin_email	admin_pass	admin_contact
1	manoj	manoj@gmail.com	6e23e21ecf290d22d946e224b0c3e0ef	8940040210

## APPOINTMENT TABLE:

The screenshot shows the phpMyAdmin interface for the 'hcs' database. The 'appoint' table is selected, and its structure is displayed. The table has the following columns: appoint\_id, user\_id, user\_email, user\_contact, user\_apmt\_reason, u\_address, doc\_id, doc\_name, u\_scheduled\_at, u\_consulted\_at, prescription, u\_application\_submitted\_at, and u\_updated\_at. The table is currently empty.

appoint_id	user_id	user_email	user_contact	user_apmt_reason	u_address	doc_id	doc_name	u_scheduled_at	u_consulted_at	prescription	u_application_submitted_at	u_updated_at
------------	---------	------------	--------------	------------------	-----------	--------	----------	----------------	----------------	--------------	----------------------------	--------------

## DOCTOR TABLE:




The screenshot shows the phpMyAdmin interface for a database named 'hcs'. The 'doctor' table is selected, and its structure and data are displayed. The table has 13 columns: d\_id, d\_name, d\_special, d\_quali, d\_experience, d\_age, d\_gender, d\_contact, d\_email, d\_password, d\_city, d\_at, and d\_ar. The data shows a single doctor named 'Doctor Cardio' who is a 'CARDIOLOGIST' with 'MBBS' qualifications and '10 Years of experience as a Cardio'.

d_id	d_name	d_special	d_quali	d_experience	d_age	d_gender	d_contact	d_email	d_password	d_city	d_at	d_ar
1	Doctor Cardio	CARDIOLOGIST	MBBS CARDIO	10 Years of experience as a Cardio	40	MALE	1234567890	doctorcardio@gmail.com	c4af2123c166665f5ad9bcf700371165	Coimbatore	Coim	13.

## WEBPAGE SCREENSHOTS:

### HOME PAGE:



## USER LOGIN:

The screenshot shows a web browser window with the URL `localhost/hcs/login.php`. The page title is "Health Consultancy Service". The main heading is "LOGIN" with a subtext "User / Doctor / Admin LOGIN". There are two input fields: "Email:" with the value "user@gmail.com" and "Password:" with masked characters "\*\*\*\*\*". Below the password field is a "Login" button. A red button labeled "Forget password?" is also present. At the bottom, there is a link "Don't have an account?" and two green buttons: "User Registration" and "Doctor Registration". The background features a blue hexagonal pattern with various medical icons like a cross, heart, DNA helix, and microscope.

Health Consultancy Service

Home Sign Up Login

# LOGIN

User / Doctor / Admin LOGIN

Email:

user@gmail.com

Password:

\*\*\*\*\*

Login

Forget password?

Don't have an account?

User Registration Doctor Registration

## USER DASHBOARD:

The screenshot shows a web browser window with the URL `localhost/hcs/user/user_dashboard.php?userid=1`. The page title is "Health Consultancy Service". The main heading is "User Dashboard". There are two main sections: "Show available doctors" with a button "List doctors" and "Check Previous Schedules" with a button "History of Schedules". The background features a blue hexagonal pattern with various medical icons like a cross, heart, DNA helix, and microscope.

Health Consultancy Service

Home Setting Logout

# User Dashboard

Show available doctors

List doctors

Check Previous Schedules

History of Schedules

## USER SIGNUP:

A screenshot of a web browser displaying the 'User SIGN UP' form for a 'Health Consultancy Service'. The browser's address bar shows 'localhost/hcs/user/signup.php'. The page has a dark blue background with a molecular network pattern and medical icons. The form fields are as follows:

- Name:
- Age:
- Gender:
- Email:
- Password:
- Contact:

A second screenshot of the same 'User SIGN UP' form, now with data entered in the fields. The 'Contact' field is filled with '8940040210'. The 'City' and 'Address' fields are both filled with 'Coimbatore'. A green 'Submit' button is visible below the address field. At the bottom of the form, there is a link: 'Already a customer? [Login](#)'.

- Select Gender:
- Email:
- Password:
- Contact:
- City:
- Address:

[Submit](#)

Already a customer? [Login](#)



**LIST OF AVAILABLE DOCTORS:**

List of doctors | Health Consultancy Service

Health Consultancy Service

HomeSettingLogout

Back

Add Record

List of doctors available

List of doctors available														
Doctor		Name	Specialization	Qualification	Experience	Age	Gender	Contact	Email	City	Address	Last		
S.No	ID											Created at	Modified at	
1	2	Doctor Cardiologist	CARDIOLOGIST	MBBS CARDIO	10 Years of Experience as a Cardio	40	MALE	1234567890	doctorcardio@gmail.com	Cardio Doctor City	Cardio Doctor Address	2022-05-01 16:31:57	2022-05-01 16:47:54	EditDelete
2	3	Doctor Cardiologist	CARDIOLOGIST	MBBS CARDIO	10 Years of Experience as a Cardio	40	MALE	1234567890	doctorcardio@gmail.com	Cardio Doctor City	Cardio Doctor Address	2022-05-01 16:31:57	2022-05-01 16:47:54	EditDelete
3	4	Doctor Cardiologist	CARDIOLOGIST	MBBS CARDIO	10 Years of Experience as a Cardio	40	MALE	1234567890	doctorcardio@gmail.com	Cardio Doctor City	Cardio Doctor Address	2022-05-01 16:31:57	2022-05-01 16:47:54	EditDelete
4	6	Goutham K	OTHERS	MBBS, MD, DM	10	60	OTHERS	9500965155	goutham@gmail.com	sd	aed	2022-05-12 11:53:34	2022-05-12 11:53:34	EditDelete
5	7	MAHESH	NEUROLOGIST	MBBS, MD, DM	10	60	MALE	1234567890	mahesh@gmail.com	asd	aed	2022-05-12 11:56:21	2022-05-12 11:56:21	EditDelete
6	9	rajesh	NEUROLOGIST	MBBS, MD, DM	10	60	OTHERS	9500965155	rajesh@gmail.com	asd	asd	2022-05-12 12:38:54	2022-05-12 12:38:54	EditDelete
7	10	Dharun	DENTIST	MBBS, MD, DM	10	60	MALE	1234567890	dharun@gmail.com	asd	aed	2022-05-12 12:43:01	2022-05-12 12:43:01	EditDelete
8	11	Varshith	DENTIST	MMBS	10	40	MALE	8940040210	varshith@gmail.com	dsacfa	adsawef	2022-05-18 13:32:09	2022-05-18 13:32:09	EditDelete

**USER APPOINTMENT DETAILS:**

List of users | Health Consultancy

←

→

↺

localhost/hcs/user/user\_appoint\_details.php?userid=1

⌵

☆

📱

M

⋮

Health Consultancy Service

🏠 Home

⚙️ Setting

🚪 Logout

Home

List of your Appointment details

S.No	Appointment ID	User mail	User Contact	Appointment Reason	User Address	Doctor ID	Doctor Name	Scheduled at	COnsulted at	Prescription	Application Submitted At	Last modified at
1	1	user@gmail.com	1234567890	cough	GCT,Coimbatore-13.	1	Doctor Cardiologist	06-10-2022 04:43:PM	2022-05-01 16:33:45	No issues get well soon	2022-05-01 16:33:06	2022-05-01 16:33:45
2	2	user@gmail.com	1234567890		GCT,Coimbatore-13.	1	Doctor Cardiologist		2022-05-03 11:25:26	done	2022-05-02 15:48:06	2022-05-03 11:25:26
3	3	user@gmail.com	1234567890		GCT,Coimbatore-13.	1	Doctor Cardiologist		2022-05-02 16:00:54	happy	2022-05-02 16:00:01	2022-05-02 16:00:54
4	4	user@gmail.com	1234567890	Prepared for NEET Exam	GCT,Coimbatore-13.	1	Doctor Cardiologist	1323421	0000-00-00 00:00:00		2022-05-07 21:09:38	2022-05-07 21:09:38
5	5	user@gmail.com	1234567890	need cardio	GCT,Coimbatore-13.	2	Doctor Cardiologist	09-09-2000 04:30 PM	2022-05-15 01:12:11	you are alright	2022-05-15 01:10:03	2022-05-15 01:12:11

## SPECIALIZATION LIST:


Doctors | Health Consultancy Service | localhost/hcs/user/special\_list.php?userid=1

Health Consultancy Service

Home Setting Logout


Back

### SPECIALISTS




**CARDIOLOGIST**

View doctors




**NEUROLOGIST**

View doctors




**DENTIST**

View doctors




**PEDIATRICIANS**

View doctors



**ALLERGIST**

View doctors




**NEPHROLOGIST**

View doctors

Doctors | Health Consultancy Service | localhost/hcs/user/special\_list.php?userid=1


Health Consultancy Service

Home Setting Logout




**DERMATOLOGIST**

View doctors




**ALLERGIST**

View doctors




**NEPHROLOGIST**

View doctors




**PEDIATRICIANS**

View doctors



**PSYCHIATRISTS**


View doctors




**OTHERS**

View doctors

## DETAILS OF SPECIALISTS:





## ADMIN LOGIN PAGE:





## ADMIN DASHBOARD:





## ADD DOCTOR:

Admin Add Doctor | Health Consultancy Service

localhost/hcs/admin/add\_doctor.php

Home Setting Logout

### Add Doctor Details

NAME:  
Name

SPECIALIZATION:  
Select Specialization

QUALIFICATION:  
Qualification

EXPERIENCE:  
Experience Gained

AGE:  
Age

GENDER:  
Select Gender

CONTACT NUMBER:  
Tele Phone Number

EMAIL ADDRESS:

NAME:  
Name

SPECIALIZATION:  
Select Specialization

QUALIFICATION:  
Qualification

EXPERIENCE:  
Experience Gained

AGE:  
Age

GENDER:  
Select Gender

CONTACT NUMBER:  
Tele Phone Number

EMAIL ADDRESS:  
Email

PASSWORD:  
\*\*\*\*\*

CITY:  
City

ADDRESS:  
Address

Submit

## ADD USER:

Health Consultancy Service

Home Setting Logout

### Add User Details

Name:

Age:

Gender:

Email:

Password:

Contact:

City:

Health Consultancy Service

Home Setting Logout

### Add User Details

Name:

Age:

Gender:

Email:

Password:

Contact:

City:

Address:

## DOCTOR LOGIN:

The screenshot shows a web browser window with the URL `localhost/hcs/login.php`. The page title is "Health Consultancy Service". The main heading is "LOGIN". Below it, there is a sub-heading "User / Doctor / Admin LOGIN". The form includes an "Email:" field with the value `doctorcardio@gmail.com` and a "Password:" field with masked characters. A "Login" button is present. Below the login button is a red button labeled "Forget password?". At the bottom, there is a link "Don't have an account?" and two green buttons: "User Registration" and "Doctor Registration". The background features a dark blue pattern with medical icons like a cross, heart, DNA helix, and pills.

Health Consultancy Service

Home Sign Up Login

# LOGIN

User / Doctor / Admin LOGIN

Email:

doctorcardio@gmail.com

Password:

\*\*\*\*\*

Login

Forget password?

Don't have an account?

User Registration Doctor Registration


## DOCTOR DASHBOARD:

The screenshot shows a web browser window with the URL `localhost/hcs/doctor/doctor_index.php?docid=2`. The page title is "Health Consultancy Service". The main heading is "Doctor Dashboard". Below the heading, there is a large image of a doctor in a white coat writing on a clipboard next to a laptop. Below the image, there is a button labeled "Show available Schedules". At the bottom, there is a blue button labeled "List Schedules". The background features a dark blue pattern with medical icons like a cross, heart, DNA helix, and pills.

Health Consultancy Service

Home Setting Logout


# Doctor Dashboard



Show available Schedules

List Schedules

## LIST OF APPOINTMENTS:



### List of your Appointment details

Home												
S.No	Appointment ID	User mail	User Contact	Appointment Reason	User Address	Doctor ID	Doctor Name	Scheduled at	COnsulted at	Prescription	Application Submitted At	Last modified at
1	5	user@gmail.com	1234567890	need cardio	GCT,Coimbatore-13,	2	Doctor Cardiologist	09-09-2000 04:30 PM	2022-05-15 01:12:11	you are alright	2022-05-15 01:10:03	2022-05-15 01:12:11

[Edit](#)


## CHANGE PASSWORD:



### Change Password

[Change](#)



## SIGNUP PAGE:



## FIRST AID PAGE:







## MEDICINE PAGE:

Medicines | Health Consultancy


localhost/hcs/medicine.php

Health Consultancy Service

HomeSign UpLogin

MEDICINE AND ITS USAGE

### Tetracycline



**Uses:**

- Tetracycline is used to treat infections caused by bacteria including pneumonia and other respiratory tract infections
- certain infections of skin, eye, lymphatic, intestinal, genital and urinary systems
- certain other infections that are spread by ticks, lice, mites, and infected animals

**Benefits:**

- patients who cannot be treated with penicillin to treat certain types of food poisoning, and anthrax (a serious infection that may be spread on purpose as part of a bioterror attack)

**Direction of uses:**


Medicines | Health Consultancy

localhost/hcs/medicine.php

Health Consultancy Service

HomeSign UpLogin

### Ampicillin



**Uses:**

- Ampicillin is used to treat certain infections that are caused by bacteria such as meningitis
- infections of the throat, sinuses, lungs, reproductive organs, urinary tract, and gastrointestinal tract.

**Benefits:**

- Ampicillin is in a class of medications called penicillins.
- It works in killing bacteria.

**Direction of uses:**

- It is usually taken three to four times a day, either half an hour before or two hours after meals.
- The length of your treatment depends on the type of infection that you have.
- Take ampicillin at around the same times every day.
- Follow the directions on your prescription label carefully, and ask your doctor or pharmacist to explain any part you do not understand.
- Do not take more or less of it or take it more often than prescribed by your doctor.
- Shake the suspension well before each use to mix the medication evenly.
- The medication should be taken with a full glass of water.
- You should begin to feel better during the first few days of treatment with ampicillin. If your symptoms do not improve or get worse, call your doctor.
- Take ampicillin until you finish the prescription, even if you feel better. If you stop taking ampicillin too soon or skip doses, your infection may not be completely treated and the

Medicines | Health Consultancy : x +


localhost/hcs/medicine.php

Health Consultancy Service

Home Sign Up Login

bacteria may become resistant to antibiotics.

## Siquil



**Uses:**

- It is used for treating all kinds of mental and mood disorders such as schizophrenia and anxiety.
- It can also reduce aggression and hallucinations.

**Benefits:**

- works in Schizophrenia Primary
- helps in anxiety

**Direction of uses**

- Frequency: 2 daily
- Before or After Meal: Either
- Please remember that every patient and their case is different, so the dosage can be different based on the disease, route of administration, patient's age and medical history.


Medicines | Health Consultancy : x +

localhost/hcs/medicine.php

Health Consultancy Service

Home Sign Up Login

## Cetirizine



**Uses:**

- Cetirizine helps relieve mild to moderate allergy symptoms, such as:
- sneezing
- runny nose
- itchy or watery eyes
- itchy throat or nose

**Benefits:**

- Cetirizine is an antihistamine that helps to relieve allergy symptoms such as hives, and itching.
- It works by blocking a certain natural substance (histamine) that your body makes during an allergic reaction.

**Direction of uses**

- Adults and children 6 years and older can take cetirizine capsules and tablets.
- The usual dosage for adults younger than 65 years and children who are 6 years and older is one 10-milligram (mg) dose per day.
- You shouldn't take more than 10 mg in 24 hours

## Fulconazole



**RESULT:**

Thus, the software to implement Health Consultancy Service has been successfully created and the output is verified.

