# Implement SVM/Decision tree classification techniques

## a) SVM IN R

### CODE:

```
# Install and load the e1071 package (if not already installed)
install.packages("e1071")
library(e1071)
# Load the iris dataset
data(iris)
# Inspect the first few rows of the dataset
head(iris)
# Split the data into training (70%) and testing (30%) sets
set.seed(123) # For reproducibility
sample_indices <- sample(1:nrow(iris), 0.7 * nrow(iris))
train_data <- iris[sample_indices, ]</pre>
test data <- iris[-sample indices, ]
# Fit the SVM model
svm_model <- svm(Species ~ ., data = train_data, kernel = "radial")</pre>
# Print the summary of the model
summary(svm_model)
# Predict the test set
predictions <- predict(svm_model, newdata = test_data)</pre>
# Evaluate the model's performance
confusion matrix <- table(Predicted = predictions, Actual = test_data$Species)
print(confusion_matrix)
# Calculate accuracy
accuracy <- sum(diag(confusion_matrix)) / sum(confusion_matrix)</pre>
cat("Accuracy:", accuracy * 100, "%\n"
```

#### **OUTPUT:**


```
File Edit Code View Plots Session Build Debug Profile Tools Help
Source on Save Q / - [
                                                                Run 🏓 Source 🕶
                וווט עמנמטנ
   5 data(iris)
   6 # Inspect the first few rows of the dataset
     head(iris)
   8 # Split the data into training (70%) and testing (30%) sets
   9 set.seed(123) # For reproducibility
  10 sample_indices <- sample(1:nrow(iris), 0.7 * nrow(iris))</pre>
  11 train_data <- iris[sample_indices, ]</pre>
  12 test_data <- iris[-sample_indices, ]</pre>
  13 # Fit the SVM model
  14 svm_model <- svm(Species ~ ., data = train_data, kernel = "radial")
  15 # Print the summary of the model
  16 summary(svm_model)
  17 # Predict the test set
  18 predictions <- predict(svm_model, newdata = test_data)</pre>
  19 # Evaluate the model's performance
  20 confusion_matrix <- table(Predicted = predictions, Actual = test_data$Species)</pre>
  21 print(confusion_matrix)
  22 # Calculate accuracy
  23 accuracy <- sum(diag(confusion_matrix)) / sum(confusion_matrix)</pre>
  24 cat("Accuracy:", accuracy * 100, "%\n")
  25
  26
  25:1
      (Top Level) $
                                                                                R Script :
 Console Terminal × Background Jobs ×
                                                                                 =
(as 110 is unspecified)
trying URL 'https://cran.rstudio.com/bin/windows/contrib/4.4/e1071_1.7-14.zip'
Content type 'application/zip' length 671816 bytes (656 KB)
downloaded 656 KB
package 'e1071' successfully unpacked and MD5 sums checked
The downloaded binary packages are in
       C:\Users\asus\AppData\Local\Temp\RtmpumGnq5\downloaded_packages
           Actual
Predicted
            setosa versicolor virginica
  setosa
               14
                          0
  versicolor
                0
                          17
                                    0
                0
                                   13
  virginica
                           1
Accuracy: 97.77778 %
package 'e1071' successfully unpacked and MD5 sums checked
The downloaded binary packages are in
         C:\Users\asus\AppData\Local\Temp\RtmpumGnq5\downloaded_packages
             Actual
              setosa versicolor virginica
Predicted
  setosa
                   14
                               0
                                           0
  versicolor
                               17
                                           0
                    0
  virginica
                    0
                                1
                                          13
Accuracy: 97.77778 %
```


## **b)** DECISION TREE IN R

### **CODE:**

```
# Install and load the rpart package (if not already installed)
install.packages("rpart")
library(rpart)
# Load the iris dataset
data(iris)
# Split the data into training (70%) and testing (30%) sets
set.seed(123) # For reproducibility
sample_indices <- sample(1:nrow(iris), 0.7 * nrow(iris))</pre>
train_data <- iris[sample_indices, ]</pre>
test_data <- iris[-sample_indices, ]
# Fit the Decision Tree model
tree model <- rpart(Species ~ ., data = train data, method = "class")
# Print the summary of the model
summary(tree model)
# Plot the Decision Tree
plot(tree model)
text(tree_model, pretty = 0)
# Predict the test set
predictions <- predict(tree_model, newdata = test_data, type = "class")</pre>
# Evaluate the model's performance
confusion_matrix <- table(Predicted = predictions, Actual = test_data$Species)</pre>
print(confusion_matrix)
# Calculate accuracy
accuracy <- sum(diag(confusion_matrix)) / sum(confusion_matrix)</pre>
cat("Accuracy:", accuracy * 100, "%\n")
```

### **OUTPUT:**





### **RESULT:**

SVM and Decision tree classification techniques are implemented Successfully.