

ArogyaNet Health Grid

National PHC Medicine, Bed & Staff Attendance Visibility System

Comprehensive Operational Field Manual • Version 2.4 • September 2026

DOCUMENT OVERVIEW & PURPOSE

This manual provides a practical, role-by-role guide to using ArogyaNet. ArogyaNet connects Primary Health Centres (PHCs), Community Health Centres (CHCs), and District Hospitals to eliminate critical medicine stockouts, maintain vaccine cold-chain integrity, optimize bed occupancy, and enable sovereign cross-border federation.

TABLE OF CONTENTS

1. User Roles & Login Access (Persona Switching)

2. Interactive Google Maps GIS View & Facility Pins

3. Facility Live Detail Drawer & Bed Metrics

4. PHC Nurse Rapid Facility Management (Touch Steppers)

5. Real-Time Cold-Chain IoT Telemetry (2°C - 8°C Alerts)

6. 7-Day Stockout Risk Prediction & Predictive Alerts
7. Gemini AI Logistics Advisory (Bilingual EN/HI)

8. Inter-Facility Stock Transfers (Atomic Approvals)

9. National War Room Grid & Outbreak Surge Simulator

10. Sovereign BRICS Federation & Privacy Invariants

11. Multimodal Clinical Triage & Voice Nurse Assistant

12. System Audit Trail & Offline Operation

1. USER ROLES & DEMO CREDENTIALS

ArogyaNet implements strict Role-Based Access Control (RBAC). Use the top-bar Role Switcher to toggle instantly between personas:

ROLE / PERSONA	DEFAULT SCOPE	PRIMARY RESPONSIBILITIES	DEMO LOGIN
PHC Nurse	Shirur PHC (Local)	Update stock, bed occupancy, check-in staff, cold-chain checks	nurse123
District Officer	Pune District (4 facilities)	Approve transfers, monitor 7-day alerts, review Gemini advisory	officer123
National War Room	National (All India)	Simulate outbreak surges, allocate central drug buffers, triage	warroom123
BRICS Analyst	Federation Node	Review cross-border demand indices; ZERO PHI or raw stock visible	brics123

2. INTERACTIVE GOOGLE MAPS GIS VIEW & FACILITY PINS

Purpose: Provides real-time spatial awareness powered by Google Maps across all clinics in the district or state, displaying live operational status, active stockout risks, and cold-chain health at a glance.

How to Use:

- Step 1: Navigate to the

"Map" tab from the bottom or top navigation bar.

- Step 2: Observe the color-coded pins: Green (Normal), Amber (Cover < 7 Days), Red (Critical Stockout Risk / Temperature Breach).
- Step 3: Click on any facility pin (e.g., Shirur PHC) to open its comprehensive operational drawer and inspect real-time metrics.

Practical Example: When viewing Pune District during a monsoon wave, Shirur PHC pulses with an amber halo indicating Oral Rehydration Salts (ORS) will run out in 3.4 days.

3. FACILITY LIVE DETAIL DRAWER & BED METRICS

Purpose: Allows district and state administrators to inspect granular facility capacity, bed occupancy, doctor/nurse on-duty headcounts, and critical inventory batches without interrupting field staff.

How to Use:

- Step 1: Click on any facility card or map pin to trigger the slide-over drawer.
- Step 2: Review key tiles: Available Beds (e.g., 6/8 occupied), On-Duty Staff (e.g., 2 nurses), and Emergency Backup Power.
- Step 3: Scroll down to the "Stock Inventory" list to see exact physical units on hand and lot expiry dates.
- Step 4: Click "Initiate Transfer" directly from the drawer to address any identified deficit.

Practical Example: A District Health Officer reviewing Haveli Sub-District Hospital sees 14 of 16 maternity beds occupied and immediately flags the neighboring PHC to prepare overflow cots.

4. PHC NURSE RAPID FACILITY MANAGEMENT

Purpose: Empowers rural nurses to update stock numbers, bed count, and staff attendance in under 30 seconds using large, touch-friendly steppers engineered for glove-wearing and low-connectivity environments.

How to Use:

- Step 1: Switch role to "PHC Nurse" (automatically opens "My Facility" tab).
- Step 2: Tap the large "+" or "-" stepper buttons on any medicine card (e.g. Paracetamol, Amoxicillin, ORS) to record daily dispensations.
- Step 3: Update bed counts using the Bed Occupancy stepper.
- Step 4: Changes auto-save immediately to the database with optimistic UI updates and local caching.

Practical Example: Nurse Sunita at Shirur PHC dispenses 15 strips of Paracetamol during morning OPD. She taps "-" three times (x5 multiplier) on her phone; inventory updates instantly from 140 to 125 units without filling out paper registers.

5. REAL-TIME COLD-CHAIN IoT TELEMETRY (2°C - 8°C)

Purpose: Maintains strict temperature surveillance over ILR (Ice-Lined Refrigerator) units storing life-saving vaccines and insulin, preventing spoiled batch administration and cold-chain excursions.

How to Use:

- Step 1: Open the "Cold-Chain IoT" tab (accessible to Nurses, District Officers, and Auditors).
- Step 2: Review the live temperature gauge for each refrigerator unit (Safe zone: +2°C to +8°C).
- Step 3: Inspect the 24-hour continuous sensor timeline graph to verify overnight power stability.
- Step 4: If temperature spikes above 8°C, an immediate flashing banner warns staff and alerts district cold-chain logistics.

Practical Example: During a rural power cut, Refrigerator #2 at Junnar PHC reaches 8.4°C. The system triggers a "Cold-Chain Breach Alert" and automatically disallows inter-facility dispatch of its DPT vaccines until inspected.

6. 7-DAY PREDICTIVE STOCKOUT ALERTS (COVER_7D)

Purpose: Applies deterministic Poisson epidemiological demand models to forecast stockouts up to 7 days in advance, giving officers enough lead time to reallocate supplies before shelves go empty.

How to Use:

- Step 1: Click the "Alerts" tab from the bottom navigation (red badge indicates pending warnings).
- Step 2: Inspect alerts categorized by severity: CRITICAL (Stockout < 3 days), WARNING (Cover < 7 days), and SURGE (Sudden demand jump).
- Step 3: Each alert card shows Current Stock, 7-Day Predicted Demand, Days of Cover remaining, and Stockout Probability (%).
- Step 4: Click "Gemini Advisory" to generate clinical logistics guidance, or "Propose Transfer" to solve the alert.

Practical Example: Shirur PHC has 45 units of ORS with an average daily demand of 12 units. ArogyaNet calculates 3.75 days of cover (Stockout Probability: 78%) and flags a COVER_7D warning.

7. GEMINI AI LOGISTICS ADVISORY (BILINGUAL EN/HI)

Purpose: Leverages Gemini AI to analyze stock deficits, geographic terrain, seasonal disease patterns, and clinical guidelines, providing clear decision-support recommendations in English and native Hindi.

How to Use:

- Step 1: On any active alert card, click the "Gemini Advisory (EN/HI)" button.
- Step 2: Review the generated logistics commentary: Recommended Donor Facility, Safe Transfer Quantity, Clinical Priority, and Reasoning.
- Step 3: Tap the "F" button to see the exact clinical advice translated into clean Devanagari Hindi for grassroots health workers.
- Step 4: Click "Propose Transfer" to automatically transfer Gemini's recommended quantities into the transfer engine.

Practical Example: Gemini analyzes Shirur PHC's ORS shortage: "Recommend transferring 60 units from Talegaon CHC (42 km away), which currently holds 18 days of buffer. This preserves 11 days at the donor while lifting Shirur to 8.7 days of safe coverage."

8. INTER-FACILITY STOCK TRANSFERS & ATOMIC EXECUTION

Purpose: Enables verified human-in-the-loop stock rebalancing between government facilities while guaranteeing four non-negotiable safety rules: Donor Cover Retention, Cold-Chain Certification, FIFO Expiry, and Atomic Locking.

How to Use:

- Step 1: Navigate to the "Transfers" tab.
- Step 2: Click "Propose New Transfer" or select an auto-recommended proposal generated from an alert.
- Step 3: The deterministic optimizer selects the nearest donor facility that satisfies all 4 safety invariants.
- Step 4: Review the transfer order details (From, To, SKU, Quantity, Transit Distance).
- Step 5: Click "Approve & Execute Stock Transfer" (District Officer / War Room Command only).
- Step 6: The server runs an atomic PostgreSQL transaction (SELECT ... FOR UPDATE) to deduct FIFO lots and credit the recipient.

Practical Example: Talegaon CHC sends 50 vials of Insulin to Shirur PHC. Lot #INS-2026-04 with earliest expiration date (Nov 2026) is automatically consumed first, avoiding waste and stock drift.

9. NATIONAL WAR ROOM GRID & OUTBREAK SURGE SIMULATOR

Purpose: Provides national health leadership with a high-level situational dashboard and a what-if outbreak multiplier tool to simulate Dengue, Cholera, or Heatwave epidemics across multiple states.

How to Use:

- Step 1: Switch role to "National War Room" (opens "National Grid" view).
- Step 2: Inspect national macro-metrics: Total Monitored Facilities, Critical Stockout Rate, Bed Utilization %, and Pending POs.
- Step 3: In the "Outbreak Surge Simulator" card, select a scenario (e.g. "Dengue Surge 2.5x" or "Monsoon Diarrheal Outbreak 3.0x").
- Step 4: Click "Apply Scenario": observe all downstream 7-day demand projections, alert counts, and deficit estimates recalculate instantly.

Practical Example: A national planner selects "Flood/Monsoon Surge (3.0x ORS Demand)". Immediately, 18 additional PHCs across the river basin turn red on the national map, allowing preemptive dispatch of central buffer depots.

10. SOVEREIGN BRICS FEDERATION & PRIVACY INVARIANTS

Purpose: Facilitates multilateral epidemiological intelligence exchange across BRICS partner nations while cryptographically enforcing that ZERO Protected Health Information (PHI) or raw inventory levels ever leave sovereign national borders.

How to Use:

- Step 1: Switch role to "BRICS Analyst" (role restricted to the "Federation" tab).
- Step 2: Examine the anonymized BRICS Epidemiological Grid showing Regional Demand Index (0.0 - 1.0) and Categorical Surplus Bands (LOW / MEDIUM / HIGH).
- Step 3: Click "Differential Privacy Model Card" to review Laplace noise calibration parameters and data provenance.
- Step 4: Notice that all national tabs (Map, Stock, Nurse, Transfers) are strictly blocked with HTTP 403 Forbidden.

Practical Example: An international epidemiologist queries the BRICS node: they can observe that Western India is in "High Demand" for antimalarials, but have zero access to patient records, facility names, or physical warehouse lot numbers.

11. MULTIMODAL CLINICAL TRIAGE & VOICE NURSE ASSISTANT

Purpose: Provides rural health workers with AI-driven diagnostic assistance and hands-free voice data entry during sterile procedures or intense patient triage sessions.

How to Use:

- Step 1: In the PHC Nurse view, click "Multimodal Triage Assistant".
- Step 2: Enter patient vital signs (SpO2, Pulse, Temp, BP) and primary symptoms, or upload a lesion/rash photo for triage categorization.
- Step 3: Review the generated triaged risk score: Red (Immediate Hospital Referral), Yellow (Observation), Green (OPD Discharge).
- Step 4: Click the Microphone icon ("Voice Nurse Assistant") to speak updates hands-free (e.g., "Add 10 bandages to stock, admit 1 bed").

Practical Example: A nurse treating an emergency road trauma patient uses voice command: "Mark bed 4 occupied, request 2 units IV saline." The assistant logs the changes without requiring keyboard or touchscreen contact.

12. SYSTEM AUDIT TRAIL, COMPLIANCE & OFFLINE RESILIENCE

Purpose: Maintains an immutable, tamper-evident audit ledger of every inventory adjustment, transfer authorization, and security event, alongside seamless offline synchronization for rural areas with intermittent connectivity.

How to Use:

- Step 1: Access the "Audit & Security" tab (District Officers and War Room Command).
- Step 2: Review the chronological log entries containing Timestamp, User ID, Role, Action Type, and Cryptographic Hash.
- Step 3: Offline Capability: If internet cuts out, a yellow banner "Offline Mode — Changes Queued Locally" appears.
- Step 4: Continue updating stock and beds; all changes are queued in browser IndexedDB/LocalStorage and auto-sync when connection restores.

Practical Example: An auditor investigating an insulin transfer checks the audit log: "2026-09-25 14:22:01 — Officer Deshmukh approved Transfer #TR-8812 (50 vials) — Lot #INS-04 locked & dispatched".

13. FREQUENTLY ASKED QUESTIONS & TROUBLESHOOTING

Q: Why is my stock transfer request rejected or grayed out?

ArogyaNet enforces the Donor 7-Day Cover Protection Rule. If donating stock would leave the donor facility with less than 7 days of supply for its own patients, the system automatically blocks the transfer to prevent moving a crisis from one village to another.

Q: What happens if the cold chain temperature exceeds 8°C?

The unit enters "Breach Warning" state. Cold-sensitive vaccines (DPT, Measles, Insulin) at that facility are instantly locked from being transferred out until a biomedical technician certifies the lot.

Q: Can international users see our PHC patient data?

No. The BRICS Federation module strictly filters out facility names, patient data, and exact counts. Only mathematically fuzzed regional indices are exported, backed by strict PostgreSQL Row-Level Security.

Q: How do I switch languages in the Gemini Advisory?

Click on the "Gemini Advisory" button in any alert card. At the top of the advisory modal, click the "™?)&" .y '©'É•" F " Fò 0witch between English and Devanagari Hindi.

