



Week 2 Day 1:

Scenario 1:


Search Functionality



Below are 10 functional test cases for the Meesho e-commerce search module, covering both positive and negative scenarios with P1/P2 priorities.

TC_ID	Description	Priority	Preconditions	Steps	Test Data	Expected Output	Attachments
TC_SEARCH_001	Verify search returns relevant products for a valid exact keyword	P1	Search is accessible: matching products exist	Enter keyword → Search	Saree	Relevant saree products are displayed	N/A
TC_SEARCH_002	Verify search returns results for a partial keyword	P1	Matching products exist	Enter partial keyword → Search	sare	Relevant matching products are displayed	N/A
TC_SEARCH_003	Verify search handles multiple-word keywords	P1	Matching products exist	Enter multi-word keyword → Search	cotton kurti	Relevant products matching the query are displayed	N/A
TC_SEARCH_004	Verify search handles different letter casing	P2	Matching products exist	Search using lowercase, uppercase and mixed case	shoes, SHOES, Shoes	Functionally equivalent results are displayed	N/A
TC_SEARCH_005	Verify appropriate behavior for a keyword with no results	P1	Search is accessible	Enter invalid/unavailable keyword → Search	xyzabc987654	Clear no-results state/message is displayed	N/A
TC_SEARCH_006	Verify search behavior when submitted with an empty field	P1	Search is accessible	Leave field blank → Click Search	Blank	Invalid search is not executed; appropriate validation/default behavior is shown	N/A

TC_SEARCH_005	Verify appropriate behavior for a keyword with no results	P1	Search is accessible	Enter invalid/unavailable keyword → Search	xyzabc987654	Clear no-results state/message is displayed	N/A
TC_SEARCH_006	Verify search behavior when submitted with an empty field	P1	Search is accessible	Leave field blank → Click Search	Blank	Invalid search is not executed; appropriate validation/default behavior is shown	N/A
TC_SEARCH_007	Verify search handles leading and trailing spaces	P2	Matching products exist	Enter keyword with spaces → Search	saree	Search processes the meaningful keyword correctly	N/A
TC_SEARCH_008	Verify search handles special characters	P2	Search is accessible	Enter special characters → Search	@@@##	Application remains stable and displays valid results/no-results state	N/A
TC_SEARCH_009	Verify search handles numeric-only input	P2	Search is accessible	Enter numeric value → Search	123456789	Application remains stable and displays matching results or valid no-results state	N/A
TC_SEARCH_010	Verify consecutive searches return relevant results for the latest keyword	P1	Products exist for both	Search keyword A → Search keyword B	Saree → Saree	Second search displays corresponding results, not stale Saree results	N/A



Able to generate detailed test cases when missing test cases are given like:

e-commerce site

TC – type, priority, counts,

Test case format

Scenario 3:

Shopping Cart

On 1st try, I'm seeing same format as above as LLM using the previous search as reference though I tried in new chat.

Test Case Content Extraction - x Cart Functionality Testing x + Ask Gemini

chatgpt.com/c/6aae27f4-c298-83ee-9aac-588af1213522

Software Testing Fu... Trading View 100+ Selenium Inte... ChromeOptions Testleaf Home | Salesforce Stock screener Preparation Kits | H... 1C OneCognizant - Int...

Free offer Share

Test the cart functionality

Cart Functionality — Functional Test Scenarios

TC_ID	Description	Priority	Preconditions	Steps	Test Data	Expected Result	
CART_001	Add a single product to cart	P1	User is on product page	Select product → Click Add to Cart → Open cart	Product A	Product is added and displayed in cart	
CART_002	Add multiple different products	P1	Product catalog is available	Add Product A → Add Product B → Open cart	A, B	Both products appear with correct details	
CART_003	Increase product quantity	P1	Product exists in cart	Open cart → Increase quantity	Qty: 2	Quantity and subtotal update correctly	
CART_004	Decrease product quantity	P1	Product quantity > 1	Open cart → Decrease quantity	Qty: 2 → 1	Quantity and subtotal decrease correctly	
CART_005	+ Ask anything					Think	Product is removed and cart total updates

Test Case Content Extraction - x Cart Functionality Testing x + Ask Gemini

chatgpt.com/c/6aae27f4-c298-83ee-9aac-588af1213522

Software Testing Fu... Trading View 100+ Selenium Inte... ChromeOptions Testleaf Home | Salesforce Stock screener Preparation Kits | H... 1C OneCognizant - Int...

Free offer Share

CART_006	Verify cart total calculation	P1	Multiple products exist	Open cart → Check item totals and grand total	A ₹500 × 2, B ₹300 × 1	calculation is accurate
CART_007	Add same product multiple times	P2	Product is available	Add same product twice → Open cart	Product A	Product quantity updates appropriately without unintended duplicate entries
CART_008	Add product with unavailable stock	P1	Product is out of stock	Open product → Click Add to Cart	Out-of-stock product	Product cannot be added and appropriate message is displayed
CART_009	Verify cart persistence after page refresh	P2	Product exists in cart	Add product → Refresh page → Open cart	Product A	Previously added product remains in cart
CART_010	Verify empty cart behavior	P1	Cart is empty	Open cart	N/A	Empty-cart message is displayed and checkout is unavailable/disabled

+ Ask anything Think

It created P1 and P2 generic test cases for cart.

Rewritten detailed Prompt with ICEPOT technique.

Test Case Content Extraction - C x

Cart Functionality Testing x

Ask Gemini

chatgpt.com/c/6aae27f4-c298-83ee-9aac-588af1213522

Software Testing Fu... Trading View 100+ Selenium Inte... ChromeOptions Testleaf Home | Salesforce Stock screener Preparation Kits | H... 1C OneCognizant - Int...

Free offer

Share

Context:

Generate TC's for the shopping Cart functionality in FlipKart.

Instructions:

- Generate Tc's for Shopping cart module for FlipKart

- [STRICT] Generate only 10 Important Functional TC's

- [PRIORITY] Include positive and negative scenarios

- [HIGH PRIORITY] Generate P1 and P2

Example:

TC_ID|Description|Priority|Preconditions|Steps|Testdata|Expected Output|Attachments if any|Comments|raised by|Review score|Reviewed

Persona:

Act as a Senior Engineer to Generate testcase

As a Test lead to review the testcase

Output:

Generate testca... table and downloadable excel format

Tone:

+ Ask anything

Think

Test Case Content Extraction - C x

Cart Functionality Testing x

Ask Gemini

chatgpt.com/c/6aae27f4-c298-83ee-9aac-588af1213522

Software Testing Fu... Trading View 100+ Selenium Inte... ChromeOptions Testleaf Home | Salesforce Stock screener Preparation Kits | H... 1C OneCognizant - Int...

Share

Flipkart Shopping Cart — Functional Test Cases

TC_ID	Description	Priority	Expected Output	Review Score	Reviewed
TC_CART_001	Add an in-stock product to Cart	P1	Product is added with correct details, price and quantity	5/5	Yes
TC_CART_002	Add multiple different products	P1	All selected products appear correctly in Cart	5/5	Yes
TC_CART_003	Increase product quantity	P1	Quantity and cart total update correctly	5/5	Yes
TC_CART_004	Decrease product quantity	P1	Quantity and cart total decrease correctly	5/5	Yes
TC_CART_005	Remove a product	P1	Product is removed and totals are updated	5/5	Yes
TC_CART_006	Verify price and quantity calculation	P1	Item totals and overall cart total are mathematically correct	5/5	Yes
TC_CART_007	Add out-of-stock product	P1	Product cannot be added and availability message is displayed	5/5	Yes

+ Ask anything

Think

quantity stock: appropriate message is

Test Case Content Extraction - C x

Cart Functionality Testing x

Ask Gemini

Action required

chatgpt.com/c/6aae27f4-c298-83ee-9aac-588af1213522

Software Testing Fu...Trading View100+ Selenium Inte...ChromeOptionsTestleafHome | SalesforceStock screenerPreparation Kits | H...1C OneCognizant - Int...

TC_CART_007	Add out-of-stock product	P1	Product cannot be added and availability message is displayed	5/5	Yes	Share
TC_CART_008	Exceed available stock quantity	P1	Quantity cannot exceed available stock; appropriate message is shown	5/5	Yes	
TC_CART_009	Cart persistence after page refresh	P2	Cart contents remain available after refresh	5/5	Yes	
TC_CART_010	Empty Cart after removing all items	P2	Empty-cart state is shown and checkout cannot proceed	5/5	Yes	

Total: 10 important functional TCs — 8 P1 + 2 P2, covering both positive and negative scenarios.

Download the Excel test cases

Flipkart_Shopping_Cart_Functional_Test_Cases.xlsx
Spreadsheet

Ask anything

Think

Second Test case generation is bit more specific related to FlipKart in addition to 1st generated test cases.

As the 1st generated test case already included the important functionalities like (No add/remove/update actions, no price calculation validation, no coupon/discount scenarios, no out-of-stock handling) by taking reference from the previous ICEPOT TC prompt, 2nd generated test cases adjusted based on FlipKart specific functionality.

=====

Scenario: **Mobile App — OTP Login**

Weak Prompt: "Test OTP login on mobile."

New

Projects

Artifacts

Customize

Chats

Mobile OTP login testing

Bug reporting dashboard g

Bug testing across paymen

Bug testing across receipt

Bug testing for receipt and

Subscriber and receipts me

Integrating MCP server wit

WestJet flight WS622 econ

Facebook login credentials

Playwright MCP server not

High RPM 18-inch steel ped

WestJet flight WS620 locat

Video summary request

C Drive cleanup and storag

Personal finance allocation

JMP · Free

Mobile OTP login testing

Test OTP login on mobile.

Covering security, accessibility, and device-specific scenarios.

I can't drive a real device or emulator from here, so here's the coverage I'd run against a mobile OTP login flow. It doubles as a spec if you want this automated.

Happy path

- Valid number → code arrives → correct entry → authenticated, token stored
- SMS autofill works (Android SMS Retriever / iOS one-time-code keyboard suggestion)
- Paste from clipboard fills all digits, not just the first box

Code validation

- Wrong code: clear error, attempt counter decrements, field doesn't silently clear
- Expired code past TTL is rejected
- After a resend, the previous code is invalidated

2 free Opus 5 messages left

+ Write a message...

Claude is AI and can make mistakes. Please double-check responses.

Opus 5 Max

New

Projects

Artifacts

Customize

Chats

Mobile OTP login testing

Bug reporting dashboard g

Bug testing across paymen

Bug testing across receipt

Bug testing for receipt and

Subscriber and receipts me

Integrating MCP server wit

WestJet flight WS622 econ

Facebook login credentials

Playwright MCP server not

High RPM 18-inch steel ped

WestJet flight WS620 locat

Video summary request

C Drive cleanup and storag

Personal finance allocation

JMP · Free

Mobile OTP login testing

Resend and abuse limits

- Resend button stays disabled until the countdown ends, and the countdown survives app backgrounding
- Max resends per window, with a message that explains the lockout
- N wrong attempts triggers lockout or captcha; confirm the lockout actually expires
- Identical response and timing for registered vs. unregistered numbers (no enumeration)

Interruption and state

- Background the app to read the SMS, return mid-entry
- App killed during the wait, then relaunched
- Incoming call during the flow
- Double-tapping Verify sends one request, not two

Network


- Offline at request time and at verify time, with distinct errors
- Airplane mode toggled mid-flow
- Throttled connection and request timeout

2 free Opus 5 messages left

+ Write a message...

Claude is AI and can make mistakes. Please double-check responses.


Opus 5 Max



Claude gave the generic response which includes Happy flow path, Device details, Security, etc.,.

Seems like Claude is automatically adjusting the prompt and giving relevant answers and making the response to match with user expectation around 60-70%.

Now, Given the ICEPOT Prompt to generate test cases for the flow.



New

Projects

Artifacts

Customize

Chats

Mobile OTP login testing

Bug reporting dashboard g

Bug testing across paymen

Bug testing across receipt

Bug testing for receipt and

Subscriber and receipts m

Integrating MCP server wit

WestJet flight WS622 econ

Facebook login credentials

Playwright MCP server not

High RPM 18-inch steel ped

WestJet flight WS620 locat

Video summary request

C Drive cleanup and storag

Personal finance allocation

Mobile OTP login testing

Understood. Reviewing the spec, then building both deliverables.

Ran 3 commands, created a file >

Coverage verified: 10 test cases, 6 P1 / 4 P2, 4 positive / 6 negative, all reviewed, average review score 4.7/5.

Test case summary (the workbook carries all 12 columns in full; abbreviated here for readability)

TC_ID	Description	Priority	Test Data	Expected Output
TC_FT_OTP_001	Positive - Successful login with a valid OTP within the validity window	P1	Mobile 9876543210, valid 6-digit OTP; TTL 5 min	Authenticated in <3s, dashboard loads, session token issued, audit log written
TC_FT_OTP_002	Positive - OTP auto-populates via SMS auto-read in	P2	Registered number, SMS template with app hash	All 6 digits fill within 2s; non-whitelisted sender IDs are not auto-read

1 free Opus 5 message left

Write a message...

Claude is AI and can make mistakes. Please double-check responses.

Opus 5 Max

New

Projects

Artifacts

Customize

Chats

Mobile OTP login testing

Bug reporting dashboard g

Bug testing across paymen

Bug testing across receipt

Bug testing for receipt and

Subscriber and receipts m

Integrating MCP server wit

WestJet flight WS622 econ

Facebook login credentials

Playwright MCP server not

High RPM 18-inch steel ped

WestJet flight WS620 locat

Video summary request

C Drive cleanup and storag

Personal finance allocation

Mobile OTP login testing

TC_FT_OTP_001	Positive - Successful login with a valid OTP within the validity window	P1	Mobile 9876543210, valid 6-digit OTP; TTL 5 min	Authenticated in <3s, dashboard loads, session token issued, audit log written
TC_FT_OTP_002	Positive - OTP auto-populates via SMS auto-read in foreground	P2	Registered number, SMS template with app hash	All 6 digits fill within 2s; non-whitelisted sender IDs are not auto-read
TC_FT_OTP_003	Positive - Latest OTP authenticates after resend; previous OTP invalidated	P1	OTP-1 481920, OTP-2 735164	OTP-2 accepted, OTP-1 rejected; one active OTP per session
TC_FT_OTP_004	Positive - Session persists	P2	Session TTL 30 min, idle	Biometric resume within TTL; forced

1 free Opus 5 message left

Write a message...

Claude is AI and can make mistakes. Please double-check responses.

Opus 5 Max

New

Projects

Artifacts

Customize

Chats

Mobile OTP login testing

Bug reporting dashboard g

Bug testing across paymen

Bug testing across receipt

Bug testing for receipt and

Subscriber and receipts m

Integrating MCP server wit

WestJet flight WS622 econ

Facebook login credentials

Playwright MCP server not

High RPM 18-inch steel ped

WestJet flight WS620 loca

Video summary request

C Drive cleanup and storag

Personal finance allocation

Mobile OTP login testing

invalidated

TC_FT_OTP_004	Positive - Session persists across relaunch and expires on idle timeout	P2	Session TTL 30 min, idle timeout 10 min	Biometric resume within TTL; forced sign-out after idle; token in Keychain/Keystore
TC_FT_OTP_005	Negative - Incorrect OTP rejected, attempt counter increments server-side	P1	Issued 481920, entered 481921	"Incorrect OTP: 4 attempts remaining."; no token; no OTP disclosure in the error
TC_FT_OTP_006	Negative - Expired OTP rejected after TTL, including under clock tampering	P1	Issued 10:00:00, entered 10:05:30	"OTP expired"; expiry enforced server-side even with a rolled-back device clock

1 free Opus 5 message left

+ Write a message...

Claude is AI and can make mistakes. Please double-check responses.

Opus 5 Max

New

Projects

Artifacts

Customize

Chats

Mobile OTP login testing

Bug reporting dashboard g

Bug testing across paymen

Bug testing across receipt

Bug testing for receipt and

Subscriber and receipts m

Integrating MCP server wit

WestJet flight WS622 econ

Facebook login credentials

Playwright MCP server not

High RPM 18-inch steel ped

WestJet flight WS620 loca

Video summary request

C Drive cleanup and storag

Personal finance allocation

Mobile OTP login testing



TC_FT_OTP_007	Negative - Consumed OTP cannot be replayed at UI or API layer	P1	Consumed OTP 481920, POST /auth/verify-otp	UI and API both reject; replayed call returns 401 with no token
TC_FT_OTP_008	Negative - Account lockout after 5 consecutive failed attempts	P1	5 wrong OTPs, then correct OTP 481920	Locked 30 min; correct OTP still refused during lockout; security alert dispatched
TC_FT_OTP_009	Negative - Resend rate limit and cooldown survive app restart	P2	Cooldown 30s, 3 resends / 15 min	4th resend blocked server-side; counter does not reset on relaunch; no extra SMS
TC_FT_OTP_010	Negative - Network drop during verification does	P2	OTP 481920, airplane-mode toggle	Retry message, no partial session, single verify call on double tap, OTP still valid

1 free Opus 5 message left

+ Write a message...

Claude is AI and can make mistakes. Please double-check responses.

Opus 5 Max



I'm seeing more detailed Test cases with possible test data and steps from claude when I give the detailed prompt to Process.

