


SPPL-556: Simulation Rollback Post API technical workflow

Jira Ticket: [SPPL-556: BE | Analysis | Create technical workflow for Rollback Post API including data sources](#) **DONE**

- i** This page provides comprehensive information about the POST API for Simulation Rollback on the Simulations page, to move the rundown back to draft state (Not Started).



Supply Planning POST Rollback Rundown API Details:

1. **Hosted URL:** one.gpssupplyplanning.cube<env>.toyota.com/<env>
2. **API Name:** <HOSTED_URL>/vanning-rundowns/v/1/1/sp/rollback
3. **Path Param:** N/A
4. **Query Param:** N/A
5. **Method:** POST
6. **Authorization:** Bearer token (**required**)
7. **Lambda Name:** spln-<env>-rollback-rundown-v1-1
8. **API Request Body:**

```
1 {  
2   "simulationId": "uuid",  
3   "userEmail": "gangone.priyadarshini@toyota.com"  
4 }
```

9. API Response:

- o **Success response with status 200:**

```
1 {  
2   "message": "Successfully rolled back rundown to draft state."
```

```
3 }
```

- **Error Response:**

- **any internal server error occurred with status 500:**

```
1 {  
2   "errorMessage": "Internal Server Error"  
3 }
```

- **any unauthorized error occurred with status 401 (Managed by the AWS API Gateway integrated Custom Authorizer):**

```
1 {  
2   "message": "Unauthorized"  
3 }
```

- **If request is in-valid with status 400:**

```
1 {  
2   "errorMessage": [<"ValidationError: validation error message">]  
3 }
```

- **List of possible validation error message:**

1. "ValidationError: Request body cannot be empty".
2. "ValidationError: simulationId is required and must be a uuid."
3. "ValidationError: userEmail is required and must be a string."
4. "ValidationError: Invalid userEmail."
5. "ValidationError: Rundown cannot be reverted to the draft state, once approved or promoted."
6. "ValidationError: simulationId doesn't exist."

10. Table:

a. simulation

SP Post Rollback Rundown API Workflow:

- **Technical workflow:**

- Description:
 - i. The Supply Planning user logs in to the application.
 - ii. After the user clicks on rollback on Review page, a request is sent to the SP Post Rollback Rundown endpoint: **sp/rollback** with below payload:

```
1 {  
2   "simulationId": "uuid",  
3   "userEmail": "gangone.priyadarshini@toyota.com"  
4 }
```

- iii. After successful authentication, the **spln-rollback-rundown-v1-1** lambda is triggered by the SP post Rollback Rundown endpoint: **sp/rollback**. If authentication fails, an error with status 401 (refer: error response-**any unauthorized error occurred with status 401**) will be returned and sent to client.
- iv. After user authentication has been confirmed, the **spln-rollback-rundown-v1-1** lambda will perform validation on the request payload. If payload is valid will proceed to next step else throw validation error (refer: error response: **Section if request is in-valid with status 400 and List of possible validation error message**).

```
1 | select * from supply_planning.simulation where simulation_id = : simulationId
2 | and is_active = true;
```


- v. After the request payload is successfully validated, the **spln-rollback-rundown-v1-1** lambda execute below query to post rollback rundown in the **simulation** table:

```
1 | update table supply_planning.simulation set
2 | simulation_status = 'Completed',
3 | last_updated_timestamp = CURRENT_TIMESTAMP,
4 | updated_by = :userEmail,
5 | updated_by_user_name = :userName
6 | where simulation_id = : simulation_id
7 | and is_active = true;
```

- vi. After updating the simulation data return success response to the client with a status code of 200:

```
1 | {
2 |   "message": "Successfully rolled back rundown to draft state."
3 | }
```

- vii. If there is an error while updating the data, an “Internal Server Error” with a status code of 500(refer: error response-**any internal server error occurred with status 500**) will be returned. Otherwise, a successful response with a status code of 200 will be sent.



SP Rollback Rundown API Technical workflow

Note:

Queries: