Thermo King

Trailer Pallet SOP 2024

Specifications

Weight – 97 lbs.

Length - 36”

Width - 86”

Height – 5”

300 North Pacific Coast Hwy Suite #1060
El Segundo, CA, 90245

Section 1: Unit Overview

Single Trailer Pallet, no removable parts

The Trailer Pallet has one [1] component that makes up a complete unit in RMS. A complete Trailer Pallet consists of the following:

- [1] Trailer Pallet Component

Section 2: Provider Count Expectations

EZRack contracted warehouse locations are expected to perform the following function:

Receiving Count and RMS System Inventory Management:

- Upon product arrival to the warehouse, the units are to be counted and verified against the BOL quantities and any OS&D exceptions noted on the physical BOL.
- Provider is expected to log into RMS in real time to take the following actions:
  - Complete BOL with actual quantities in WIP received.
  - Add any additional SKUs to BOL with quantities in WIP received, if applicable, to match total quantities received from the shipment.

Section 3: Recovery, Shipping and Receiving

IMPORTANT PICK UP NOTE:

Providers must call TK Dealer location to schedule a pickup appointment prior to dispatching a driver for recovery.

Trailer Pallets loaded into a 26' Box Truck

- All Trailer Pallets must be banded in stacks of 7 for shipment.
- Max stack height is 14 Trailer Pallets.
- 112 units max can be loaded into a 26' Box Truck.
- Trailer Pallets cannot be loaded in any other configuration than is displayed in the picture.
- **DO NOT LOAD VERTICALLY, ON TOP OF ANY OTHER TYPES OF TK UNITS.**
- **DO NOT LOAD WITHOUT BANDING.**

Trailer Pallets loaded into a 53' Dry Van

- Max stack height is 14 Trailer Pallets.
- 238 units max can be loaded into a 53' Dry Van.
- Trailer Pallets cannot be loaded in any other configuration as displayed in the picture.
- All Trailer Pallets must be banded in stacks of 7 for shipment.
- **DO NOT LOAD VERTICALLY, ON TOP OF ANY OTHER TYPES OF TK UNITS.**
- **DO NOT LOAD WITHOUT BANDING.**

IMPORTANT LOADING NOTE:

*****DO NOT LOAD VERTICALLY.**

NEVER LOAD ON TOP OF ANY OTHER TYPES OF TK UNITS.

ONLY THE SAME TYPES OF UNITS CAN BE STACKED ON EACH OTHER. DO NOT STACK MIXED UNITS TOGETHER. EACH TYPE OF UNIT MUST BE IN ITS OWN STACK.***

Section 4: Storage

- All Trailer Pallets must be banded in stacks of 7 for storage.
- Trailer Pallets can be stored up to 28 units high. **Do NOT stack more than 28 high for storage.**
- A Trailer Pallet will fill 2 pallet positions of floor space.