



Command Prompt

```
C:\>
C:\>
C:\>
C:\>
C:\>
C:\>ipconfig

FastEthernet0 Connection: (default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: FE80::2D0:97FF:FE80:2D9E
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 10.0.0.10
    Subnet Mask . . . . .: 255.0.0.0
    Default Gateway . . . . .: ::
                                   10.0.0.1
```

Bluetooth Connection:

```
    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: ::
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 0.0.0.0
    Subnet Mask . . . . .: 0.0.0.0
    Default Gateway . . . . .: ::
                                   0.0.0.0
```

```
C:\>ping 40.0.0.10
```

```
Pinging 40.0.0.10 with 32 bytes of data:
```

```
Reply from 40.0.0.10: bytes=32 time<1ms TTL=125
Reply from 40.0.0.10: bytes=32 time<1ms TTL=125
Reply from 40.0.0.10: bytes=32 time<1ms TTL=125
Reply from 40.0.0.10: bytes=32 time<1ms TTL=125
```

```
Ping statistics for 40.0.0.10:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>
```

