

- Threat Hunt Generation Report: Scope of Salesforce Attacks Expands as Icarus Leaks Data
 - Executive Summary
 - Threat Actors
 - Icarus
 - Campaigns
 - Icarus Campaign
 - Malware
 - Indicators of Compromise
 - Observed Behaviors
 - MITRE ATT&CK Mapping
 - PEAK Hunt Hypotheses
 - Hunt 1
 - Prepare
 - Execute
 - Act
 - Hunt 2
 - Prepare
 - Execute
 - Act

Threat Hunt Generation Report: Scope of Salesforce Attacks Expands as Icarus Leaks Data

Field	Value
Source	Dark Reading
Published	2026-06-23 20:44 UTC
URL	https://www.darkreading.com/cyberattacks-data-breaches/scope-salesforce-attacks-expands-icarus-leaks-data
Classification	Security Incident
Report Generated	2026-06-24 23:50 UTC

Field	Value
Model	cth-qwen:latest
LLM Processing Time	1088.6s

Executive Summary

The Icarus extortion group exploited Klue's OAuth tokens to steal Salesforce data from multiple technology and cybersecurity companies, including LastPass, HackerOne, and Gong. The attackers exfiltrated customer data to a Dark Web site and warned of more victims, prompting affected organizations to suspend access to Klue and rotate API tokens.

Threat Actors

Icarus

- **Aliases:** —
- **Motivation:** —
- **Evidence:** Claimed responsibility for attacks, posted stolen data on Dark Web site, and issued a deadline for Klue customers to contact the group.

Campaigns

Icarus Campaign

- **Aliases:** —
- **Description:** Exploitation of Klue's OAuth tokens to access Salesforce instances, exfiltration of customer data to Dark Web, and extortion of affected organizations.
- **Evidence:** Icarus took credit for attacks, posted victim data, and warned of more victims.

Malware

None identified.

Indicators of Compromise

IOC Value	Type	Context
klue.com	Domain	Klue's OAuth tokens were used to access Salesforce data.
salesforce.com	Domain	Attackers accessed Salesforce instances of multiple companies.
four suspicious IP addresses provided by Klue	IP Address	Gong blocked these IPs after detecting compromised customer data.

Observed Behaviors

1. OAuth tokens from Klue used to access Salesforce customer data

- **Evidence:** Attackers breached Klue and used its OAuth tokens to steal customers' Salesforce data.
- **Artifacts:** OAuth tokens, Salesforce data
- **Context:** Initial breach of Klue's integration with Salesforce instances.

2. Suspension of company access to Klue

- **Evidence:** LastPass and other companies suspended all company access to Klue following the breach.
- **Artifacts:** Klue integration
- **Context:** Mitigation steps taken by affected organizations.

3. Rotation of exposed API access tokens

- **Evidence:** LastPass rotated exposed API access tokens after detecting the breach.
- **Context:** Post-breach mitigation actions.

4. Data exfiltrated to Dark Web site by Icarus group

- **Evidence:** Icarus posted victims' data on its Dark Web leak site, with company names partially redacted.
- **Artifacts:** Dark Web site
- **Context:** Extortion group's data exfiltration method.

5. Klue integration with Gong accessed internal user data

- **Evidence:** Gong stated attackers may have accessed internal licensed user data for customers using Klue integration.
- **Artifacts:** Klue integration, Gong user data
- **Context:** Secondary impact of Klue breach on Gong's customers.

MITRE ATT&CK Mapping

Tactic	Technique ID	Technique Name	Observed Behavior
Credential Access	T1528	Steal Application Access Token	OAuth tokens from Klue used to access Salesforce customer data
Impact	T1531	Account Access Removal	Suspension of company access to Klue
Privilege Escalation	T1134.003	Access Token Manipulation: Make and Impersonate Token	Rotation of exposed API access tokens
Exfiltration	T1567	Exfiltration Over Web Service	Data exfiltrated to Dark Web site by Icarus group
Initial Access	T1199	Trusted Relationship	Klue integration with Gong accessed internal user data

PEAK Hunt Hypotheses

Hunt 1

Prepare

- **Hypothesis:** Adversaries may be using stolen OAuth tokens to access Salesforce customer data.
- **Behavior Basis:** OAuth tokens from Klue used to access Salesforce customer data
- **Objective:** Validate if stolen OAuth tokens are being used to access Salesforce instances.
- **Required Data Sources:** OAuth token usage logs, Network traffic to Salesforce endpoints

Execute

Gather Data

- Collect logs showing OAuth token usage and network connections to Salesforce instances

Analysis Steps

- Correlate OAuth token usage with network connections to Salesforce endpoints
- Check for unusual authentication patterns or data transfer volumes

Supporting Evidence

- Presence of OAuth tokens in network requests to Salesforce
- Unusual data transfer volumes to Salesforce endpoints

Act

- **Documentation Requirements:** Document validated OAuth token usage and network connections to Salesforce.

Findings to Preserve

- Validated OAuth token usage
- Network connections to Salesforce endpoints

Future Hunt Recommendations

- Monitor for unusual OAuth token usage patterns
- Track data transfer volumes to external services

Hunt 2

Prepare

- **Hypothesis:** Adversaries may be exfiltrating data to a Dark Web site.
- **Behavior Basis:** Data exfiltrated to Dark Web site by Icarus group
- **Objective:** Validate if data is being exfiltrated to the Dark Web site.
- **Required Data Sources:** Network logs for outbound connections to the Dark Web site

Execute

Gather Data

- Collect network logs for outbound connections to the Dark Web site

Analysis Steps

- Identify outbound connections to the Dark Web site
- Analyze data transfer patterns and file sizes

Supporting Evidence

- Outbound connections to the Dark Web site
- Large data transfers to the site

Act

- **Documentation Requirements:** Document exfiltration attempts and data transfer patterns.

Findings to Preserve

- Outbound connections to the Dark Web site
- Data transfer patterns

Future Hunt Recommendations

- Monitor for connections to known malicious domains
- Track data exfiltration patterns to external sites

Generated by Threat Hunt Generation Pipeline | 2026-06-24 23:50 UTC