

USER MANUAL

Summary Tab

A-Level Analysis · Statistics Tables

How to open the Summary tab, pick the data you want, read the three statistics tables and use the display options.

Covers	Summary tab: GSM Call Stats, Free (2G-3G-LTE) Call Stats, PS Data Stats
Intended for	Anyone who reviews drive-test results in the app
Date	24 September 2026

1. What the Summary tab is

The Summary tab shows the **Attachment C statistics tables** of the A-Level report directly in the app. You do not need Excel: the numbers are calculated live from the database and collections you select.

There are three tables. In each table the **rows are KPIs** and the **columns are the operators** (TELEKOM, VODAFONE, NOVA), plus a **Total** column.

Table on screen	Report table	What it shows
GSM Call Stats	Table 20	Voice calls made in GSM mode
Free (2G-3G-LTE) Call Stats	Table 21	Voice calls made in free mode (2G / 3G / LTE, incl. VoLTE and SRVCC)
PS Data Stats	Table 22	Data tests: throughput, ping, browsing, video, etc.


2. Quick start

1. Open the application and click the **Summary** tab at the top of the page.
2. In the header, open the **Database** list and choose the database (for example, the week's drive test).
3. Open **Collections** and tick the collections you want in the report. You can tick several.
4. Wait a moment. The tables fill in piece by piece while the **Loading n/11 sources** chip is shown. When the chip disappears, everything has loaded.
5. Choose **Compact** for a short overview or **Full** for every KPI (see section 5).

Tip: The Summary tab remembers your database, collections and Compact/Full choice the next time you open it on the same computer. Its selection is separate from the other tabs, so changing collections here does not change the All Calls tab, and the reverse.

3. Screen layout

The numbered areas below are explained in the table that follows.



#	Area	What it is for
1	Title & info chips	Week and Period (first and last date) of the selected data. Loading shows progress; Failed appears in red if a data source did not load.
2	Database & Collections	Choose what goes into the report. A collection shown in red has at least one dropped or failed call that has no comment yet.
3	Headline number	Overall call success rate for all selected calls, with the count of normal releases, attempts and data tests below it.
4	Operators & controls	Operator colour legend, the Compact / Full switch and the display options (section 5).
5	Operator tiles	Call success rate per operator (GSM + FREE together). Full view only.
6	Voice tables	GSM Call Stats and Free (2G-3G-LTE) Call Stats. Side by side in Compact view, one above the other in Full view.
7	PS Data Stats	One small table per data test type, grouped E1 to E5 (section 6.3).

4. The headline number

The large number at the top right is the **overall call success rate**: normal releases divided by call attempts, for all operators and both call modes together. When **Avoid system release** is on, its label reads (*excl. SR*) and system releases are left out of the calculation.

When both **Valid calls** and **Avoid system release** are on, the number is coloured:

Colour	Success rate
	Green — above 95 %
	Orange — 90 % to 95 %
	Red — below 90 %

5. Display options

The controls sit on the right of the line under the header. Most of them only change what you see; **Valid calls** and **Avoid system release** also change the numbers.

Option	What it does	Default
Compact / Full	Compact shows a short overview with only the main KPIs. Full shows every KPI, the per-operator tiles and the pie charts. Details in section 7.	Compact
Valid calls	Leaves out calls and tests that were marked as not valid.	On
Avoid system release	Calculates the rates without the calls that ended in a system release, so they count neither as a success nor as a failure.	On
Hide incl. SR	Hides the small grey line <i>incl. SR ...</i> under each rate, which shows the value <i>with</i> system releases. Only available when Avoid system release is on.	On
Highlight best	Marks the best operator with a best tag on the key rows (for example Call Success Rate).	On
Hide empty rows	Hides rows that have no value (or zero) for every operator.	Off

Hover over an option or a KPI name to see a short explanation.

6. Reading the tables

6.1 How to read a cell

- — (dash) means there is no data for that operator or KPI. It does not mean zero.
- A small grey line **incl. SR ...** under a rate shows the same rate calculated with system releases included.
- In Compact view a rate cell also shows **sum=...**: the number of calls behind that rate.
- **MOS** rows show the number of samples (**n=...**) and the lowest–highest value.
- A **best** tag marks the best operator in that row when Highlight best is on.
- Rates are coloured by how good they are (see section 8).

6.2 Voice tables — main KPIs

Every call is sorted into one of four outcomes: **normal release** (completed), **dropped**, **access failure** (could not be set up) or **system release**.

KPI	Meaning
Call Attempts	All calls that were started.
Total Calls	Calls that were set up: attempts minus access failures.

KPI	Meaning
Call Success Rate (%)	Normal releases ÷ call attempts. Higher is better.
Dropped Call Rate (%)	Dropped calls ÷ total calls. Lower is better.
Access Failure Rate (%)	Unsuccessful attempts ÷ call attempts. Lower is better.
System Release Rate (%)	System releases ÷ total calls.
POLQA avg / MOS UL / MOS DL	Speech quality score (1 = bad, 5 = excellent). UL = uplink, DL = downlink.
Low Speech Quality Calls	Calls with poor speech quality (below 2.2, and below 1.3).
Call Setup Time (sec)	How long a call took to connect (MOC = outgoing, MTC = incoming).
SRVCC attempts	Hand-overs of a VoLTE call to 2G/3G. Free table only.
Codec Type Usage % / Technology mix	Share of each voice codec / radio technology used.
Fake Event(s)	Sessions marked not valid with a comment starting with "fake". Shown even when Valid calls hides them.

With **Avoid system release** on, the attempt and call counts are labelled (*excl. SR*) and all rates are calculated without system releases.

6.3 PS Data Stats

Each data test type has its own small table with **Test Success Rate (%)**, **Total Tests**, and the main measurement for that test. The tests are grouped as follows:

Group	Tests	Main measurement
E1 · Bulk throughput	Capacity DL/UL, HTTP Transfer DL/UL, Ookla DL/UL	Mean throughput (Mbps) — higher is better
E2 · Latency / Responsiveness	Ping 40 / 800 / 1000 B, DNS Resolution, Interactivity (eGaming)	Mean time in ms — lower is better
E3 · Browser engines	Kepler, Kepler +30s Pause, Newton	Mean throughput (Mbps)
E4 · HTTPS sites	9 web sites (google, amazon, ebay, youtube ...)	Mean throughput (Mbps)
E5 · Video streaming	YouTube Service / 4K / Live	Mean video MOS, mean interruptions

Test Success Rate = successful tests ÷ (successful + failed tests). In Full view the top of the card also shows two pie charts per operator: the 5G band used (**Serving Band**) and the radio technology used over time (**Serving Technology**). Each colour always means the same band or technology in every pie, so the operators can be compared side by side.

7. Compact view and Full view

Use **Compact** for a quick one-screen overview, and **Full** when you need every detail or want to check a number.

	Compact	Full
Voice tables	5 rows: Total Calls, Call Success Rate, Dropped Call Rate, Access Failure Rate, POLQA avg. Counts shown inside the rate cells (sum=...). Tables side by side.	All KPI rows. Tables one above the other.
Operator tiles	Hidden	Shown

	Compact	Full
Pie charts	Hidden	Shown
Capacity / Ookla	DL and UL combined into one table each	Separate DL and UL tables
Ping	One table: all packet sizes combined	One table per packet size
HTTPS sites	One table: all sites combined	One table per site
Not shown in Compact	Browser engines (E3), Video streaming (E5), HTTP Transfer, DNS, Interactivity	—
Rows per data test	Success rate, total tests, main measurement	Also successful and failed test counts

Compact view also loads faster, because it does not fetch the data that only Full view shows.

8. Colours

The tab uses two separate colour systems.

Operator colours — always the same, in every table, tile and legend:

	TELEKOM
	VODAFONE
	NOVA

Status colours — how good a rate is:

	Status	Success rates (higher is better)	Drop / failure rates (lower is better)
	Good	98 % or more	1 % or less
	Warning	95 % to 98 %	1 % to 2 %
	Serious	90 % to 95 %	2 % to 5 %
	Critical	below 90 %	above 5 %

9. Troubleshooting

What you see	What to do
Message: <i>no data</i> — <i>select database / collections</i>	Choose a database and at least one collection in the header.
Loading n/11 sources stays on screen	The data is still loading. Large selections take longer. Wait for the chip to disappear.
Red Failed n/11 sources chip	One or more data sources did not load (for example, a server timeout). Click Retry . Only the failed sources are loaded again.
A table or section is missing	It has no data for your selection, it is hidden in Compact view (switch to Full), or its source failed (see the Failed chip).
Cells show —	There is no data for that operator or KPI in the selected collections.
A collection name is red	It has dropped or failed calls without a comment. Open the All Calls tab to review them and add comments.
Numbers differ from a colleague's	Check that you both use the same database, collections, and the same Valid calls and Avoid system release settings.