

Amazon Simple Storage Service (S3)

Objectives:

- Create a bucket in Amazon S3
- Add an object to a bucket
- Manage access permissions on an object and a bucket
- Create a bucket policy
- Use bucket versioning

Overview

Amazon Simple Storage Service (Amazon S3) is an object storage service that offers industry-leading scalability, data availability, security, and performance. This means customers of all sizes and industries can use it to store and protect any amount of data for a range of use cases, such as websites, mobile applications, backup and restore, archive, enterprise applications, Internet of Things (IoT) devices, and big data analytics. Amazon S3 provides easy-to-use management features so you can organize your data and configure finely-tuned access controls to meet your specific business, organizational, and compliance requirements.


Step 1: Accessing Amazon S3 Buckets

Navigate to Amazon S3 Service:

- Log in to your AWS Management Console
- Search for "S3" in the search bar or navigate to Amazon S3 from the services menu
- You will land on the S3 Buckets page

Create New Bucket:

- Click on the orange "Create bucket" button located in the top-right corner
- The bucket creation interface will appear



Step 2: Bucket Successfully Created

Bucket Details:

- Bucket Name: amzn-s3-mnz
- AWS Region: Asia Pacific (Mumbai) ap-south-1
- Status: General purpose bucket (1/1)

←→↻ap-south-1.console.aws.amazon.com/s3/bucket/create?region=ap-south-1

aws

Search[Alt+S]

Asia Pacific (Mumbai)

Mansa Singhla (1699-7665-8643)

Mansa Singhla

Amazon S3> Buckets> Create bucket

1

Create bucketInfo

Buckets are containers for data stored in S3.

General configuration

AWS Region

Asia Pacific (Mumbai) ap-south-1

Bucket typeInfo

☒ General purpose

Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ Directory

Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket namespace

Choose the namespace where you want to create your bucket. [Learn more](#)

☒ Global namespace

By default, S3 creates general purpose buckets in the global namespace.

☐ Account Regional namespace (recommended)

General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.

Bucket nameInfo

amzn-s3-mnz

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

←→↻ap-south-1.console.aws.amazon.com/s3/bucket/create?region=ap-south-1

aws

Search[Alt+S]

Asia Pacific (Mumbai)

Mansa Singhla (1699-7665-8643)

Mansa Singhla

Amazon S3> Buckets> Create bucket

1

Object OwnershipInfo

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

☒ ACLs disabled (recommended)

All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

☐ ACLs enabled

Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership

Bucket owner enforced

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

☒ Block all public access

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☒ Block public access to buckets and objects granted through new access control lists (ACLs)

S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

←→↻ap-south-1.console.aws.amazon.com/s3/bucket/create?region=ap-south-1☆🔍⬇️M School⋮

aws🔍Search[Alt+S]📧🔔🔗⚙️Asia Pacific (Mumbai)Mansa Singhla (1699-7665-8643)Mansa Singhla

Amazon S3> Buckets> Create bucket ⓘ

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☒ Disable

☐ Enable

Tags - optional

You can use bucket tags to analyze, manage and specify permissions for a bucket. [Learn more](#)

📘 You can use s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets for access control in addition to cost allocation and resource organization. To ensure a seamless transition, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. [Learn more](#)

No tags associated with this bucket.

[Add new tag](#)

You can add up to 50 tags.

CloudShellFeedback📱 Console Mobile App© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

←→↻ap-south-1.console.aws.amazon.com/s3/bucket/create?region=ap-south-1☆🔍⬇️M School⋮

aws🔍Search[Alt+S]📧🔔🔗⚙️Asia Pacific (Mumbai)Mansa Singhla (1699-7665-8643)Mansa Singhla

Amazon S3> Buckets> Create bucket ⓘ

Default encryption [Info](#)

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type [Info](#)

Secure your objects with two separate layers of encryption. For details on pricing, see [DSSE-KMS pricing](#) on the [Storage](#) tab of the [Amazon S3 pricing page](#).

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)

☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)

☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)


☐ Disable

☒ Enable

► **Advanced settings**

📘 After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

[Cancel](#)[Create bucket](#)



Task 2: Upload an object to the bucket

Object can be any kind of file: a text file, a photo, a video, a zip file, and so on. When you add an object to Amazon S3, you have the option of including metadata with the object and setting permissions to control access to the object.

Question-AWS - Google DocsNew TabAsk GeminiM Schoolap-south-1.console.aws.amazon.com/s3/upload/amzn-s3-mnz?region=ap-south-1

Amazon S3Bucketsamzn-s3-mnzUpload

Upload

info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Files and folders (0)

RemoveAdd filesAdd folder

All files and folders in this table will be uploaded.

Find by name

< 1 >

NameFolderTypeSize

No files or folders

You have not chosen any files or folders to upload.

Destination

info

Destination

s3://amzn-s3-mnz

Destination details

Bucket settings that impact new objects stored in the specified destination.

Permissions

Grant public access and access to other AWS accounts.

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Amazon S3

Uploading

Cancel

Total remaining: 1 file: 405.7 KB (19.23%)

Estimated time remaining: calculating...

Transfer rate: 0 B/s

Upload: status

Close

After you navigate away from this page, the following information is no longer available.

Summary

Destination

s3://amzn-s3-mnz

Succeeded

0 files, 0 B (0%)

Failed

0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 2.1 MB)

Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
2026-03-25 (21).png	-	image/png	2.1 MB	In progress (80%)	-

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Amazon S3

Upload succeeded
For more information, see the [Files and folders](#) table.

Upload: status Close

After you navigate away from this page, the following information is no longer available.

Summary

Destination s3://amzn-s3-mnz	Succeeded 1 file, 2.1 MB (100.00%)	Failed 0 files, 0 B (0%)
--	--	------------------------------------

Files and folders | Configuration

Files and folders (1 total, 2.1 MB)

Find by name

Name	Folder	Type	Size	Status	Error
2026-03-25 (21).png	-	image/png	2.1 MB	Succeeded	-

Amazon S3 > Buckets > amzn-s3-mnz

amzn-s3-mnz Info

Objects | Metadata | Properties | Permissions | Metrics | Management | File systems - new | Access Points

Objects (1) Copy S3 URI Copy URL Download Open L Delete Actions Create folder Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 Inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Name	Type	Last modified	Size	Storage class
2026-03-25 (21).png	png	April 21, 2026, 16:08:43 (UTC+05:30)	2.1 MB	Standard

The screenshot displays the AWS Management Console interface. The top navigation bar shows the user is logged in as 'Mama Singhla' in the 'Asia Pacific (Mumbai)' region. The main content area is divided into two sections.

Top Section: amzn-s3-mnz Properties

- Bucket overview:** Shows the AWS Region as 'Asia Pacific (Mumbai) ap-south-1', the Amazon Resource Name (ARN) as 'arn:aws:s3::amzn-s3-mnz', and the Creation date as 'April 21, 2026, 16:07:26 (UTC+05:30)'.
- Bucket Versioning:** Indicates that versioning is 'Disabled'. A description explains that versioning allows keeping multiple variants of an object and recovering from unintended deletions.
- Multi-factor authentication (MFA) delete:** Indicates that MFA delete is 'Disabled'. A description explains that MFA delete adds an additional layer of security for deleting object versions.
- Bucket ABAC:** Indicates that Attribute-based Access Control (ABAC) is 'Disabled'. A description explains that ABAC allows defining permissions based on attributes and attaching tags to objects.

Bottom Section: 2026-03-25 (21).png Object Details

- Object overview:** Shows the Owner as 'b8a8ee958d65637b3a5fad3b572d6876a1cd9dca2949d30b302bf308d4b04306', the AWS Region as 'Asia Pacific (Mumbai) ap-south-1', the Last modified date as 'April 21, 2026, 16:08:43 (UTC+05:30)', the Size as '2.1 MB', the Type as 'png', and the Key as '2026-03-25 (21).png'.
- Object management overview:** Provides a summary of the object's management configurations.
- Management configurations:** Lists the S3 URI, Amazon Resource Name (ARN), Entity tag (Etag), and Object URL for the specific object.

Best Practices

- Enable versioning to protect against accidental deletions
- Configure appropriate bucket permissions and access policies
- Use encryption for sensitive data
- Implement lifecycle policies to manage storage costs
- Enable logging for audit and compliance requirements
- Use appropriate storage classes based on access patterns

Available Tabs in Bucket View

- Objects: View and manage files and folders
- Properties: Configure bucket properties and features
- Permissions: Manage access control and bucket policies
- Metrics: View storage and request metrics
- Management: Configure lifecycle rules and replication
- Access Points: Manage Amazon S3 access points