Microfrontends with different technologies



- There are different ways to implement the microfrontends and their integrations which completely depends on the projects requirements based on which architectural decisions are taken.

Following are the architectural requirements of the project implemented in this section :





- We need some amount of communication between child and container apps due to following scenarios. Say for example the header is in the container AppLayout and the Authentication child needs to notify the container whether user successfully logged in to change the login button to logout button.

Inflexible Requirement #3

CSS from one project shouldn't affect another

Inflexible Requirement #4

Version control (monorepo vs separate) shouldn't have any impact on the overall project

Some people want to use monorepos

Some people want to keep everything in a separate repo

Inflexible Requirement #5

Container should be able to decide to always use the latest version of a microfrontend ***or*** specify a specific version

(1) Container will always use the latest version of a child app (doesn't require a redeploy of container)

(2) Container can specify exactly what version of a child it wants to use (requires a redeploy to change)

- Now the reason we are exporting mount function as a normal function and not a React component is that we do not want to assume that both child and container uses same tech stack as mentioned in Inflexible Requirement #2. Thus, we can easily change the tech stack for micro frontends as required in future.

Automate process of adding dependencies with the exact version in the shared property of webpack configuration (devDependencies are not shared as they are not used in production and we just want to save the time and space in browser in production) :

- We can simply require('../package.json') in webpack config and in shared property value, add packageJson.dependencies
- Just for the knowledge about the optimized performance, the js files loaded without shared were 3.5 MB and after adding dependencies in shared, they were 2.5MB.