

Course : Python (Django)

Topics to be covered : INTRODUCTION TO PYTHON, PRINT FUNCTION, USER INPUTS, DATATYPES, CONDITIONAL FLOW.

DATE : 03-07-2026


Task 1 : Greeting Application Based on Current Time

Create a Python program that greets the user according to the time entered by the user.

Conditions:


- If time is between 6 AM and 12 PM, display "Good Morning"
- If time is between 12 PM and 4 PM, display "Good Afternoon"
- If time is greater than 4 PM, display "Good Evening."

Program:



```
main.py  settings.py  time.py x
1  time = int(input("Enter the time: "))
2  period = input("Enter AM or PM: ").upper()
3
4  if period == "AM" and (time >= 6 and time <= 11):
5      print("Good Morning")
6
7  elif period == "PM" and (time == 12 or time <= 3):
8      print("Good Afternoon")
9
10 elif period == "PM" and time >= 4 and time <= 11:
11     print("Good Evening")
12
13 else:
14     print("Invalid Input")
```

Output:



```
C:\Users\Mansi\PycharmProjects\PythonProject\travelproject\.venv\Scripts\python.exe C:\Users\Mansi\Desktop\python\time.py
Enter the time: 2
Enter AM or PM: pm
Good Afternoon
Process finished with exit code 0
```

Task 2 : Ticket Price Calculator

Create a Python program that calculates ticket price based on the age entered by the user.

Conditions:

- If age is below 3 years, no ticket price will be charged.
- If age is between 4 and 12 years, apply a 10% discount.
- If age is above 12 years, apply a 5% discount.

Program:

```
main.py settings.py time.py price.py x
1 age = int(input("What is your age? "))
2 price = float(input("Enter ticket price: "))
3
4 if age<=3:
5     print("No Ticket Charge")
6
7 elif age>=4 and age<=12:
8     discount = price*10/100
9     final_price = price - discount
10    print(f"Your final price is {final_price}")
11
12 else:
13     discount = price*5/100
14     final_price = price - discount
15    print(f"Your final price is {final_price}")
```

Output:

```
C:\Users\Mansi\PycharmProjects\PythonProject\travelproject\.venv\Scripts\python.exe C:\Users\Mansi\Desktop\python\price.py
What is your age? 18
Enter ticket price: 200
Your final price is 190.0

Process finished with exit code 0
```

Task 3 : Bank Account Balance Checker

Create a Python program that checks whether the account balance meets the minimum balance requirement.

Conditions:

- If balance is ₹5000 or above, display "Account Active"
- If balance is below ₹5000, display "Minimum Balance Warning"

Program:

```

main.py settings.py time.py price.py balance.py x
1 balance = float(input("Enter your balance: "))
2
3 if balance >= 5000:
4     print("Account Active")
5 else:
6     print("Minimum Balance Warning")

```

Output:

```

C:\Users\Mansi\PycharmProjects\PythonProject\travelproject\.venv\Scripts\python.exe C:\Users\Mansi\Desktop\python\balance.py
Enter your balance: 2000
Minimum Balance Warning

Process finished with exit code 0

```

Task 4 : Age Classifier

Create a Python program that classifies a person based on the age entered by the user.

Conditions:

Age Range	Category
0 – 1 Years	Infant
2 – 4 Years	Toddler
5 – 12 Years	Child
13 – 19 Years	Teen
20 – 39 Years	Adult
40 – 59 Years	Middle Age Adult
60+ Years	Senior Adult

Program:

```
main.py settings.py time.py price.py balance.py age.py ×
age = int(input("Enter your age: "))

if age>=0 and age<=1:
    print("Infant")
elif age>=2 and age<=4:
    print("Toddler")
elif age>=5 and age<=12:
    print("Child")
elif age>=13 and age<=19:
    print("Teen")
elif age>=20 and age<=39:
    print("Adult")
elif age>=40 and age<=59:
    print("Middle Age Adult")
elif age>=60:
    print("Senior Adult")
else:
    print("Invalid Input")
```

Output:

```
C:\Users\Mansi\PycharmProjects\PythonProject\travelproject\.venv\Scripts\python.exe C:\Users\Mansi\Desktop\python\age.py
Enter your age: 13
Teen

Process finished with exit code 0
```

Assignment No : 01

Date : 03-07-2026

Python Conditional Flow Assignment: Online Banking System

Objective

Create a Python program that simulates a simple online banking system using conditional statements (if, elif, else).

Program:

```
main.py  age.py  banking.py x
# Assignment 1
email = "admin@gmail.com"
password = "Admin@123"
account_status = "active"
age = 21
balance = 15000
daily_limit = 2000

# Step 1: User Login
user_email = input("Enter your email: ")
user_password = input("Enter your password: ")

if user_email == "" or user_password == "":
    if user_email == "" and user_password == "":
        print("Both fields are required*")
    elif user_email == "":
        print("Email is required*")
    else:
        print("Password is required*")
else:
    if user_email == email and user_password == password:
        print("Login Successful")

        # Step 2: Account Status Check
        if account_status == "active":
            print("Account is Active")
```

```
main.py age.py banking.py x
# Step 3: Age Verification
if age >= 18:
    print("Age Verified")

    # Step 4: Banking Menu
    print("\n==== Banking Menu =====")
    print("1. Check Balance")
    print("2. Withdraw Money")
    print("3. Deposit Money")

    choice = int(input("Enter your choice: "))

    # Step 5: Check Balance
    if choice == 1:
        print("Current Balance: ₹", balance)

    # Step 6: Withdraw Money
    elif choice == 2:
        withdraw_amount = float(input("Enter withdrawal amount: "))

        if withdraw_amount <= 0:
            print("Invalid amount")

        elif withdraw_amount > daily_limit:
            print("Daily Withdrawal Limit Exceeded")
```

```
main.py age.py banking.py x dict.py

        elif withdraw_amount > daily_limit:
            print("Daily Withdrawal Limit Exceeded")

        elif withdraw_amount > balance:
            print("Insufficient Balance")

        else:
            balance -= withdraw_amount
            print("Withdrawal Successful!")
            print("Remaining Balance: ₹", balance)

    # Step 7: Deposit Money
    elif choice == 3:
        deposit_amount = float(input("Enter deposit amount: "))

        if deposit_amount <= 0:
            print("Invalid deposit amount")

        else:
            balance += deposit_amount
            print("Deposit Successful!")
            print("Updated Balance: ₹", balance)

    # Step 8: Invalid Choice
    else:
        print("Invalid Choice")
```

```
        else:
            print("Banking services are only available for users aged 18 or above.")

    else:
        print("Your Account is Blocked")

else:
    print("Invalid Credentials")
```

Output:

```
C:\Users\Mansi\PycharmProjects\PythonProject\travelproject\.venv\Scripts\python.exe C:\Users\Mansi\Desktop\python\banking.py
Enter your email: admin@gmail.com
Enter your password: Admin@123
Login Successful
Account is Active
Age Verified

==== Banking Menu ====
1. Check Balance
2. Withdraw Money
3. Deposit Money
Enter your choice: 2
Enter withdrawal amount: 2000
Withdrawal Successful!
Remaining Balance: ₹ 13000.0

Process finished with exit code 0
```

Course : Python (Django)

Topics to be covered : PYTHON DICT TASK

DATE : 04-07-2026

PRACTICE 1 :

```
mydata = {"india": {"capital": "New Delhi", "currency": "INR", "states": ["GUJARAT",  
"MAHARASHTRA", "RAJASTHAN"]}, "companies": [{"name": "Google", "country":  
"USA"}, {"name": "Infosys", "country": "India"}]}
```

PRACTICE 2:

```
mydata = {"school": {"name": "ABC School", "classes": [{"class": "10th", "students": [{"name":  
"Raj", "subjects": {"Maths": 85, "Science": 90}}]}, {"class": "12th", "students": [{"name":  
"Neha", "subjects": {"Physics": 88, "Chemistry": 92}}]}]}}
```

PRACTICE 3:

```
mydata = {"ecommerce": {"categories": [{"name": "Electronics", "products":  
[{"product": "Laptop", "price": 50000}, {"product": "Mobile", "price": 25000}], "name": "Fashion  
, "products": [{"product": "Shirt", "price": 1000}]}}]}
```

PRACTICE 4 :

```
mydata = {"cricket": {"teams": [{"team": "India", "players": [{"name": "Virat", "records":  
{"runs": 13000, "centuries": 50}}]}, {"team": "Australia", "players": [{"name": "Smith", "records":  
{"runs": 9500, "centuries": 32}}]}]}}
```

Program:

```
# PRACTICE 1:  
mydata = {  
    "india": {  
        "capital": "New Delhi",  
        "currency": "INR",  
        "states": ["GUJARAT", "MAHARASHTRA", "RAJASTHAN"]  
    },  
    "companies": [  
        {"name": "Google", "country": "USA"},  
        {"name": "Infosys", "country": "India"}  
    ]  
}
```

```

# Print all main keys
print(mydata.keys())
# Print total number of main keys
print(len(mydata.keys()))
# Print New Delhi
print(mydata["india"]["capital"])
# Print INR
print(mydata["india"]["currency"])
# Print RAJASTHAN
print(mydata["india"]["states"][-1])
# Print Google
print(mydata["companies"][0]["name"])
# Print India
print(mydata["companies"][1]["country"])
# Print total number of states
print(len(mydata["india"]["states"]))

```

```

#PRACTICE 2
mydata = {
    "school": {
        "name": "ABC School",
        "classes": [
            {
                "class": "10th",
                "students": [
                    {
                        "name": "Raj",
                        "subjects": {
                            "Maths": 85,
                            "Science": 90
                        }
                    }
                ]
            }
        ]
    },

```

```

        },
        {
            "class": "12th",
            "students": [
                {
                    "name": "Neha",
                    "subjects": {
                        "Physics": 88,
                        "Chemistry": 92
                    }
                }
            ]
        }
    ]
}

# Print school name
print(mydata["school"]["name"])
# Print 10th
print(mydata["school"]["classes"][0]["class"])
# Print Raj
print(mydata["school"]["classes"][0]["students"][0]["name"])
# Print Science marks
print(mydata["school"]["classes"][0]["students"][0]["subjects"]["Science"])
# Print Neha
print(mydata["school"]["classes"][1]["students"][0]["name"])

```

```

# Print Neha
print(mydata["school"]["classes"][1]["students"][0]["name"])
# Print Chemistry marks
print(mydata["school"]["classes"][1]["students"][0]["subjects"]["Chemistry"])
# Print all keys inside subjects
print(mydata["school"]["classes"][0]["students"][0]["subjects"].keys())
# Print total classes
print(len(mydata["school"]["classes"]))
# Print total students
total_students = (
    len(mydata["school"]["classes"][0]["students"]) +
    len(mydata["school"]["classes"][1]["students"])
)
print(total_students)

```

```
# PRACTICE 3:
mydata = {
  "ecommerce": {
    "categories": [
      {
        "name": "Electronics",
        "products": [
          {
            "product": "Laptop",
            "price": 50000
          },
          {
            "product": "Mobile",
            "price": 25000
          }
        ]
      },
      {
        "name": "Fashion",
        "products": [
          {
            "product": "Shirt",
            "price": 1000
          }
        ]
      }
    ]
  }
}
```

```

    }
    ]
}

}

}

# Print Electronics
print(mydata["ecommerce"]["categories"][0]["name"])
# Print Laptop
print(mydata["ecommerce"]["categories"][0]["products"][0]["product"])
# Print Laptop price
print(mydata["ecommerce"]["categories"][0]["products"][0]["price"])
# Print Mobile
print(mydata["ecommerce"]["categories"][0]["products"][1]["product"])

```

```

# Print Mobile price
print(mydata["ecommerce"]["categories"][0]["products"][1]["price"])
# Print Fashion
print(mydata["ecommerce"]["categories"][1]["name"])
# Print Shirt
print(mydata["ecommerce"]["categories"][1]["products"][0]["product"])
# Print Shirt price
print(mydata["ecommerce"]["categories"][1]["products"][0]["price"])
# Print total categories
print(len(mydata["ecommerce"]["categories"]))
# Print total products in Electronics
total_products = (
    len(mydata["ecommerce"]["categories"][0]["products"]) +
    len(mydata["ecommerce"]["categories"][1]["products"])
)
print(total_products)

```

```
# PRACTICE 4:
mydata = {
    "cricket": {
        "teams": [
            {
                "team": "India",
                "players": [
                    {
                        "name": "Virat",
                        "records": {
                            "runs": 13000,
                            "centuries": 50
                        }
                    }
                ]
            },
            {
                "team": "Australia",
                "players": [
                    {
                        "name": "Smith",
                        "records": {
                            "runs": 9500,
                            "centuries": 32
                        }
                    }
                ]
            }
        ]
    }
}
```

```

}
    ]
}
]
}

# Print India
print(mydata["cricket"]["teams"][0]["team"])
# Print Virat
print(mydata["cricket"]["teams"][0]["players"][0]["name"])
# Print Virat runs
print(mydata["cricket"]["teams"][0]["players"][0]["records"]["runs"])
# Print Virat centuries
print(mydata["cricket"]["teams"][0]["players"][0]["records"]["centuries"])
# Print Australia
print(mydata["cricket"]["teams"][1]["team"])
# Print Smith
print(mydata["cricket"]["teams"][1]["players"][0]["name"])
# Print Smith runs
print(mydata["cricket"]["teams"][1]["players"][0]["records"]["runs"])
# Print Smith centuries
print(mydata["cricket"]["teams"][1]["players"][0]["records"]["centuries"])
# Print total teams
total_teams=(len(mydata["cricket"]["teams"]))
print(total_teams)
# Print all keys inside records
print(mydata["cricket"]["teams"][0]["players"][0]["records"].keys())
```

Output:

```
C:\Users\Mansi\PycharmProjects\PythonProject\travelproject\.venv\
dict_keys(['india', 'companies'])
2
New Delhi
INR
RAJASTHAN
Google
India
3
ABC School
10th
Raj
```

```
90
Neha
92
dict_keys(['Maths', 'Science'])
2
2
Electronics
Laptop
50000
Mobile
25000
Fashion
Shirt
1000
2
3
India
Virat
13000
50
Australia
Smith
9500
32
2
dict_keys(['runs', 'centuries'])
```

Topics to be covered : Python django project setup tasks.

DATE : 06-07-2026

Task 1 : Hospital Management


Project Details

Python Project Name: hospitalproject

Django Project Name: healthcare


Apps

- Patientapp
- Doctorapp
- Appointmentapp



The screenshot shows the PyCharm IDE interface. On the left, the project structure is visible, showing the 'hospitalproject' folder containing a '.venv' library root, 'Appointmentapp', 'Doctorapp', and 'healthcare' subfolders. The 'healthcare' folder contains files like '__init__.py', 'asgi.py', 'settings.py' (highlighted), 'urls.py', 'wsgi.py', and subfolders for 'Patientapp', 'db.sqlite3', 'main.py', and 'manage.py'. On the right, the 'settings.py' file is open, showing the 'INSTALLED_APPS' and 'MIDDLEWARE' settings. The 'INSTALLED_APPS' list includes 'django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'Patientapp', 'Doctorapp', and 'Appointmentapp'. The 'MIDDLEWARE' list includes 'django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', and 'django.middleware.common.CommonMiddleware'.

```
31 # Application definition
32
33 INSTALLED_APPS = [
34     'django.contrib.admin',
35     'django.contrib.auth',
36     'django.contrib.contenttypes',
37     'django.contrib.sessions',
38     'django.contrib.messages',
39     'django.contrib.staticfiles',
40     'Patientapp',
41     'Doctorapp',
42     'Appointmentapp',
43 ]
44
45 MIDDLEWARE = [
46     'django.middleware.security.SecurityMiddleware',
47     'django.contrib.sessions.middleware.SessionMiddleware',
48     'django.middleware.common.CommonMiddleware',
```



The screenshot shows a terminal window with the following commands and output:

```
(.venv) PS C:\Users\Mansi\PycharmProjects\PythonProject\hospitalproject> pip install django
Collecting django
  Using cached django-6.0.6-py3-none-any.whl.metadata (3.9 kB)
Collecting asgiref>=3.9.1 (from django)
  Using cached asgiref-3.11.1-py3-none-any.whl.metadata (9.3 kB)
Collecting sqlparse>=0.5.0 (from django)
  Using cached sqlparse-0.5.5-py3-none-any.whl.metadata (4.7 kB)
Collecting tzdata (from django)
  Using cached tzdata-2026.2-py2.py3-none-any.whl.metadata (1.4 kB)
Using cached django-6.0.6-py3-none-any.whl (8.4 MB)
Using cached asgiref-3.11.1-py3-none-any.whl (24 kB)
Using cached sqlparse-0.5.5-py3-none-any.whl (46 kB)
Using cached tzdata-2026.2-py2.py3-none-any.whl (349 kB)
Installing collected packages: tzdata, sqlparse, asgiref, django
Successfully installed asgiref-3.11.1 django-6.0.6 sqlparse-0.5.5 tzdata-2026.2

[notice] A new release of pip is available: 26.0.1 -> 26.1.2
[notice] To update, run: python.exe -m pip install --upgrade pip

(.venv) PS C:\Users\Mansi\PycharmProjects\PythonProject\hospitalproject> django-admin startproject healthcare
(.venv) PS C:\Users\Mansi\PycharmProjects\PythonProject\hospitalproject> django-admin startproject healthcare .
(.venv) PS C:\Users\Mansi\PycharmProjects\PythonProject\hospitalproject> django-admin startapp Patientapp
(.venv) PS C:\Users\Mansi\PycharmProjects\PythonProject\hospitalproject> django-admin startapp Doctorapp
(.venv) PS C:\Users\Mansi\PycharmProjects\PythonProject\hospitalproject> django-admin startapp Appointmentapp
```

```
Terminal Local x + v
(.venv) PS C:\Users\Mansi\PycharmProjects\PythonProject\hospitalproject> python manage.py migrate
Operations to perform:
  Apply all migrations: admin, auth, contenttypes, sessions
Running migrations:
  Applying contenttypes.0001_initial... OK
  Applying auth.0001_initial... OK
  Applying admin.0001_initial... OK
  Applying admin.0002_logentry_remove_auto_add... OK
  Applying admin.0003_logentry_add_action_flag_choices... OK
  Applying contenttypes.0002_remove_content_type_name... OK
  Applying auth.0002_alter_permission_name_max_length... OK
  Applying auth.0003_alter_user_email_max_length... OK
  Applying auth.0004_alter_user_username_opts... OK
  Applying auth.0005_alter_user_last_login_null... OK
  Applying auth.0006_require_contenttypes_0002... OK
  Applying auth.0007_alter_validators_add_error_messages... OK
  Applying auth.0008_alter_user_username_max_length... OK
  Applying auth.0009_alter_user_last_name_max_length... OK
  Applying auth.0010_alter_group_name_max_length... OK
  Applying auth.0011_update_proxy_permissions... OK
  Applying auth.0012_alter_user_first_name_max_length... OK
  Applying sessions.0001_initial... OK

(.venv) PS C:\Users\Mansi\PycharmProjects\PythonProject\hospitalproject> python manage.py runserver
Watching for file changes with StatReloader
Performing system checks...

System check identified no issues (0 silenced).
July 06, 2026 - 19:32:44
Django version 6.0.6, using settings 'healthcare.settings'
Starting development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
```

New tab x The install worked successfully! Co x The install worked successfully! Co x +

127.0.0.1:8000



The install worked successfully! Congratulations!

View [release notes](#) for Django 6.0

You are seeing this page because `DEBUG=True` is in your settings file and you have not configured any URLs.

django



Django Documentation
Topics, references, & how-to's



Tutorial: A Polling App
Get started with Django



Django Community
Connect, get help, or contribute

Task 2: Online Food Ordering System


Project Details

Python Project Name: foodproject

Django Project Name: foodexpress

Apps

- Customerapp
- Restaurantapp
- Orderapp



```
30
31 # Application definition
32
33 INSTALLED_APPS = [
34     'django.contrib.admin',
35     'django.contrib.auth',
36     'django.contrib.contenttypes',
37     'django.contrib.sessions',
38     'django.contrib.messages',
39     'django.contrib.staticfiles',
40     'Customerapp',
41     'Restaurantapp',
42     'Orderapp',
43 ]
44
45 MIDDLEWARE = [
46     'django.middleware.security.SecurityMiddleware',
47     'django.contrib.sessions.middleware.SessionMiddleware',
48     'django.middleware.common.CommonMiddleware',
49     'django.middleware.csrf.CsrfViewMiddleware',
```

Task 3: School Management System

Project Details

Python Project Name: schoolproject

Django Project Name: edumanager

Apps

- Studentapp
- Teacherapp
- Attendanceapp

```
Project ▾
  ▾ schoolproject C:\Users\M...
    > .venv library root
    > Attendanceapp
    ▾ edumanager
      _init_.py
      asgi.py
      settings.py
      urls.py
      wsgi.py
    > Studentapp
    > Teacherapp
    db.sqlite3
    main.py
    manage.py
  > External Libraries
  > Scratches and Consoles

main.py settings.py x
31 # Application definition
32
33 INSTALLED_APPS = [
34     'django.contrib.admin',
35     'django.contrib.auth',
36     'django.contrib.contenttypes',
37     'django.contrib.sessions',
38     'django.contrib.messages',
39     'django.contrib.staticfiles',
40     'Studentapp',
41     'Teacherapp',
42     'Attendanceapp',
43 ]
44
45 MIDDLEWARE = [
46     'django.middleware.security.SecurityMiddleware',
47     'django.contrib.sessions.middleware.SessionMiddleware',
48     'django.middleware.common.CommonMiddleware',
49 ]

Terminal Local x
Performing system checks...

System check identified no issues (0 silenced).
July 06, 2026 - 19:56:44
Django version 6.0.6, using settings 'edumanager.settings'
Starting development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
For more information on production servers see: https://docs.djangoproject.com/en/6.0/howto/deployment/
```

Task 4: Real Estate Management System

Project Details

Python Project Name: estateproject

Django Project Name: propertyhub

Apps

- Propertyapp
- Agentapp
- Inquiryapp

```
Project ▾
  ▾ estateproject C:\Users\Mans\Py...
    > .venv library root
    > Agentapp
    > Inquiryapp
    > Propertyapp
    ▾ propertyhub
      _init_.py
      asgi.py
      settings.py
      urls.py
      wsgi.py
    db.sqlite3
    main.py
    manage.py
  > External Libraries
  > Scratches and Consoles

main.py settings.py x
28 ALLOWED_HOSTS = []
29
30 # Application definition
31
32 INSTALLED_APPS = [
33     'django.contrib.admin',
34     'django.contrib.auth',
35     'django.contrib.contenttypes',
36     'django.contrib.sessions',
37     'django.contrib.messages',
38     'django.contrib.staticfiles',
39     'Propertyapp',
40     'Agentapp',
41     'Inquiryapp',
42 ]
43
44 MIDDLEWARE = [
45     'django.middleware.security.SecurityMiddleware',
46 ]

Terminal Local x + ▾
System check identified no issues (0 silenced).
July 06, 2026 - 20:03:24
Django version 6.0.6, using settings 'propertyhub.settings'
Starting development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
For more information on production servers see: https://docs.djangoproject.com/en/6.0/howto/deployment/
[06/Jul/2026 20:03:27] "GET / HTTP/1.1" 200 12068
```

Task 5: Event Management System


Project Details

Python Project Name: eventproject

Django Project Name: eventplanner

Apps

- Organizerapp
- Eventapp
- Registrationapp



The screenshot shows a code editor with a project explorer on the left and a terminal at the bottom. The project explorer shows a directory structure for 'eventproject' and 'eventplanner'. The 'eventplanner' directory contains files like '__init__.py', 'asgi.py', 'settings.py', 'urls.py', 'wsgi.py', and subdirectories for 'Organizerapp', 'Registrationapp', and 'db.sqlite3'. The 'main.py' file is selected in the editor, showing the Django application definition. The terminal shows the output of running 'python manage.py check', indicating no issues were found and the development server is starting at 'http://127.0.0.1:8000/'.

```
31 # Application definition
32
33 INSTALLED_APPS = [
34     'django.contrib.admin',
35     'django.contrib.auth',
36     'django.contrib.contenttypes',
37     'django.contrib.sessions',
38     'django.contrib.messages',
39     'django.contrib.staticfiles',
40     'Organizerapp',
41     'Eventapp',
42     'Registrationapp',
43 ]
44
45 MIDDLEWARE = [
46     'django.middleware.security.SecurityMiddleware',
47     'django.contrib.sessions.middleware.SessionMiddleware',
48     'django.middleware.common.CommonMiddleware',
```

Terminal Local x + v

Performing system checks...

System check identified no issues (0 silenced).

July 06, 2026 - 20:08:52

Django version 6.0.6, using settings 'eventplanner.settings'

Starting development server at <http://127.0.0.1:8000/>

Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.

For more information on production servers see: <https://docs.djangoproject.com/en/6.0/howto/deployment/>

Task 6: Library Management System


Project Details

Python Project Name: libraryproject

Django Project Name: readworld

Apps

- Bookapp
- Studentapp
- Issueapp



The screenshot displays a code editor with the `settings.py` file open. The file defines the `INSTALLED_APPS` and `MIDDLEWARE` lists. The `INSTALLED_APPS` list includes Django's built-in apps and the custom apps `Bookapp`, `Studentapp`, and `Issueapp`. The `MIDDLEWARE` list includes Django's default middleware.

```
31 # Application definition
32
33 INSTALLED_APPS = [
34     'django.contrib.admin',
35     'django.contrib.auth',
36     'django.contrib.contenttypes',
37     'django.contrib.sessions',
38     'django.contrib.messages',
39     'django.contrib.staticfiles',
40     'Bookapp',
41     'Studentapp',
42     'Issueapp',
43 ]
44
45 MIDDLEWARE = [
46     'django.middleware.security.SecurityMiddleware',
47     'django.contrib.sessions.middleware.SessionMiddleware',
48     'django.middleware.common.CommonMiddleware',
```

The terminal window at the bottom shows the output of the `python manage.py check` command. It indicates that no issues were identified and that the Django development server is running at `http://127.0.0.1:8000/`. A warning message is also displayed, advising that this is a development server and should not be used in a production setting.

```
Performing system checks...

System check identified no issues (0 silenced).
July 06, 2026 - 20:14:03
Django version 6.0.6, using settings 'readworld.settings'
Starting development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
For more information on production servers see: https://docs.djangoproject.com/en/6.0/howto/deployment/
```

Task 7: Real Estate Platform


Project Details

Python Project Name: propertyproject

Django Project Name: dreamhome

Apps

- Buyerapp
- Sellerapp
- Propertyapp



The screenshot shows a code editor with a project explorer on the left and a terminal at the bottom. The project explorer shows a project named 'propertyproject' with subfolders for 'Buyerapp', 'dreamhome', and 'Sellerapp'. The 'dreamhome' folder is expanded, showing files like 'urls.py', 'wsgi.py', 'main.py', and 'manage.py'. The 'main.py' file is selected, and its content is displayed in the editor. The code defines the 'INSTALLED_APPS' and 'MIDDLEWARE' settings. The terminal shows the output of a system check, indicating that the system is ready for development.

```
31 # Application definition
32
33 INSTALLED_APPS = [
34     'django.contrib.admin',
35     'django.contrib.auth',
36     'django.contrib.contenttypes',
37     'django.contrib.sessions',
38     'django.contrib.messages',
39     'django.contrib.staticfiles',
40     'Buyerapp',
41     'Sellerapp',
42     'Propertyapp',
43 ]
44
45 MIDDLEWARE = [
46     'django.middleware.security.SecurityMiddleware',
47     'django.contrib.sessions.middleware.SessionMiddleware',
48     'django.middleware.common.CommonMiddleware'
```

Terminal Local x + v AI Agents v

Performing system checks...

System check identified no issues (0 silenced).

July 06, 2026 - 20:32:35

Django version 6.0.6, using settings 'dreamhome.settings'

Starting development server at <http://127.0.0.1:8000/>

Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.

For more information on production servers see: <https://docs.djangoproject.com/en/6.0/howto/deployment/>

Task 8: Travel Booking System


Project Details

Python Project Name: travelproject

Django Project Name: tripplanner

Apps

- Userapp
- Destinationapp
- Bookingapp



The screenshot shows a code editor with a project explorer on the left and a terminal at the bottom. The project explorer shows a tree structure for 'travelproject' with subfolders for '.venv', 'Bookingapp', 'Destinationapp', and 'tripplanner'. The 'tripplanner' folder contains files like '__init__.py', 'asgi.py', 'settings.py', 'urls.py', 'wsgi.py', 'Userapp', 'db.sqlite3', 'main.py', and 'manage.py'. The 'settings.py' file is selected and its content is displayed in the editor. The terminal shows the output of running 'python manage.py check', indicating no issues were found and the development server is starting at http://127.0.0.1:8000/.

```
31 # Application definition
32
33 INSTALLED_APPS = [
34     'django.contrib.admin',
35     'django.contrib.auth',
36     'django.contrib.contenttypes',
37     'django.contrib.sessions',
38     'django.contrib.messages',
39     'django.contrib.staticfiles',
40     'Userapp',
41     'Destinationapp',
42     'Bookingapp',
43 ]
44
45 MIDDLEWARE = [
46     'django.middleware.security.SecurityMiddleware',
47     'django.contrib.sessions.middleware.SessionMiddleware',
48     'django.middleware.common.CommonMiddleware'
```

Terminal Output:

```
Performing system checks...

System check identified no issues (0 silenced).
July 06, 2026 - 20:37:43
Django version 6.0.6, using settings 'tripplanner.settings'
Starting development server at http://127.0.0.1:8000/
Quit the server with CTRL-BREAK.

WARNING: This is a development server. Do not use it in a production setting. Use a production WSGI or ASGI server instead.
For more information on production servers see: https://docs.djangoproject.com/en/6.0/howto/deployment/
```